

A Wardrobe of Warmth with over 20 stunning designs

Topical Techniques for Textured Finishes

S A SYSTEM 90 INTOSHAPE FOR A LUCKY WINNER






SEE PAGE 14 FOR DETAILS

Britain's best selling Machine Knitting Magazine










Save















5. The Collections Stitch Know How (Vol 1 No 5)



8. Designer Clothes





Spring (Vol 1 No 1)



Summer (Vol 1 No 2)

| Strattord-upon-Avon, Warwickshire CV37 8RS. Telephone: (0789) 720604 |
|---|
| I enclose cheque/PO (payable to Litharne Ltd) for £ Plus £1.95 towards post/packing £ TOTAL |
| or please charge my credit card 🗆 Access 🗆 Visa 🗀 American Express |
| No. |
| Expiry dateSignature |
| NameAddress |
| BLOCK CAPITALS |

Send to: Back Issues Offer, Litharne Ltd, PO Box 9,

| Please | tick relevant boxes |
|----------|---------------------|
| 1. 🗆 | 7. 🗆 |
| 2 \Box | 0 □ |

| Please | tick relevant boxes |
|--------------|--------------------------|
| 1. 🗆 | 7. 🗆 |
| 2. 🗆 | 8. □ |
| 3. □ | 9. 🗆 |
| 4. 🗆 | 10. 🗆 |
| 5. □ | 11. 🗆 |
| 6. 🗆 | 12. 🗆 |
| | |
| IF USING PLA | AIN PAPER QUOTE MKN 2/94 |

OVERSEAS POSTAGE RATES ON REQUEST

Please allow 28 days for delivery

contents

features

15 SWISS DARNING achieve the professional look with Sylvia Wynn's

20 IRENE KRIEGER works a piece of tubular knitting which is open at

both ends to create a useful snood

33 YOU AND YOUR **BROTHER**

> Janet Cooke encourages you to use your Knitleader

11 TRUDIE HOWARD makes a pile fabric this month — knitting the loopy way

70 RIBBER WORKSHOP Jenny Rose with more tuck and rib experiments

82 SILVER REED MACHINES Laraine McCarthy produces single motifs in different colours by changing colour in the middle of the row

88 REDISCOVER WEAVING first of a two-part series on the knitweave technique trom Debra Livingstone

98 MASTER TOUCH John Allen introduces outstanding designers met on his New Zealand tour

patterns

10 HIS 'N' HERS SWEATERS standard gauge punchcard

Pattern 1

18 LADY'S CABLED CHUNKY SWEATER

chunky machines

Pattern 2

24 FAIR ISLE COAT

machines

standard gauge electronic machines

Pattern 3

28 FAIR ISLE JACKET

Brother 950i machines with PPD

Pattern 4

36 GARTER CARRIAGE CARDIGAN

standard gauge punchcard machines with garter carriage

Pattern 5

38 TEXTURED CARDIGAN

Passap/Pfaff Duomatic machines

Pattern 6

46 AROUND THE WORLD WITH EMMA DAY — LADY'S 'WILD FRONTIER' JACKET

> standard gauge punchcard machines

> > Pattern 7

THE MEN'S COLLECTION Free supplement

MAN'S TUCK AND RIB **SWEATER**

standard gauge punchcard or electronic machines with ribber

Pattern 8

76 LADY'S SUIT

standard gauge electronic machines with garter carriage

Pattern 9

85 MAN'S CREW NECK **SWEATER**

Passap/Pfaff Electronic 6000 machines

Pattern 10

92 MAN'S WOVEN **SWEATER**

standard gauge punchcard machines

Pattern 11

LADY'S MOHAIR **SWEATER**

> standard gauge punchcard machines

> > Pattern 12

101 BABY'S ALL-IN-ONE

standard gauge punchcard or electronic machines with lace facility and garter carriage

Pattern 13

103 BABY'S HEXAGONAL SHAWL

standard gauge punchcard or electronic machines with lace facility and garter carriage

Pattern 14

105 WELCOME A BOARD — AS EASY AS ABC **CHILD'S SWEATER**

> standard gauge machines with Intarsia facility

Pattern 15

regulars

4 REPORTING all the latest news

5 EDITOR'S LETTER

Q COMPETITION

win a System 90 Intoshape computerised knitting package

4 | HINTS AND TIPS shared ideas

YARN SAMPLES AND **ABBREVIATIONS**

otters

14 SPECIAL ACCESSORIES OFFER FROM BSK


23 KNITTING MACHINE MAINTENANCE VIDEO AND BOOK OFFER

34 PARIS YARN FROM BSK

80 NEMO KNITTING DESK **OFFER**

87 10% OFF MARION NELSON **PATTERN CARDS**

108 SPECIAL MKN SUBSCRIPTION FORM



Page 10



Page 24



Page 18

VOL 10 No 11 ISSN 0266-8505 (UK) ISSN 1019-5661 (SA)

Editor Lynne Davies Technical Editor Jackie Demuth Publisher Gerald J Fox
Graphic Designer Heather C. Hopkinson Production Manager David Davis Fashion photography Martin Palmer
Photography Dave Singleton Advertisement Manager Maggie Michaells. Machine Knitting News is published monthly by
Litharne Ltd, PO Box 9, Stratford-upon-Avon, Warwickshire CV37 8RS
Editorial enquiries: 0789 720133 (fax: 0789 720888) Administration: 0789 720604 (fax: 0789 720888)

Advertising: 0.789 / 20133 (tax: 0.789 / 2088) Administration: 0.789 / 20044 (tax: 0.789 / 2088)

Advertising: 0.81-807 11.85 (fax: 0.81-803.71.95). Distributed by Comag.

American Distributor: Margaret M Brossart, Knitting Machine Centre, 5.442 Cannas Drive, Cincinnati, O.H. 45.238 U.S.A. Tel: (513) 9.22.74.33

Canadian Distributor: Modern Sales Canada Inc., PO Box 67, #4-1.865 McClean Avenue, Port Coquitlam, B.C. V3C 3V.5 Canada.

Tel: (604) 9.42.59.39. Fax: (604) 9.42.53.29

South African Distributor: Intermag, CNA Building, 12 Laub Street, New Centre, Johannesburg. Tel: (011) 493.32.00

Other enquiries to: Litharne S.A. (PTY) Ltd, PO Box 272.12, Sunnyside, Pretoria 0.13.2, Transvaal, South Africa.


Tel: (012) 646.45.9. Fax: (012) 660.0848

Annual subscription £22.80 including postage. UK only. Overseas prices on application.

Member of ABC

R

Reporting



Yarn Fashion Focus

ooking at yarn predictions is the surest way of assessing future knitwear trends — and Britain's top spinning companies have revealed their new yarns for spring/summer 1994 at the Yarn Collections in Leicester.

The companies' designers put together four new colour trends under the title 'Global Adornments'.

The trends — Northern


Hemisphere, Southern Rituals. Eastern **Promise and** Western **Decadence** have been inspired by the ethnic costume and decoration of many cultures around the world.

The chairman of Yarn Collections, David

Sutcliffe, said spinners were optimistic about business trends next year.

"We have had one of our busiest autumn seasons for some years. Knitwear remains fashionable and is generally selling well in retail stores" he said. "Current exchange rates mean imports are more expensive so we and our knitting

customers will be **using Yarn Collections** to recinforce our links. We will make renewed efforts to encourage retailers to source more garments in the UK." Mr Sutcliffe also spoke in his capacity as chairman and joint managing director of **Benson Turner Ltd and** his words should encourage all knitters in whatever capacity.



COACH PARTIES FOR THE NEC EXHIBITION

Further news on coach parking from the NEC which will apply to the 1994 exhibition. On behalf of our readers we wrote to the Superintendent of the Traffic Division at the NEC and he explained that passengers on private hire coaches could be dropped off and picked up at the hotel stop which is situated opposite the Pavilion main entrance approximately 30 yards from the Piazza main entrance. To use this facility, coach operators need to apply to the Traffic Division detailing dates and times and the pass will then be forwarded on a first come first served basis. Coaches will then park in the West car park so if your operator has not got a pass do make sure that you have advance tickets so you can use the special entrance at the rear of the hall made available for your convenience by Nationwide, the exhibition organisers.

The NEC Traffic Division are hoping to make available a further drop off, pick up point alongside Hall 5 which would enable a larger number of coaches to use this facility, providing once again they had applied for a

Hunlockers Machine

held their First Fashion Show to raise funds for Weston Park Cancer Care Appeal. Over 200 hand and machine knitted items were on display, including toys, sweaters, skirts, jackets, a bride doll and a three tier wedding cake. Other items were provided by Economy Fabrics Tibshelf. Rridal



wear/hats Alfreton added to the evening

of fashion. During the interval members of tashion. During the interval members provided refreshments, ran a lucky ticket draw, tombola and raffle. Everyone helping gave their services free for the cause. Miss Julie Butler, Appeals Director attended the evening and accepted £329 from the club. Hunlockers Machine Knitting Club now meet weekly at the Green Hut, Hunloke Centre, Church Street South, Birdholme, Chesterfield. For further details Chesterfield. For further details telephone Ann Molyneux on 0246 865308 (after 6pm).

From the Editor

Dear Readers.

For the last of this winter's issues we have a selection of easy to wear designs that will see you hopefully through the end of winter but still be perfect for those chilly, early spring days. Ladies' outfits include our elegant garter carriage suit with this season's longer length skirt, jackets, cardigans and a stunning hooded Fair Isle coat will enhance every wardrobe. There really is something for all age groups with the adorable baby's shawl and child's alphabet sweater to cheer up the greyest of February days. Our free supplement will please the men you knit for, all suitable for punchcard machines, these garments cover Fair Isle, stocking stitch and tuck stitch and are guaranteed to be firm favourites. Sylvia Wynn shows just how Swiss darning can decorate the plainest of jumpers to give that stylish and individual finish, with a very simple to follow chart for you to try. Debra Livingstone's two part series on weaving starts this month while Janet Cooke explains charting on the Knitleader.

February also heralds the start of a new 'Around the World' series

with Emma Day.

For inspiration Emma has used North American Indian culture to produce a fabulous jacket that will look as equally 'at home' on a British High Street as it would in the country of its origin. In all, another magazine packed with mouth watering projects and topical informative articles from the leading experts in the world of machine knitting.

See you next month.



JACPACS JAC-CA

SINGLE & DOUBLE BED YARN HOLDER

- KNIT DOUBLE JACQUARD WITHOUT HAVING TO USE A COLOUR CHANGER!
- FITS ALL JAPANESE MACHINES-IN SECONDS!
- **USE IT FOR FAIR ISLE AND TUCK** STITCH AS WELL!
- COMPLETE WITH SIMPLE INSTRUCTIONS AND TWO STARTER PUNCHCARD DESIGNS
- £3.95 plus 25p p&p

Also available: - 'Beginners Guide to Double Jacquard' Knitting' containing designs, patterns etc. £3.50 (inc P & P). Many other designs available, send S.A.E. for leaflet.

Jacpacs, 19 South Rd., Portishead, Bristol, BS20 9DU.

REPORT FROM THE SHOWS

The last week in October and first week in November were busy times for all those involved in the exhibitions, in fact it was more like a travelling roadshow. First was the long haul up to Edinburgh and the Royal Highland Show Ground. For we Sassenachs this is a favourite venue as crossing the border really makes us feel as if we're on holiday. The warmth of the Scottish welcome is enjoyed by everyone and visitors really show their appreciation for our presence so far north. The exhibitors workshops were well attended even the extra one given by the editor of our sister publication (no name mentioned) who was so keen to do her bit that she gave performance number one an hour ahead of schedule wondering why there weren't many in the audience. She had to do a repeat performance for those who attended at the correct time an hour later, we put it down to altitude sickness! The Edinburgh exhibition attracts visitors not only from all over Scotland but many travel from the North of England. The fashion show was under

Helpline has the answers

When you run into problems with your knitting and crochet, don't you wish you had a friendly expert to call on? Someone who could cope with anything, from deciphering puzzling pattern instructions to untangling new techniques? Well, now you have, with the Knitting and Crochet Guild's new Helpline service.

Because it is run by the Guild, the Helpline can tap the combined knowledge of expert knitters and crocheters, hundreds of books and thousands of patterns to find the answers you need. It is easy and inexpensive to use - free to Guild members and only £1 per guery for non-members - and you will receive a personal reply.

For further information contact Miss Jennie Gairns, Knitting and Crochet Guild Helpline, Cartref Hedd, Conwy Old Road, Penmaenmawr, Gwynedd LL34 6RD.

For membership details contact Mrs Anne Budworth, Membership Secretary, 228 Chester Road North, Kidderminster, Worcs DY10 1TH.

the expert direction of Paul Baccara and was a source of

inspiration to the eager audience with its mouth

watering selection of stylish outfits. In all, a thoroughly

Floatless Fair Isle

Techniques the revolutionary

method for placing float free

fabric, has now increased its

range of technique manuals to

cover all Japanese electronic

and punchcard machines with

a new manual specially written

for Knitmaster and Silver Reed

introducing this technique for

machine knitters can produce

FLOATS, either as an all-over

Ribber and double bed colour

changer are required for basic

machines, as well as

Passap knitters. Now all

Fair Isle patterns with NO

design or as a single motif.

technique. For information

Crewenna Vean, Crowan,

Camborne, Cornwall

TR14 9NB.

sheet send SAE to J. Arundel,

motifs in a stocking stitch



The Professiona







Buy the BSK Way FREE PATTERN BOOK COLLECTION

EVERY NEW MACHINE OVER 50 RANGES of BRANDED YARNS in STOCK all at LOW! LOW! PRICES GREAT VALUE — GREAT SERVICE

BROTHER • KNITMASTER • TOYOTA • SILVER REED • PASSAP • BOND Credit plan — Written details on request PLUS our UNIQUE MONEY BACK GUARANTEE

Telephone (0234) 217096

MAIL ORDER DEPARTMENT

WORLDWIDE MAIL ORDER — FREE DELIVERY AND INSURANCE ON MACHINES ANYWHERE IN BRITAIN

Machines - Accessories - Pattern Books - Spares - plus THE BIGGEST RANGE of YARNS ANYWHERE

FREE SUPERSAVER CATALOGUE send for YOUR copy NOW!

Come to see us at our showrooms at: 58 Bromham Road, Bedford MK40 2QG

· KNITTING CLUBS WELCOME •

OR FREE CATALOGUE TELEPHONE (0234)

SAVE £££\$ WITH AN EXCLUSIVE BSK ACCOUNT CARD

Costs YOU nothing — NO yearly FEE

SPECIAL OFFERS throughout the year including ADDITIONAL DISCOUNTS on yarns ASK for DETAILS NOW



SAVE POUNDS on YARNS

ARGYLL • BRAMWELL BK • CRAFT • DB **FORSELL • YEOMAN** and TRUMATCH

Send to: BSK Ltd, Murdock Road, Manton Industrial Estate, Bedford MK41 7LE

Carol Chambers is not with us this month as she has been busy at the exhibitions, therefore she is taking a break but will be back next month with Toyota Topics and starting a new mini series The Electronic Age of Machine Knitting' to include electronics, computers and software.

enjoyable show and we look forward to going back next year and sampling more of the fare on offer in the superb restaurants we've found. We came back to base for a couple of days, just enough time to unpack, wash, iron, repack and restock the vans to set off to the London Knitting & Needlecraft Exhibition at

M25 and the M1 and the North Circular Road in two different directions what should have been a two and a half hour journey stretched to four hours. I am sure you can imagine the happy atmosphere in the car with the thought of all those magazines we had to put out when we finally arrived!

However, we were ready for the opening of the show on the Friday morning with no further problems ahead! Besides the knitters there were many sewing and dressmaking enthusiasts amongst the visitors to

Picketts Lock. Everyone was catered for with continual demonstrations for both crafts taking place on many of the stands.

Lectures were varied and covered from knitting machine maintenance to the history of Singer machines through the years, finishing off garments to making hand or machine knitted toys for Christmas and painting on silk, which looked so beautiful that many were

We had two very busy but enjoyable weekends prior to a

La Riviere



TAILORED DUST COVERS

made in polyurethane coated nylon for all makes of machine. Average prices £5-£7.

BLOCKING CLOTHS

heavy duty cotton drill. In inches 35"x54" or centimetres 90x140cm or reversible (inches and cm). £10 or £14 incl postage. Half cloths on request — please phone.

THE CONE LADDER

No floor space? Hang on wall, side of wardrobe or top of the stairs. Holds 12 cones and measures 5' drop add more brackets if you have space. £7.25 + £1.25 postage per set.

RIBBER CARRYING BAGS

Navy canvas, strong handles and velcrofastened pockets to hold weights, etc. Also Knitleader bags, and long plain bags to hold BOND with extensions attached from £7.25 to £12.95 + postage.


> Mixed orders — please phone for postage




Write or telephone for details. 67 Bartholomew Road, London NW5 2AH

Telephone 071-267 2712







WORDSWORTH MUSEUM HELPS REVIVE YORKSHIRE KNITTING TRADITION

The production of a facsimile knitting kit created from a pair of gloves displayed at the Wordsworth Museum, Grasmere, Cumbria, has revived interest in a long extinct Dales knitting tradition.

The knitting kit is based on a pair of white and black woollen gloves made by Mary Allen, one of the last of the famous 'Hand-knitters of Dent' whose mother knitted for Queen Victoria.

The gloves were donated to the Wordsworth Trust at Dove Cottage, Grasmere, in 1949 and they are now displayed at their award-winning museum. The kit of the gloves was produced in 1991 by Sue Leighton-White, Hand-knitting Editor for the Knitting and Crochet Guild in the hope that it would renew interest in the Dent tradition. The gloves are an exact replica — even a mistake in the right hand glove has been reproduced in the pattern so knitters may choose to repeat it! Mary Allen's gloves are now on display at Dove Cottage and the Wordsworth Museum in Grasmere, which is open for 48 weeks of the year.

For further information and illustration please contact: Helen Butter or Terry McCormick on 05394 35544/47. well earned break before the 1994 shows.

FROM ABROAD

The New Zealand Machine Knitting Festival is to be held in the City of Hamilton, North Island from 26th June to 3rd July 1994. Hamilton is the centre of the Waikato Area, which is running the Festival — a major undertaking by a relatively small number of people. Waikato, named after its river, is a rich and beautiful farming area, so many of the Festival organisers, helpers and knitters come from rural districts. The city is within easy reach of several tourist

attractions and has a wide variety of attractions for visitors within the city. The programme will include workshops, demonstrations, garment competitions, fashion show, a guest exhibitor, dinner and prize giving. Full day and half day tours of Waikato sights will be available. The main venue will be the Hamilton Gardens Complex.

The Festival Programme is open to overseas visitors, who may register in the same way as the Society Members. For details of fees, programme tours and accommodation write to Dana Catley, Secretary N.Z.M.K.S. Festival, Frankton-Pirongia Road, R.D.2 Ohaupo, North Island, New

| Zea | land | |
|-----|------|--|
| | | |

| | | NEW VEN | UE | | |
|-------------------------------------|----------------------|--------------|---|---------------|--------|
| NAME | SEC/ORGANISER | TELEPHONE NO | VENUE | DAY | TIME |
| CAROUSEL MK CLUB | Freda Terry (Org) | 0494 481570 | The Village Hall, Chinnor Road, Bledlow Ridge | 4th Wednesday | 7.45pm |
| WOODLEY ALL ROUND HAND & MK CLUB | Sheila Wilde (Chair) | 0734 321118 | Woodford Park Pavilion, Woodford Park, Haddon Drive | 3rd Thursday | 7.30pm |
| | | NEW OFFI | CER | | |
| NAME | SEC/ORGANISER | TELEPHONE NO | VENUE | DAY | TIME |
| FLEET MK CLUB | Nina Cornwell (Org) | 0252 613186 | St John's Ambulance Hall, Clarance Road, Fleet | 1st Tuesday | 8pm |

Weaver Knits

Britain's first

MACHINE KNITTING CENTRE

AUTHORISED STOCKISTS

brother

PASSAP

BIG DISCOUNT PRICES WITH FREE TUITION Expert demonstrators

VAST RANGE OF CONED YARNS All Mary Weaver Books

Books, patterns, parts and accessories

Knitting Clubs Welcome

Always friendly, helpful advice and After Sales Service



MAIL ORDER

Please send £2 for shade card pack or sae for details.



WEAVERKNITS LTD, 276-8 MAIN ROAD, SUTTON-AT-HONE NR DARTFORD, KENT DA4 9HJ. TEL: 0322 863144 Open Monday-Saturday. Closed all day Wednesday

designer yarns

RY OL EXCITING RANGE OF NEW SHADES FOR 1994

Knitwear Designers, Knitting Clubs Machine Knitting Retailers, Home Machine Knitters, can now



BUY OUR EXCLUSIVE RANGE OF LUXURY YARNS DIRECT FROM THE MILL

MERINO/LAMB'S WOOL:- 2 Ply & 4 Ply NOW IN 47 SHADES MACHINE WASHABLE:- 4 Ply IN 12 SHADES TUSSAH EFFECT COTTON:- 4 Ply IN 19 SHADES

> ALL YARNS ON 500G (1/2 KILO) CONES MIN. ORDER 1 KG ALL YARNS EX-STOCK

MAIL ORDER, RETAIL AND EXPORT ENQUIRIES ALL WELCOMED. AGENT IN N. AMERICA.

Designer Yarns P. O. Box 18 Longcroft Keighley West Yorkshire BD21 5AU

Tel: 0535 680305 FOR SHADE CARDS SEND Fax: 0535 600531 £1 (REFUNDABLE) TO:





The Brother System 90 Intoshape, from Clywd Technics (educational computing specialists), is a computerised knitting package whereby you can create, design and shape your own garments, using a personal computer. The package can be used with the Brother 930, 940 and 950i machines and the prize includes leads for Silver Reed machines.

Whether you are a beginner or a professional knitter, you will find the Intoshape easy to use. The package includes software on floppy disks, manuals and an interface cable. The system is usable on IBM compatible machines with at least one MB of memory.

You can follow your knitting on the computer screen as you knit and draw directly on to the garment you have designed, using motifs you have already created. You supply the tension and the system calculates what shaping is needed in order to create your garment. Clwyd Technics offer specialised computerised knitting courses.

For further details, write to them at: Clwyd Technics, Antelope Industrial Estate, Rhydymwyn, Nr Mold, Clwyd CH7 5JH (Tel: (0352) 741751).

HOW TO ENTER

Simply unscramble the anagrams below to find various words/phrases connected with our competition prize. Write your answers on a postcard or on the back of an empty, sealed-down envelope, together with your name and address and post your entry to:

MACHINE KNITTING NEWS/INTOSHAPE COMPETITION, LITHARNE LTD, PO BOX 9, STRATFORD-UPON-AVON, WARWICKSHIRE CV37 8RS. Closing date for receipt of entries is Friday February 25 1994.

RULES


of Machine Knitting News.

Each entry must be submitted on a postcard or on the back of an empty, sealed-down envelope. The prize will be awarded to the sender of the first correct entry drawn after the closing date and must be accepted as offered.

Entries arriving after the closing date or not complying with the rules and instructions exactly will be disqualified. The competition is open to all readers in Great Britain, Northern Ireland, Channel Islands and Isle of Man, except employees (and their families) of Litharne Ltd, the printers of *Machine Knitting News*, or Clwyd Technics. Decisions of the judges and the Editor of *Machine Knitting News* will be final and legally binding. No correspondence can be entered into. The winner will be notified and the result published in a future issue

| 1.0 | 1. DYLWC CHINECTS | 5. ALUMAN |
|-----|-------------------|------------|
| | 2. NOTIHAPES | 6. MENTGRA |
| | 3. TERCOMPU | 7. SKIDS |
| | 4.TINGTINK | 8. THERBRO |

win a System 90 Intoshape computerised knitting package



His 'n' Hers **Sweaters**



MACHINES: These instructions are written for standard gauge punchcard machines with ribber

MACHINES WITHOUT RIBBER: See page 113 YARN: The Yorkshire Mohair

Mill Oasis

FIBRE CONTENT: 50% Mohair, 50% Acrylic **COLOUR**: Man's Version: We used Black 17MC53 (MC), Tan 17MC21 (A), Beige 17MC22 (B) and Green 17MC48 (C). Lady's Version: We used

Beige 17MC22 (MC), Green 17MC48 (A), Black 17MC53 (B) and Tan 17MC21 (C)


STOCKISTS: To obtain this yarn, please write to The Yorkshire Mohair Mill, Gibson Street, Bradford, W. Yorks BD3 9TS

To suit bust/chest 86[91:96: 101:106:111:116:121:126]cm. Finished measurement 100[105: 110:115:120:125:130:135: 140]cm. Length 76[76:76:81:81:81:

86:86:86]cm. Sleeve seam 50[50:50:50.5: 50.5:50.5:51:51;cm.

Figures in square brackets []





refer to larger sizes; where there is only one set of figures, this applies to all sizes.

MATERIALS

MATERIALS
The Yorkshire Mohair Mill Oasis.
200[200:200:250:250:250:300:300:300]g in MC.
150[150:150:200:200:200:200:250:250:150]g in A.
100[100:100:150:150:150:150:200:200:200]g in B.
100[100:100:150:150:150:150:200:200:200]g in C.

GARMENT WEIGHS


504g for size 96cm. 603g for size 111cm.

MAIN TENSION

28.5 sts and 31.5 rows to 10cm measured over Fair Isle patt (tension dial approx 9).
Tension must be matched exactly before starting garment.

ABBREVIATIONS

See page 113.



MACHINE KNITTERS Buy Your Yarn



Have been established over 12 years now, and have some **50,000 HAPPY CUSTOMERS**

Because we offer:

- A HUGE RANGE OF QUALITY YARNS
- **VERY LOW PRICES**
- **ENORMOUS STOCKS**
- IMMEDIATE DESPATCH (We try, and usually succeed in sending all orders out BY RETURN OF POST)
- ORDERS OVER £45 POST FREE
- REGULAR SPECIAL OFFERS Full range of these fabulous

matural designer yarns in stock NOW! Huge stocks of: YARNARAMA YARNS, BRAMWELL FORSELLS, BRETT, DENYS BRUNTON, FOXSTONES, KING COLE,

BONNIES, YEOMAN, HAGUE, HORN CABINETS, BROTHER MACHINES, BOOKS, PATTERNS, ACCESSORIES AND ALL SORTS OF OTHER GOODIES all at really low prices, and in stock NOW.

RITE OR

or our latest **FREE** 12 page catalogue (now printed in GREEN) and special offers list and include a 50p coin if you would like our **NEW** Yarnarama shade card with samples of 73 superb yarns

We guarantee you the most friendly and efficient service you have ever known . . .

| Please rush me your late | est catalogue and | special offer list: |
|--------------------------|-------------------|---------------------|
|--------------------------|-------------------|---------------------|


.....Postcode..... YARNARAMA, TANFIELD LANE,

WEBBS LAND, WICKHAM, HANTS PO17 5NS





ALWAYS WELCOME



NOTE

Knit side is used as right side. Measurements given are those of finished garment and should not be used to measure work on the machine.

PUNCHCARD PATTERN

Punch card 1 for man's version or punch card 2 for lady's version before starting to knit.

COLOUR AND PATTERN SEQUENCE MAN'S VERSION

Using MC, K 1[1:1:3:3:3:5:5:5]

Insert punchcard 1 and lock on first row. Set machine for patt. K1 row to select. Release punchcard. Set carriage for Fair Isle knitting.

* MC+A, K11 rows. B+C, K11 rows. A+C, K7 rows. B+C, K11 rows.

MC+A, K11 rows. Lock punchcard. Set carriage for st st. Using MC, K 1[1:1:3:3:3:5:5:5] rows. Engage punchcard. K1 row to select.

Disconnect RC. Set carriage for tuck st knitting in both directions. Release punchcard.

Using C, K2 rows. Lock punchcard. K1 row.

Reconnect RC. Set carriage for st st. Using A, K 1[1:1:3:3:3:5: 5:5] rows.

Engage and release punchcard. K1 row.


Set carriage for Fair Isle knitting. A+B, K11 rows.

C+MC, K11 rows. B+MC, K7 rows. C+MC, K11 rows.

A+B, K11 rows.

Lock punchcard. Set carriage for st st *. Using A, K 1[1:1:3:3:3:5:

Engage punchcard. K1 row to select.



Disconnect RC. Set carriage for tuck st knitting both directions. Release punchcard.

Using C, K2 rows. Lock punchcard. K1 row.

Reconnect RC. Set carriage for st st. Using MC, K 1[1:1:3:3:3:5: 5:5] rows. Engage and release punchcard. K1 row.

Set carriage for Fair Isle knitting. Rep from * to *, once more. Using A, K 2[2:2:4:4:4:6:6:6] rows. RC shows 220[220:220: 236:236:236:252:252:252].

LADY'S VERSION

Using MC, K 4[4:4:7:7:7:10: 10:10] rows. Insert punchcard 2 and lock on first row. Set machine for patt. K1 row to select. Release punchcard. Set carriage for Fair Isle knitting.

** MC+A, K5 rows. B+C, K5 rows. A+C, K5 rows. B+C, K5 rows.

MC+A, K5 rows.

Lock punchcard. Set carriage for st st. Using MC, K 5[5:5:6:6:6:7:7:7] rows.

Engage punchcard. K1 row to select.

Disconnect RC. Set carriage for tuck st knitting in both directions. Release punchcard.

Using C, K2 rows. Lock punchcard. K1 row.

Reconnect RC. Set carriage for st st. Using A, K 5[5:5:6:6:6:7:7:7] rows. Engage and release punchcard. K1 row. Set carriage to Fair Isle knitting. A+B, K5 rows.

C+MC, K5 rows. B+MC, K5 rows. C+MC, K5 rows. A+B, K5 rows ***

Lock punchcard. Set carriage for st st. Using A, K 5[5:5:6:6:6:

7:7:7] rows.

Engage punchcard. K1 row to select.

Disconnect RC. Set carriage for tuck st knitting in both direction. Release punchcard.

Using B, K2 rows. Lock punchcard. K1 row. Reconnect RC. Set carriage for st st. Using MC, K 5[5:5:6:6:6: 7:7:7] rows.

Engage and release punchcard. K1 row. Set carriage for Fair Isle knitting *

Rep from ** to ** once more. Rep from the first set of ** to ***, once more.

Set machine for st st. RC shows 215[215:215:228:228:228: 241:241:241]. Using A, K 5[5:5:8: 8:8:11:11:11] rows.

BACK

With RB in position, set machine for 2x2 rib. Push 71[75:78:82: 86:89:93:96:100] Ns at left and right of centre '0' on MB to WP. 142[150:156:164:172:178: 186:192:200] Ns.

Push corresponding Ns on RB to WP. Arrange Ns for 2x2 rib. CAR.

Using MC, cast on and K3 tubular rows.

Set RC at 000. Using MT-4/MT-4, K20 rows.

Transfer sts to MB.

CAR.

Set RC at 000. Using MT, work in colour and patt sequence

given. K 134[134:134:148:148:148: 160:160:160] rows.

SHAPE ARMHOLES

Cast off 3[4:5:6:7:8:9:10:11] sts at beg of next 2 rows.

Dec 1 st at each end of next and every foll alt row, 5[6:7:8:9: 10:11:12:13] times in all. 126[130:132:136:140:142: 146:148:152] sts.

K until RC shows 220[220:220: 236:236:236:252:252]. Cast off 43[45:46:47:49: 50:50:51:53] sts at each end.

Using WY, K a few rows over rem 40[40:40:42:42:42:46:46: 46] sts and release from machine.

FRONT

Work as given for back until RC shows 194[194:194:208:208: 208:220:220:220]. CAR.

SHAPE NECK

Make a note of position in colour and patt sequence. Using nylon cord, K .73[75:76:78:80: 81:83:84:86] sts at left by hand taking Ns down into NWP. Cont on rem 53[55:56:58:60: 61:63:64:66] sts at right for first

Dec 1 st at neck edge on next 10[10:10:11:11:11:13:13:13] rows. 43[45:46:47:49:50:50: 51:53] sts.

K until RC shows 220[220:220: 236:236:236:252:252:252]. Cast off.

Unravel nylon cord over 20 sts at right (centre neck). Using WY, K a few rows and release from machine.

Unravel nylon cord over rem sts at left. Reset RC at 194[194: 194:208:208:208:220:220: 220].

Starting at correct position in patt, complete to correspond with first side, reversing shapings.

SLEEVES

With RB in position, set machine 2×2 rib. for Push 35[36:37:41:42:43:46:47:48] Ns at left and right of centre '0' on MB to WP.

70[72:74:82:84:86:92:94:96] Ns.

Push corresponding Ns on RB to WP. Arrange Ns for 2x2 rib. CAR.

Using MC, cast on and K3 tubular rows.

Set RC at 000. Using MT-6/MT-6, K20 rows. Transfer sts to MB. Set RC at 000. Using MT, work in colour and patt sequence given. Inc 1 st at each end of every foll 3rd row, 45[45:45:45:45:46:46:46] times.

160[162:164:172:174:176: 184:186:188] sts. K until RC shows 138[138:138:140: 140:140:142:142:142].

SHAPE TOP

Cast off 3[4:5:6:7:8:9:10:11] sts at beg of next 2 rows.

Cast off 3 sts at beg of next 26[28:30:32:34:36:38:40:42] rows. 76[70:64:64:58:52:52:

46:40] sts. RC shows 166[168: 170:174:176:178:182:184: 186]. Cast off.

NECKBAND

Join right shoulder seam. With RB in position, set machine for 2x2 rib. Push 130[130: 130:134:134:134:142:142: 142] Ns on MB and corresponding Ns on RB to WP. Arrange Ns for 2x2 rib.

Using MC, cast on and K3 tubular rows.

Set RC at 000. Using MT-4/MT-4, K30 rows.

Transfer sts to MB.

With wrong side facing, hang back neck edge over 40[40:40:42:42:42:46:46:46] Ns and side neck over 35[35:35:36:36:36:38:38:38], centre neck over 20 Ns and rem side neck over 35[35:35:36:36: 36:38:38:38] Ns. Cast off loosely.

TO MAKE UP

With wrong side facing, block pieces out to correct measurements and lightly steam. Do not allow iron to touch fabric.

Join left shoulder and neckband

Sew in sleeves.

Join side and sleeve seams.

| Earn Cash |
|---|
| |
| FROM KNITTING |
| From the luxury of Angora to the economy of Acrylic |
| The Yorkshire Mohair Mill offers probably the largest stock of Mail Order Yarns. Become an agent - introduce your friends and colleagues to the best value, best quality knitting yarns for both Machine or Hand Knitting whilst enjoying a little extra cash. With over 600 colours to choose; from the luxury of Angora to the economy of Acrylic, including Mohair, Alpaca, Silk & Cotton, there is something for everyone. Send now for our Mail Order Shade |
| Catalogue at only £2.95 (fully refundable Yorkshire with your first mail order). Good quality, quick service and northern value from an established Yorkshire Family Mill. MOHAIR MILL |
| The Yorkshire Mohair Mill, Gibson Street, Bradford BD3 9TS. |
| Please send me your Mail Order Catalogue. I enclose £2.95 which I understand is fully refundable with my first Mail Order. |
| ☐ Please send me details of how to become an agent for your high quality yarns for machine & hand knitting by Mail Order. |
| Card Number Expiry Date |
| |
| Name |
| Address |
| |
| Post Code Telephone |



Accessory Bargains for MACHINE KNITTING NEWS readers

SET TOOLS

STANDARD GALIGE MACHINES

£3.99

ROLLING CUTTER



£6.95

NECK TEMPLATES

4 WIDTHS 3 DEPTHS FOR ALL KNITWEAR FULL & 1/2 SCALE CHARTING DEVICES

£7.99

Н

CHUNKY RIBBER COMBS



28 NEEDLE £6.75

PUNCHCARD ROLLS

24 st -5 METRES FOR ALL STANDARD GAUGE MACHINES



£5.99

7 NEEDLE ADJUSTABLE TRANSFER TOOL



£3.95

TEASLE BRUSH WOODEN HANDLE



3 TIMES AS LARGE AS NORMAL TEASLE BRUSH

£3.99

POM POM SET

4 SIZES EASY TO USE

L



£5.25

M

LINKER SUITABLE FOR ALL BROTHER STANDARD GAUGE MACHINES



ONLY £72.00

INTARSIA CARRIAGE

FOR ALL BROTHER STANDARD **GAUGE MACHINES**



ONLY £36.95

TOTAL

KNITLEADER CHARTING **DEVICE** FOR ALL BROTHER MACHINES



ONLY £94.00

SINGLE BED 4 COLOUR CHANGER

FOR USE WITH ALL BROTHER PUNCHCARD AND ELECTRONIC **MACHINES**



£75.00

CLAW WEIGHTS


SMALL £2.25

E

LARGE £3.50



SWEATER DRYER



£5.99

WEIGHT HANGER



£4.95 0

BSK SPRAYS

KNITTING **SPRAY** MACHINE CLEANER



£3.25

BLANK CARDS



NEEDLES **FOR ALL STANDARD** GAUGE MACHINES. STATE MODEL OR RIBBER WHEN ORDERING

PACK 50 £12.00 PACK 100 £19.00

RIBBER COMBS

18 Ns £4.75

36 Ns £5.95

50 Ns £6.50

CARD PUNCH



SUITABLE FOR ALL **24 STITCH PUNCHCARDS**

T £11.95

ORDER FORM — POST TO: BSK LTD, MURDOCK ROAD, BEDFORD MK41 7LE. PHONE: 0234 217096

| ITE | M | PRICE | QUANTITY | TOTAL |
|-----|--------------------------|---------|----------|-------|
| A | SET STANDARD GAUGE TOOLS | £3.99 | | |
| В | A661 ROLLING CUTTER | \$6.95 | | |
| (| A666 NECK TEMPLATES | £7.99 | | |
| D | A675 18 NEEDLE COMB | 25.50 | | |
| D | A676 28 NEEDLE COMB | £6.75 | | |
| E | A 503 PUNCHCARD ROLL | 25.99 | | |
| F | S360 7 PRONG TOOL | £3.95 | | |
| G | B128 AUTOMATIC LINKER | £72.00 | | |
| Н | B106 KNITLEADER | £94.00 | | |
| 1 | S375 CLAW WEIGHT | £2.25 | | |
| 1 | S467 LARGE CLAW WEIGHT | £3.50 | | |
| J | A616 TEASLE BRUSH | £3.99 | | |
| K | A678 SWEATER DRYER | £5.99 | | |
| 1 | A658 POM POM SET | £5.25 | | |
| M | B109 INTARSIA CARRIAGE | £36.95 | | |
| N | B103 COLOUR CHANGER | £75.00 | | |
| 0 | A692 WEIGHT HANGER | £4.95 | | |
| P | A504 KNITTING SPRAY | £3.25 | | |
| Р | A574 MACHINE CLEANER | £3.25 | | |
| Q | A583 BIANK CARDS | £2.99 | | |
| R | PACK 50 NEEDLES | £11.95 | | |
| R | PACK 100 NEEDLES | \$19.99 | | |

| ITEM | PRICE | QUANTITY | TOTAL |
|---|---|------------------|-------|
| S A672 18 NEEDLE COMB | £4.75 | | |
| S A671 36 NEEDLE COMB | £5.95 | | |
| S A654 50 NEEDLE COMB | \$6.50 | | |
| T CARD PUNCH | £11.95 | | |
| PLEASE STATE MAKE/MODEL OF MACHINE WHEN ORDERING NEEDLES AND ACCESSORIES MAKE | add postage/packing LESS £2.00 when I enclose my cord (see front cover) and the order is £30 or more. GRAND TOTAL | | |
| MODEL | | heque/PO payablo | |

| Payment by Access, Viso or BSK Account Card | Access | Vise | BSK Account Cerd |
|---|--------|----------|---------------------|
| No [] | | | |
| | _ | | |
| Signature | Ехр | iry date | |
| NAME | | | |
| ADDRESS | | | |
| | | | |
| | | | |

POSTCODE. rish to cut your magazine, please send your order on a separate sheet of

All orders over £45 are insured and despatched post free. Smaller orders — £25 to £45 add £2.99 p&p. £10 to £25 add £2.45.

Swiss Darning - the Professional Look

hilst demonstrating the technique of Swiss darning at the various exhibitions, we have encountered many people who have been disappointed and frustrated with their efforts, saying that the background colour of the knitted garment shows through. This is usually due to:

 Being misguided into thinking that it is a chain stitch which is worked vertically

 Being completely confused by complicated instructions and diagrams or

 Simply needing a few extra tips.
 We have also found to our machine knitters who are not familiar with hand knitting do not recognise an actual knitted stitch and seem to look at their knitting as a piece of fabric consisting of interlocking loops. So let us first establish what a stitch looks like (Diagram 1). This stitch in the row above sits inside this one (Diagram 2).

The basic stitch is simple: Swiss darning is an embroidery technique allied to knitting (stocking stitch only) which is applied to a finished garment by following the exact path of the knitted stitch, giving the appearance that the design has been knitted in. Use a tapestry needle with a Master the technique
of Swiss darning
with Sylvia Wynn of
Forge Craft
Creations

DIAGRAM 1 One worked stitch

amazement that many





DIAGRAM 2

A row of grey stitches sits inside a row of black stitches



FABULOUS MACHINE KNITTING WORKSHOP WITH PASSAP AND RIDGEWAY YARNS

FREE MACHINE DEMONSTRATIONS

BOURNE VALLEY COMMUNITY
CENTRE
56 HERBERT AVENUE
PARKSTONE
POOLE, DORSET

FEBRUARY 12th 1994

TOP QUALITY YARNS from 10p per oz
For further details and shade cards please send a
stamped addressed envelope to:


RIDGEWAY YARNS

5 HIGH STREET • HUSBANDS BOSWORTH
LUTTERWORTH • LEICESTER LE27 8LJ • TEL: 0858 880394

OPEN TO THE PUBLIC

Wednesday 9am-4pm Saturday 9am-1pm

SWISS DARNING CHART FOR WREN



KFY

- \times = Light Brown
- = Dark Brown
- Red
- **▼** = Med/Dark Brown
- + = Light Green
- = Med/Dark Green
- = Light Fawn
- u = Dark Fawn




DIAGRAM 4 A design with one unworked stitch in the centre



blunt end, the same thickness and weight of yarn as that used for the main garment, and keep the stitches the same tension as the knitting.

METHOD — (Diagram 3)

1. Insert the needle through from the back of the work into the centre base of the stitch to be covered and pull yarn through to the front.

2. Follow the stitch round, inserting the needle behind the stitch in the row above, and pull through to the front. 3. Insert the needle back into the base of the stitch at the point from which you began and pull through to the back. This is one completed stitch and whether you are going left, right, or above, the instructions are still the same. The main rule is to work exactly as if you were knitting, i.e. start at the bottom and work horizontally upwards (right to left, next row left to right) changing colours as required. This keeps the elasticity of the knitting. Working vertically tends to

separate the stitches and trying to add odd colours in afterwards can result in an uneven and distorted finished product.

Remember also to point your needle in the direction that you are going, i.e. if you are working right to left, point the needle to the left and if working left to right, point the needle to the right. This stops the stitches from twisting. When covering second and following rows make sure that you thread your needle right through the work, including the knitted garment and not just through the new colour which you are introducing on top.


I hope that this has answered some of your problems with the actual method — the designing, of course, is much more complex!

Many people are under the impression that cross stitch charts can be used for Swiss darning but this is not successful because the ratio of stitches is not the same. Cross stitches are square and knitted stitches are wider than they are in depth. Therefore, when using a cross stitch chart the design will be distorted. For example, a cross stitch chart of 55 x 55 stitches using an eleven count canvas will measure 5'' by 5''. The same chart if used on a piece of 4 ply knitting would measure approx 7" wide by 5½" high. It is also difficult to obtain a great amount of detail in a small design. Obviously, the smaller the tension the more detail you can put in. I have found that a 4 ply tension is a most suitable one to be able to achieve this.

I usually start by drawing my design on a grid, work the Swiss darning from this on to a practice swatch, and then the fun begins! Many adjustments usually have to be

Colour is most important. The authenticity of my designs is created by blending and shading of colours much as an artist would do when painting a picture. The same effect will not be achieved by using odd bits of wool (leftovers) as a compromise. For example, there are eleven colours blended together in the Owl design (illustrated on page 17).

Ultimately, I do some






experimenting with half stitches, upside down stitches, embroidery stem stitch etc. A great deal of time and patience is essential as this can take days, even weeks perhaps, before a satisfactory result is achieved. I have included quite an easy 'Wren' design (suitable for 4 ply tension) and ideal for those of you new to Swiss darning.

Once you have mastered the technique, 'Watch Out', Swiss darning can become addictive — but it is seldom fatal!

Sylvia Wynn

If you would like a brochure of Sylvia's Swiss Darning Kits, please send an S.A.E. 9" x 4" to: Forge Craft Creations, The Old Forge, Pirton, Nr Worcester WR8 9EJ



Lady's Cabled **Chunky Sweater**



MACHINES: These instructions are written for chunky machines with ribber. We used a Brother KH270 with ribber

MACHINES WITHOUT RIBBER: See page 113 YARN: Yarnarama Aran FIBRE CONTENT: 100%

Wool

COLOUR: We used Natural (MY)

STOCKISTS: To obtain this yarn, please write to Yarnarama, Old Stables, Webb's Land, Wickham, Hants PO17 5NS

SIZES

To suit bust 86[91:96:101: 106]cm. Finished measurement 109[112: 117:123:128]cm. Length 64[64:66:66:68]cm. Sleeve seam 47[47:47:47:

Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this

applies to all sizes.

MATERIALS

Yarnarama Aran. 2 x 800g cones in MY.

GARMENT WEIGHS

901g for size 96cm.

MAIN TENSION

Wash, dry and steam press tension swatch before measuring.

15 sts and 23 rows to 10cm

measured over st st (tension dial approx 6).

Tension must be matched exactly before starting garment.

ABBREVIATIONS

See page 113.

NOTE

Knit side is used as right side. Measurements given are those of finished garment and should not be used to measure work on the machine.

CABLE PATTERN — FRONT ONLY

Work cable on every 10th row over sts 10-15 and 24-29 at left and at right of centre '0'.

Cross sts 10, 11 and 12 over sts 13, 14 and 15 and sts 27, 28 and 29 over sts 24, 25 and 26.

Before casting off section, release and ladder down one st at each side of cable sts. Latch up to form purl st on right side. The sts which will be released are 9, 16, 23 and 30 at left and at right of centre '0'.

BACK


* With RB in position, set machine for 1x1 rib. Push 41[42:44:47:48] Ns at left and right of centre '0' on MB to WP. 82[84:88:94:96] Ns.

Push corresponding Ns on RB to WP. Arrange Ns for 1x1 rib.

Using MY, cast on and K2 tubular rows.

Set RC at 000. Using MT-4/MT-4, K20 rows. Transfer sts to MB.

Set RC at 000 *. Using MT, K






70[70:72:72:74] rows. Place a marker at each end for start of armholes.

K until RC shows 126[126:130: 130:134]. CAR.

SHAPE NECK

Using a separate length of yarn, cast off the centre 12[12:14:14: 14] sts. Set carriage to hold. Push 35[36:37:40:41] Ns at left to HP, cont on rem 35[36:37: 40:41] sts at right for first side.



Cast off 6[6:6:8:8] sts at beg of next row.

Dec 1 st at neck edge, K1 row, twice.

K1 row. 27[28:29:30:31] sts. RC shows 130[130:134:134: 138].

Using WY, K a few rows and release from machine.

Cancel hold.

Reset RC at 126[126:130: 130:134]. Complete rem side to correspond, reversing shapings.

FRONT

Work as given for back from *

Using MT, work in cable patt. K 70[70:72:72:74] rows.

Place a marker at each end for start of armholes.

K until RC shows 108[108:112: 112:116]. CAR.

SHAPE NECK

Using a separate length of MY, cast off the centre 12[12:14:14: 14] sts. Set carriage to hold.

Push 35[36:37:40:41] Ns at left to HP. Cont on rem 35[36:37: 40:41] Ns at right for first side. K1 row.

Dec 1 st at neck edge, K1 row, 4(4:4:6:6) times.

Dec 1 st at neck edge on every foll alt row, 4 times. 27[28:29:30:31] sts.

K until RC shows 130[130:134: 134:134].

Using WY, K a few rows and release from machine.

Cancel hold. Reset RC at 108[108:112:112:116]. Complete rem side to correspond, reversing shapings.

SLFFVES

With RB in position, set machine for 1x1 rib. Push 21 Ns at left and right of centre 'O' on MB to WP. 42 Ns. Push corresponding Ns on RB to WP. Arrange Ns for 1x1 rib. CAL.

Using MY, cast on and K2 tubular rows.

Set RC at 000. Using MT-4/MT-4, K 20 rows. Transfer sts to MB.

Set RC at 000. Using MT, shape sides by inc 1 st at each end of every foll 4th row, 5[5:9:9:18] times and then at each end of every foll 5th row, 13[13:10:10:3] times.

78[78:80:80:84] sts. K until RC shows 90[90:90:90:

Mark the centre st and cast off loosely.

JOIN RIGHT SHOULDER SEAM

Push 27[28:29:30:31] Ns to WP. With right side facing, hang back right shoulder sts on to Ns. Remove WY.

With wrong side facing, hang corresponding front shoulder sts on to Ns. Remove WY.

Using MY and T10, K1 row. Cast off using latch tool method.

POLO NECKBAND

With RB in position, set machine for 1x1 rib. Push 86[86:89:89:91] Ns on MB and corresponding Ns on RB to WP. Arrange Ns for 1x1 rib.

Using MY, cast on and K2 tubular rows.

Set RC at 000. Using MT-2/MT-2, K36 rows. Transfer sts to MB. With wrong side facing, hang front neck over 52[52:53:53:54] Ns and back neck over 34[34:36:36:37] Ns.

Using MT, K1 row. Using T10, K1 row. Cast off using latch tool method.

TO MAKE UP

Join rem shoulder seam using the same method as before. Wash and dry pieces. With

wrong side facing, block out to correct measurements and steam press.

Steam neckband, stretching very slightly as you go. This will prevent neckband pulling in too tightly.

Join neckband seam reversing halfway for fold over to right

Sew in sleeves between markers and matching centre marker to shoulder seam.

Join side and sleeve seams. Give a final press.







n last month's issue, I mentioned a 'snood' and t promised to include instructions for making it in this month's article. As I go along explaining how to make this item, I will be explaining how to get around problems that are encountered when working with the tubular setting. As you read on, you will discover that it is not like any


other and it has its own rules. First of all, this very useful accessory is really just a long length of tubular knitting that is worn with one open end framing the face and the other



sitting around the shoulders. I realise it does not make it sound at all attractive, but if you imagine ET's neck, you will get the idea. The beauty of it is that it seals all the 'cracks' at the top of your coat which let in the cold air but best of all, being lightweight and loose, it does not squash your hair, so you can take it off when you come inside and still be seen in decent

company.

I think the snood is best made in a lightweight, slightly fluffy yarn. This is a good use for the ends of cones of 3 ply that we all have cluttering up our cupboards. Do not worry about the fabric being too fine as the folds will trap air, making it very warm. It needs to be 'over big' to drape attractively so you need the slight fluffy texture for grip.
When making any garment, the first thing you have to decide on is the size to be made and I am afraid that does mean a tension swatch. Being true tubular knitting, there are no empty needles within the work (a knit/knit





Irene Krieger Changing the settings before every row for eight or twelver rows, I should stick to the quick methods which give very good results. Method one [Swatch A] is very easy to achieve, but the edge is not particularly beautiful making it ideal for the sort of garment, like the

through the methods of working a piece of tubular knitting which is open at both ends

arrangement). As for all items made on our machines, the number of needles is counted 'over' needles on the front bed, irrespective of how many needles are actually working, so if you are making the snood over 120 front bed needles, there would be 120 needles working on the front bed and another 120 working on the back bed. As a guide, I work over approximately 130 front bed needles for this snood but I stress that this will change according to the yarn, stitch size and finished size required.

Calculating rows for tubular knitting is a little more tricky as for every two rows knitted, you only get one row of knitting showing. Remember, when knitting tubular, the lock

movement from right to left only knits stitches on the front bed and the movement from left to right only knits on the back bed. For plain tubular work such as this, it is perfectly acceptable to make the tension swatch in stocking stitch but remember that you will have to double the number of rows you calculate for the garment to take into account that you will be working tubular. The snood has to go from the forehead, down the back of the head and sit around the shoulders so if you take this measurement and add around 30cm for drape, you will not be far wrong. I usually work around 500 rows. The stitch size is another important aspect of tubular

knitting. Even though it is worked over both beds, effectively you are knitting stocking stitch on each bed so black strippers and a single bed stitch size are required. Think in terms of around 5½/5½. Having decided on the stitch size, number of needles and rows required, the next thing to decide on is how to get work on to the machine. To be able to use a tubular garment, you must use a cast on had that will give an around the strength of the state of the strength of the

method that will give an open end and there are several ways to approach this. The method chosen very much depends on how important the edge of the finished garment is. For this snood, it is not important at all as the natural curl of the fabric hides the edge, but there are times on other garments when the edge will be seen, so it must be neat. If you are working with the Electronic 6000, you can use cast on numbers 9 and 10 to give a nice woven edge automatically, or you can use the quicker methods that I explain below. On the Duomatic, it is possible to mimic those two Electronic 6000 cast ons with manual methods but as these involve

every row for eight or twelve rows, I should stick to the quick methods which give Method one (Swatch A) is very easy to achieve, but the edge is not particularly beautiful making it ideal for the sort of garment, like the snood, where the edge will not be seen. Bring up the number of needles required on the front and back beds. Return alternate needles to the non working position. It is not essential, but I think it is best to 'mirror' the needles over the beds, so if a needle is working on the front bed, its equivalent on the back bed should be in the non working position. Set the locks on GX/N and choose a small stitch size, say around 2½/2½. Knit one row. Only the working needles on the front bed will have loops of yarn on them. Set the locks to N/GX and knit another row. This time only the back bed needles will have knitted. Bring up the empty needles on both beds and increase the stitch size by approximately one whole number (e.g. 3½/3½). Set the locks on CX/CX and **slowly** knit two rows. There should be the beginning of some stocking stitch on each bed with an opening between the beds. On no account drop the front bed for a better look as you will drop off some of the loops for sure. Increase the stitch size by another whole number and knit two rows. Check to see that all the stitches have knitted, if necessary knitting through any loops that have missed. If there are a lot of loops

missed, next time only increase the stitch size by half a number. Continue in this manner until you reach the stitch size needed for the garment by which time all the needles should be knitting nicely and you can continue as directed by the pattern you are following. For something like the snood where the finished length is not critical, I usually zero the row counter when I have reached my final stitch size but for other garments you will have to use your initiative to work out at what point you start counting

Method two (Swatch B) gives a neater result but it puts you in a 'swings and roundabouts' situation. The actual cast on is much faster, but finishing the edge takes a lot longer. There are two ways of working it and both begin with waste yarn. The slower way, which to my mind is just a waste of time is to start as explained for method one but with waste yarn. When you reach the final stitch size knit at least forty rows of waste. The better way is to make the quickest double bed cast on for knit/knit (with waste yarn)

that you can - I use the

racking cast on. Change to black strippers and the final tubular stitch size, set the locks on CX/CX and knit at least forty rows

Whichever of the two methods you choose, now change to the main yarn and increase the stitch size to 8/8. Hold the work down from underneath and knit two rows. Return to the final stitch size, zero the row counter and continue with the garment. You will be quite right in thinking that when you get the work off the machine, it will be closed at the bottom and there will not be a cast on edge — Swatch C. This is where the sneaky bit comes in. Now cut away the knit/knit section of waste knitting and suddenly the edge is open. All that remains to be done is to finish the edge of the main knitting by latching up the stitches of the first row with the yellow tool, working along one side and then the other to keep the end open. The row was made as loose as possible to compensate for the tightening effect of latching. When working with the true tubular setting of CX/CX, to get nice, even knitting over the part where the beds join, it is very important that you work

with the racking handle up. 1 know this goes against everything we are told about handle down when working over both beds otherwise needles will crash but remember that CX is not like other double bed settings in that only needles on one bed are knitting at any time. Therefore there is no danger of needles crashing and it is perfectly safe to work with the handle up. When the handle is down, the needles on the beds are slightly offset. The gap between the last stitch on the front bed and the next stitch of the garment which will be on the back bed will be quite big, giving a loose stitch - Swatch D. If the handle is up, the needles are against each other and the gap is as small as it can be, which gives a much firmer join
— Swatch E. When working with thicker yarns where you can use a larger stitch size this can be virtually invisible. Having knitted the snood there is the question of how to get the work off the machine and still maintain the opening. If method one was used for the cast on, an appropriate way to cast off is to thread the end of the yarn into the double

eyed bodkin and take the stitches off on to this yarn. Work first along the front bed and then along the back bed. When all the stitches are off, ease them along the yarn to make the edge nice and loose and stitch the end in. Alternatively, you can cast off in the normal way (either by hand or with the Tricofit), working along each bed separately.

If you used method two for casting on, work it in reverse for casting off. Work one row using stitch size 8/8 and then knit off on to waste yarn. There is no need to change to double bed knitting, just strip the work off the machine after a good depth of waste knitting. Latch off the last row of stitches as before. That takes care of casting on and cast off and next month, I will be discussing ways of shaping with tubular knitting and to go with the article I will include instructions for a cute little pony tail hat for toddlers. Until next month,

Jane



IF IT'S YARN, AND I SELL IT, IT'S CHEAPER FROM ME!

USUALLY MUCH CHEAPER!! I sell ALL Forsells, ALL Bramwells, ALL Bruntons, ALL King Cole PLUS Bonnie's; Bretts; lots of Yeoman's; BSK etc. PLUS lots of own makes to CUT OUT THE MIDDLE MAN. We stock everything by way of yarns.

I have a WHOLE FLOOR (2,000sq ft) of INDUSTRIALS!! 2/30s from 3p/oz; Lambswool and Shetland £2.65 for 500g and LOTS OF IT!

WHY BUY ALL ACRYLIC WHEN YOU CAN KNIT WITH 25% ENGLISH WOOL FOR THE SAME PRICE OR LESS!

OUR POLAR 4 PLY HAS BECOME A BEST SELLER. LOTS COLOURS AT £3.30 PER 400G —

CHEAP?? WELL THINK ABOUT THIS — BUY 5 CONES OF POLAR AND CHOOSE 1 CONE

ABSOLUTELY FREE!! — THAT'S SIX FOR THE PRICE OF 5!! SEND SAE FOR SHADE CARD.

Trips to **WORTH KNITTING** — Raffle prizes for **ALL** trips who have booked in advance. **IT WAS GOOD BEFORE**, **NOW OUR 6,000sq ft SALES FLOOR IS "TREMENDOUS"**.

Tearoom with **FREE** tea/coffee • Car park • Individuals welcome.

MAIL ORDER — WORTH KNITTING has the <u>BIGGEST</u> range — over 105 different lines. The <u>CHEAPEST</u> prices — which we aren't allowed to print. <u>PLUS</u> a <u>NEW SERVICE</u> — <u>HOME EXPRESS</u>. For a few coppers more a virtually guaranteed NEXT DAY DELIVERY SERVICE. <u>UNBEATABLE</u> on range, <u>UNBEATABLE</u> on price, <u>UNBEATABLE</u> on delivery. That must mean <u>WE ARE UNBEATABLE!!</u> Send 6 x 50p stamps for shade card pack or SAE for catalogue.

WORTH KNITTING • WESLEY ROAD • ARMLEY • LEEDS LS12 1UH • TEL 0532 798858 • FAX: 0532 310020 Open hours — Monday to Saturday 10am to 5pm • Sundays — We will open Sundays for groups who have booked in advance. Sunday bookings must ring us first to arrange a date before you book your bus.

EXCLUSIVE OFFER TO MKN READERS ONLY



SAVE £2.55 Enjoy the video and refer to the magazine to give

you: detailed daily, weekly,
monthly and annual maintenance
covering ALL
makes and types of machine

VIDEO AND MAGAZINE OFFER FOR ONLY £12.95

(plus £1 p&p)

| Please send me |
|--|
| Signature |
| Expiry date |
| To: MKN Video & Magazine Offer, Litharne Ltd, PO Box 9, Stratford-upon-Avon, Warwickshire CV37 8RS. |
| Name BLOCK CAPITALS Address |
| |
| Telephone No |
| Please allow 28 days for delivery. This offer applies to UK only. Overseas enquiries to |

please use a separate sheet of paper.

MKN 2/94

A J HAYHURST LTD

YARN MERCHANTS — MILL SHOP

NEW for hand knitters and garter carriage owners
— DK on cone — 500g — 10 shades

65% Wool, 35% Mohair DK — 6 shades 50g balls 49p per ball

Crochet Cotton No 8s 250g £2.99 — 5 shades No 8s 50g 75p — 7 shades

2 ply Mercerised Cotton — 500g — 7 shades £3.99 Baby Shawls 95% Cotton £4.99

25 shades Chunky Poodle — 1,000g cones £3.99 5 shades 80% Mohair — 400g cones £5.99 8 shades 30% 4 ply Mohair — 500g cones £3.99 3 ply Kid Mohair — 1,000g cones £5.99

1, 2, 3 and 4 ply Wool — £5.90 per 1,000g 4 ply Acrylic — 500g — £3.25 — 25 shades 4 ply Acrylic/Wool — 400g £3.50 — 20 shades 2/30s — 2/16s open end/1, 2 and 3 ply Cottons — 24 shades

A J Hayhurst Ltd Newpark House, Newline, Bacup, Lancs OL13 9RU Tel: 0706 878622 Fax: 0706 879472 OPENING HOURS
Tue-Fri 10am-3.30pm
Closed Monday
Knitting Clubs Welcome
Coffee • Expert Advice
NO shade cards. Please
TELEPHONE for mail order

Sewing & Knitting Machine Discount (entre-

21 Queen Street, Rhyl, Clwyd LL18 1RR Tel: Rhyl (0745) 336055

KNITTING MACHINE SALE AMAZINGLY LOW PRICES

RING US FOR A QUOTE — DON'T DELAY — THESE PRICES WILL ONLY APPLY WHILST STOCKS LAST

| BROTHER KH965 | ? | KNITMASTER/SILVER | ? |
|-------------------------|---|-------------------|---|
| Brother KH940 | ? | Етс Етс | ? |
| Brother KH270 | ? | Тоуота | ? |
| Brother KH260 | ? | 901 | ? |
| Brother KH864 | ? | 950 | ? |
| KR850 RIBBER ATTACHMENT | ? | Етс | ? |

SPECIAL SALE OFFER (STOCK CLEARANCE)

BROTHER KH836 BROTHER KH890 KNITMASTER 700

KNITMASTER ZIPPY PLUS KNITMASTER ZIPPY DE-LUXE ALL AT
1990 PRICES
STOCK CLEARANCE
'LIMITED' STOCKS
CRAZY PRICES —
SO HURRY HURRY

PLUS FREE STITCH PATTERN BOOK AND BLANK CARDS WITH KH836 AND KH890 — WORTH £23.00

* Also stock clearance of overlockers and sewing machines *

All prices quoted are carriage paid. Ring us now — it could save you ££££s

Fair Isle Coat



MACHINES: These

instructions are written for standard gauge electronic machines without ribber. We used a Brother 950i with PPD YARN: Jamieson & Smith 2 ply Jumper Weight Shetland FIBRE CONTENT: 100% Pure Wool

COLOUR: We used White 1 (MC), Silver 203 (A), Heather FC54 (B), Charcoal 81 (C), Plum 87 (D), Dark Heather FC55 (E), Light Heather FC21 (F) and Pink/Grey Mix FC51 (G) STOCKISTS: To obtain this yarn, please write to Jamieson & Smith (Shetland Wool Brokers) Ltd, 90 North Road, Lerwick, Shetland ZE1 OPQ

SIZES

To suit bust 86-91[96-101:106-111]cm. Finished measurement 102[112: 122]cm. Shorter length 80cm. Longer length 88cm. Sleeve seam 50cm. Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this applies to all sizes.

MATERIALS

Jamieson & Smith 2 ply Jumper Weight Shetland. 2 x 16oz cones in MC.

2 x 1oz hanks in A, C, D, F and G.

4 x 1oz hanks in B.

3 x 1oz hanks in E. 9 buttons for shorter length. 10 buttons for longer length.

GARMENT WEIGHS

848g for size 106-111cm.

MAIN TENSION

Wash, dry and press tension swatch before measuring. 32 sts and 35 rows to 10cm measured over Fair Isle patt (tension dial approx 9 •) Tension must be matched exactly before starting garment.

ABBREVIATIONS

See page 113.

NOTE

Knit side is used as right side. Measurements given are those of finished garment and should not be used to measure work on the machine.

MYLAR SHEET PATTERNS

Fill in mylar sheets for patts 1, 2 and 3 before starting to knit. Note centre '0' position of patts.

BORDER PATTERN AND COLOUR SEQUENCE

* Commencing on first row of patt 1. B+C, K2 rows.

B+D, K2 rows.

B+E, K2 rows. B only, K2 rows. B+F, K2 rows.

B+G, K2 rows.

B+A, K4 rows.

B+G, K2 rows.

B+F, K2 rows.

B only, K2 rows. B+E, K2 rows.

B+D, K2 rows. B+C, K2 rows *

Set machine for st st. MC, K1

Program machine for patt 2. K1 row to select.

Set carriage for Fair Isle knitting.

MC+D, K4 rows. MC+E, K2 rows.

MC+B, K2 rows.

MC+F, K4 rows.

MC+G, K2 rows.

MC+A, K4 rows.

MC+G, K2 rows.

MC+F, K4 rows. MC+B, K2 rows.

MC+E, K2 rows.

MC+D, K4 rows.

Set machine for st st. Using MC,


Program machine for patt 1. K1 row to select.

Work as given from * to *, once more

These 92 rows form the border patt.

PATTERN THREE

Using MC in feeder 1/A and MC in feeder 2/B throughout to create a self-coloured Fair Isle fabric of compatible weight to border.



Push 82[90:98] Ns at left and right of centre '0' to WP. 164[180:196] Ns.

Return every 3rd N to NWP. Using WY, cast on and K a few rows ending CAR.

Using nylon cord, K1 row. Set RC at 000. Using MC and

MT, K1 row. Using MT-3, K40 rows.

Using MT, K1 row. Using MT-3, K40 rows.

Using MT, K1 row. RC shows

Bring intermediate Ns to WP. Make a hem by picking up loops from first row worked in MC and hanging on to corresponding Ns.

Program machine for patt 1. K1 row to select. CAR.

Set RC at 000. Set carriage for Fair Isle knitting. Work the 92 rows of border patt **

Set machine for st st. *** Using MC, K1 row.

Program machine for patt 3. K1 row to select. Set carriage for Fair Isle knitting. Using MC in both feeders, work in patt.

K until RC shows 159 for shorter length or 187 for longer length. Set machine for st st. Using MC, K1 row.

Program machine for patt 1. K1 row to select. Set carriage for Fair Isle knitting. Work the 92

rows of border patt ***. RC shows 253 for shorter length or 281 for longer length. Set machine for st st. Using WY,

K a few rows over 51[59:67] sts at right and release from machine.

Rep over 51 [59:67] sts at left. Using WY, K a few rows over rem 62 neck sts and release from machine.

POCKET LINING (KNIT TWO)

Push 50 Ns to WP. Using WY, cast on and K a few rows. Using nylon cord, K1 row. Set RC at 000. Using MC and MT-3, K88 rows. Using MT, K1 row. Release on

LEFT FRONT

Commencing with N3 at left, push 80[88:96] Ns at left of centre '0' to WP. Work as given for back from ** to **. RC shows 92.

PLACE POCKET LINING

Disconnect RC. Using WY, K a few rows over the centre 50 sts and release from machine.

With wrong side facing, hang last row of pocket lining on to empty Ns. Set machine for st st. Reconnect RC. Cont over all sts.

Work as given for back from *** to *** and at the same ime, when RC shows 223 for shorter length or 251 for longer length, CAL. SHAPE NECK

Using nylon cord, K14 sts at right edge by hand taking Ns down into NWP. Cont over rem 66[74:82] sts.

Dec 1 st at neck edge on every row, 6 times. Dec 1 st at neck edge on every foll alt, 9 times.

51[59:67] sts. K until RC shows 252 for shorter length or 280 for longer length. Set machine for st st. Using WY, K a few rows and release from machine.

Unravel nylon cord over rem 14 centre neck sts. Release on WY.

RIGHT FRONT

Work as given for left front, reversing needle settings and shapings.

Graft shoulder seams tog or join on machine.

(KNITTED DOWNWARDS)

Push 175 Ns to WP. With wrong side facing and matching shoulder seam to centre N, hang front and back armhole edge evenly on to Ns. Start and finish approx 10 rows below top border patt.

Set RC at 000. Using MC and MT, K1 row. Program machine for patt 3. K1 row to select.

Set carriage for Fair Isle knitting. Using MC in both feeders, work in patt.

Dec 2 sts, fully fashioned method, at each end of every foll 9th row, 10 times in all. 135 sts. Dec 2 sts, fully fashioned method, at each end of every foll 7th row, 5 times. 115 sts. Dec 2 sts, fully fashioned method, at each end of every foll 5th row, 5 times. 95 sts. K until RC shows 153. Set machine for st st.

CUFFS

Transfer every 3rd st on to adjacent N. Return empty Ns to NWP. Set RC at 000. Using MC and MT, K1 row. Using MT-K69 rows.

Using MT, K1 row. Bring intermediate Ns into WP. Pick up loops from first row of and hang on to corresponding Ns.

Using T10+, K1 row. Cast off very loosely.

POCKET TOP (KNIT TWO)


Push 50 Ns to WP. With wrong side facing, pick up sts held on WY at pocket opening and hang on to Ns. Inc 1 st at each end.


Using MC and MT, K1 row. Leaving a group of 3 sts at each end, transfer every 3rd st on to adjacent N for 2x1 mock rib. Set RC at 000. Using MT-3, K15

Using MT, K1 row. Using MT-3, K15 rows. Using MT, K1 row.


Return intermediate Ns to WP. Dec 1 st at each end. Pick up loops from first row and hang on to Ns to close hem.







PATTERN TWO



32 sts x 32 rows

PATTERN THREE

Using T10+, K1 row. Cast off loosely.

HOOD

Push 88 Ns at left and right of centre '0' to WP. 176 Ns. Return every 3rd N to NWP.

Using WY, cast on and K a few rows.

Using nylon cord, K1 row. Set RC at 000.

■ Using MC and MT, K1 row. Using MT-3, K22 rows.

Using MT, K1 row. Using MT-3, K22 rows. Using MT, K1 row. RC shows

Bring intermediate Ns to WP. Make a hem by picking up loops from first row worked in MC and hanging on to corresponding Ns .

Program machine for patt 1. Using MC and MT, K1 row to select.

Set RC at 000. Set carriage for Fair Isle knitting. Work the first 28 rows of border patt sequence.

Set machine for st st. Using MC,

Program machine for patt 3, K1 row to select.

Set carriage for Fair Isle knitting. Using MC in both feeders, work in patt.

K until RC shows 70. Cast off 7 sts at beg of next 18 rows. 50 sts rem. RC shows 88. Set RC at 000. Dec 1 st at each end of every foll 5th row, 14 times. 22 sts.

K until RC shows 75.

Set machine for st st. Release on

BUTTON BAND LOWER SECTION

Push 100 Ns to WP. Return every 3rd N to NWP. Using WY, cast on and K a few rows. Using nylon cord, K1 row.



Set RC at 000. Work as given for hood from ■ to ■

With wrong side facing, hang lower section of left front edge on to Ns hanging welt over 21 Ns and border patt over rem 79

Using T10+, K1 row. Cast off very loosely.
TOP SECTION

Work as given for lower section over 113 Ns for shorter length or 137 Ns for longer length. Attach to rem section of left front edge finishing at neck edge.

BUTTONHOLE BAND

Work as given for button band making 4 buttonholes over lower section and 5 or 6 buttonholes over top section when RC shows 11 and 35. (The size and spacing of buttonholes will depend on the type of buttons you purchase).

ATTACH HOOD

Join A-B seams tog (see diagram). Push 142 Ns to WP.

With right side facing and omitting front bands, hang back neck over the centre 62 Ns and front neck over 40 Ns at each side.

With wrong side facing, hang centre edge of h d on to centre 22 Ns, hang rem edges over 60 Ns at each side, omitting band edges. Using MC and T10+, K1 row. Cast sely.

TO MAKE UP Join band seams neatly. Finish buttonholes. Catch pocket linings in position on inside. Stitch pocket tops in place. Join side and sleeve seams. Wash garment usina a fabric softener in last rinse. Block out to correct shape and size. Leave to dry. Press on wrong side. Sew on



Designing can be easy and fun

buttons.

With a little help from DesignaKnit 5, the most popular computer-aided knitwear design program for PCs, knitters at every skill level can create beautiful garments.



DesignaKnit takes you through the entire design process one step at a time. You can work with a wast array of built-in shapes and sizes and then modify them to fit your exact needs. With the Professional version you can even create original shapes.

By designing on the screen you can develop your own patterns using the most popular stitch techniques and experiment with thousands of colour combinations. With the Standard or Professional version you can import original or scanned graphics right into your design.

When ready, you can print out scaled drawings, stitch patterns, knitting instructions, PC templates and more. With the Knit from Screen feature, you can view your progress as you knit and monitor colour and shaping changes.

DesignaKnit also comes with our unmatched customer support, including a technical assistance hotline, a tutorial and detailed manual. So take your designs to a new level and order DesignaKnit today.

DesignaKnit now works with virtually all machines. Cable links are optional for Brother (now also 965i and PPD for KH900 & CK35), Silver Reed (now also PE1), and Passap / Pfaff (now also 32K E6000) machines

Software prices: Starter £79, Standard £119.50, Professional £169.50. Demo disk free send £1.00 p&p.

See DesignaKnit at:
Basingstoke: Knitique, 0256 29229. Beifast NI: Sherwoods, 0232 324457. Birmingham: Bonnie's Wools, 021 475 1691.
Brighton: Brandywine Angora, 0323 482552. Bristol: Diane Bennett, 0275 810067.
Cheltenham: Sewing & Knitting, 0242 244025. Chichester: Conecraft, 0243 774108. Colchester: Franklins, 0206 574758.
Croydon: St Winifred's, 081 686 8615. Dartford: Weaverknits, 0322 863144. Eastbourne: Yvonnes, 0323 638141.
Harlow: Herts Knitting, 0279 422282. Hazel Grove: Sewing & Knitting, 061 483 6102. Jersey: Simone Bridge, 0534 888062.
Lisbon NI: Sew Knit, 084 660 1200. London: Janet Francis, 071 732 8282. Merseyside: Angora Stitch, 051 648 7899.
Newport (Gwenti: Undy Yarns, 0633 881028. Newton Abbot: D & Coned Yarn, 0626 68940.
Norwich: Janet Spink, 0603 867332. Paignton: The Yarn Barn, 0803 527145. Sheffield: Direct Knitting, 0742 449888.
St Leonards-on-Sea: Gamec Eng. 0206 574758. St Neots: Miles of Yarn, 0480 73449.
Stevenage: Droppinstitches, 0438 725155. Taunton: Bredons, 0832 327450. Turno: Machine Knitting, 0872 560591.
Wareham: Angela Gordon, 0929 551073. West Drayton: Knitcraft, 0895 441368.
Westcliffe on Sea: Machineknits, 0702 348878. Wisbech: Page Two, 0945 476579.

Australia: 08 277 4750. Canada: 504 658 3162. Czech Republic: (Czech version) 069 692 3366. Austria. Germany, Holland, Eastern Europe: (Dutch & German versions): Holland 03402 50401. New Zealand: 044 769458. Poland: 061 675655. South Africa: 021 962536. Sweden: 08 35 0022. USA: 213 938 2077.



Get a free information pack from:-Soft Byte Ltd, Quarry Lane, Nantmawr, Oswestry, Shropshire SY10 9HH, **England** Tel 0691 828556, Fax 0691 828195







MATERIALS

Rennie 2/8s Shetland. 1×1000 g cone in MC and C. Large fastener or clasp.

GARMENT WEIGHS

696g for size 106-111cm.

MAIN TENSION

Wash, dry and press tension swatch before measuring. 31 sts and 36 rows to 10cm measured over patt 1 (tension dial approx 9.). Tension must be matched exactly before starting garment.

ABBREVIATIONS

See page 113.

ADDITIONAL ABBREVIATIONS **USED IN THIS PATTERN**

DPG = design patt grid. HM = help menu. CP = cursor position, st/row.

Knit side is used as right side. Several lengths of nylon cord are required.

Measurements given are those of finished garment and should not be used to measure work on the machine.

PPD INSTRUCTIONS

Program PPD before starting to knit. Some knitters may find it helpful to draft parts of patt charts on to mylar sheets for later adjustment via the PPD.

PATTERN ONE — BACK

Enter 'Doves' panel into DPG of 121 sts x 147 rows.


Create further DRG of 199 sts x 250 rows. Enter 'Tweed' patt at lower left corner. Using HM7, locate Tweed patt just created

and pick up this area only.
Using HM8, spread horizontally and vertically from CP 1/1. Lift resulting patt from CP 1/1 to CP 100/12 (i.e. to centre st). Using HM8, set to substitute, reverse and vertical spread, step at CP 100/row 1.

Using HM7, lift whole of 'Doves' patt, step then using HM8, substitute at CP 40/46.

SIZE 96-101cm ONLY

Using HM10, adjust completed parel from CP 11/1, 179 sts x 250 rows



PATTERN TWO LEFT FRONT

Create new DPG of 79[89] sts x 12 rows. Lift 'Tweed' patt from main 'Doves' panel from CP 1/1 to CP 79[89]/12. Step.

RIGHT FRONT

Use patt 2 as created for left front but reverse for continuity of patt around garment.

PATTERN THREE — SLEEVES

Create new DPG of 177 sts x 12 rows. Lift 'Tweed' patt from main 'Doves' panel from CP 1/1 to give 12 sts x 12 rows, spread upside down and horizontally. Lift left half of current patt, plus centre st and using HM8, set to reverse and substitute, step at centre st, 89/row 1 to form sleeve chevron.

PATTERN FOUR — BORDER

Create new DPG of $10 \text{ sts } \times 15$ rows. Enter 'Floral' patt.

PATTERN FIVE —

FRONT **BANDS AND NECKBAND**

As patt 4 — but knitted upside down.

SPECIAL NOTE

If desired, border on left sleeve, left pocket top and left front band patt, can be reversed.


Push 89[99] Ns at left and 90[100] at right of centre '0' to WP. 179[199] Ns.

Using WY, cast on and K a few

Using nylon cord, K1 row. CAR. Mark the centre st.

Set RC at 000. Using MC and MT, K1 row. Program machine for patt 1. K1 row to select. Set carriage for Fair Isle knitting.

Using MC in feeder 1/A and C in feeder 2/B, work in patt. K until RC shows 150.



FLORAL PATTERN 爾剛

SHAPE ARMHOLES

Cast off 30 sts at beg of next 2 rows. 119[139] sts.
K until RC shows 240. CAR.

SHAPE NECK

Make a note of position in patt. Using nylon cord, K 85[95] sts at left by hand taking Ns down into NWP. Cont on rem 34[44] sts at right for first side.

Dec 1 st at neck edge on every row, 8 times. 26[36] sts. K until RC shows 252.

Using WY, K a few rows and release from machine.

Unravel nylon cord over 51 sts at right (centre neck). Using WY, K a few rows and release from machine

Unravel nylon cord over rem 34[44] sts at left. Reset RC at 240. Starting at correct position in patt, complete to correspond with first side, reversing shapings.

POCKET LINING (KNIT TWO)

Push 52[62] Ns to WP. Using WY, cast on and K a few rows ending CAL.

Using nylon cord, K1 row. Set RC at 000. Using MC and MT-2, K96 rows.

Using WY, K a few rows and release from machine.

LEFT FRONT

Push 79[89] Ns to WP. Using WY, cast on and K a few rows ending CAL. Using nylon cord, K1 row. Place a marker on the 30th st in from left edge.

Set RC at 000. Using MC and MT, K1 row.

Program machine for patt 2. K1 row to select. Set carriage for Fair Isle knitting. Using MC in feeder 1/A and C in feeder 2/B, work in patt. K until RC shows 26.

POCKET OPENING

Make a note of position in patt. Using nylon cord, K29 sts at left by hand taking Ns down into NWP.

Cont on rem 50[60] sts at right until RC shows 86.

With wrong side facing, hang last row of pocket lining on to these Ns, placing 2 sts on to each end N. Remove WY. Using nylon cord, K these sts at right by hand taking Ns down into NWP.

Unravel nylon cord over 29 sts at left. Make a free move to select correct row of patt. Reset RC at 26.

Working in patt, K until RC shows 86.

Unravel nylon cord over sts at right. Program machine and make a free move to select the same row over all Ns. Then cont in patt.

K until RC shows 150. CAR.

SHAPE ARMHOLE

Using a separate

length of MC,

cast off 30 sts at left edge. 49[59] K until RC shows 221. CAL. **SHAPE NECK** Using nylon cord, K15 sts at right edge by hand taking Ns down into NWP. Cont on rem 34[44] sts. Dec 1 st at right on every row, 4 times. Dec 1 stat right on every foll alt row, 4 times. 26[36] sts. K until RC shows 252.

Using WY, K a few rows and release from machine.


RIGHT FRONT

Work as given for left front, reversing direction of patt and all shapings and counting from right edge when working pocket opening.


Graft shoulder seams tog or join on machine.


POCKET BAND (KNIT TWO)


Push 61 Ns to WP. With wrong side facing, hang front edge of pocket opening evenly on to Ns. Set RC at 000. Using MC and MT-4, K2 rows. Using C, K2 Using MC, K1 row. Program machine for patt 4. K1 row to select. (Ensure patt runs in desired direction). Set carriage for Fair Isle knitting. Using MC in feeder 1/A and C in feeder 2/B, K15 rows. Set machine for 1-2





1-1













SPORTS 2 - more sports designs.... £3.95 CHINESE DESIGNS - willow pattern, dragon, writing, phoenix, vases, £3.95 ETHNIC DESIGNS - motifs and borders from South America with suggestions for IN THE GARDEN - 52 small designs, vegetables, wellingtons, pigeons, bees and





£3.95

bunnies, Hallowe'en.

MERRY CHRISTMAS - designs include Santa, snowmen, reindeer, holly, trees etc £3.95 LAND OF THE PHARAOHS - designs from ancient Egypt, hieroglyphics, wall paintings, Tutankhamen

WILDLIFE 1 - 18 designs, pheasant, grouse, partridge, kingfisher, heron, swans, frogs, salmon, trout etc... £3.95 WILDLIFE 2 - 19 designs, squirrels, rabbits, hedgehogs,

badger, fox, mice, otter etc





DINOSAURS - 14 realistic dinosaurs.... £3.95 £3.95 f3.95 f3 95 TEEN SCENE - 18 designs, POW, ZAP, ???, hands, feet.... FLOWERS 1 - 15 designs, poppies, tulips, iris, daffodils, £3.95

FLOWERS 1 - 15 designs, poppies, tulips, iris, daffodils, violets etc.

FLOWERS 2 - 15 designs, roses, sweet peas, fuchsias, oleander, lotus etc...

PLUS 50p postage per 2 books

DEDUCT £1 when ordering 4 booklets f3 95

SAE for further details. OVERSEAS orders add £2 postage per 2 books—(sterling cheques only)

NB REFUNDS ONLY IF GOODS ARE FAULTY

SYLVIA CLARKE

OLD POST OFFICE, UPPER COUND, SHREWSBURY, SALOP SY5 6AX

TELEPHONE: (0743) 761404

USA AGENT — THE KNITTING MACHINE CENTRE, PO Box 150145, CINCINNATI, OHIO 45215



Using MC, K2 rows. Using C, K2 rows. Using MC, K2 rows. Using T10+, K1 row. Using MT-4, K until RC shows

Make a hem by picking up loops from first row and hanging on to corresponding

Using MT, K1 row. Cast off loosely.

Stitch edges of band neatly in place to right side.

SLEEVES (KNITTED DOWNARDS)

Push 88-0-89 Ns to WP. 177 Ns. With wrong side facing, hang straight edge of right armhole evenly on to Ns. Match shoulder am to centre N. Set RC at 000. Using MC and MT, K2 rows.

Using C, K2 rows. Using MC, K1 row.

Program machine for patt 4. K1 row to select.

Set carriage for Fair Isle knitting. Using MC in feeder 1/A and C in feeder 2/B, K15 rows.

Set machine for st st. Using MC, K2 rows.

Using C, K2 rows.

£3.95

Using MC, K1 row. Program machine for patt 3. K1 row to select.

Set carriage for Fair Isle knitting. Using MC in feeder 1/A and C in feeder 2/B, work in patt.

K until RC shows 32. Place a marker at each end (side seam position).

K until RC shows 40. Shape sides by dec 2 sts, fully

fashioned method, at each end of next and every foll 10th row, 12 times in all. 129 sts.

K until RC shows 155.

Dec 2 sts, fully fashioned method, at each end of next and every foll 5th row, 4 times in all. 113 sts. K until RC shows 175. Set machine for st st. Using MC, K2 rows.

Using WY, K a few rows and release from machine.

CUFFS

Push 76 Ns to WP. With wrong side facing, hang lower edge of sleeve on to Ns, dec 37 sts evenly as you go.

* Set RC at 000. Using MC and MT-4, K1 row.

Using C, K2 rows. Using MC, K1 row.

Program machine for patt 4. K1 row to select.

Set carriage for Fair Isle knitting. Using MC in feeder 1/A and C in feeder 2/B, K15 rows.

Set machine for st st. Using MC, K2 rows. Using C, K2 rows. Using MC, K2 rows.

Using T10+, K1 row.

Using MT-4, K until RC shows 54. Make a hem by picking up loops from first row and hanging on to corresponding

Using MT, K1 row. Cast off loosely *.

Work second sleeve and cuff reversing patt 4 if desired. Join sides of sleeves to cast off edges of armholes.

Join side and sleeve seams.

WELT (KNIT TWO)

Push 112[128] Ns to WP. With wrong side facing, hang lower edge of one front and half back (to marker) on to Ns, dec 56[60] sts evenly as you go. Pick up 52[62] sts from lower edge of pocket lining and placing 3 sts on to 2 Ns as you go, hang on to Ns matching inside edge of lining to lower edge marker. Work as given for cuffs from ' to *, working the first row of MC very carefully.

NECKBAND

Push 146 Ns to WP. With wrong side facing, hang neck edge on to Ns as folls:

Hang 15 sts held on WY on to 15 Ns at each end, hang rem edges of front neck over 28 Ns and back neck evenly over 60 Ns. 146 sts.

Work as given for cuffs from * to *, but using patt 5 and the foll

MT-4, K until RC shows 10. MT-4 • , K until RC shows 16. MT-5, K until RC shows 32. MT-4 • • , K until RC shows 40. MT-4, K until RC shows 54.

FRONT BANDS (KNIT TWO)

Push 197 Ns to WP. With wrong side facing, hang right front edge evenly on to Ns. Work as given for cuffs from * to * but using patt 5. Rep for left front edge, reversing patt if desired.

TO MAKE UP


Join centre back welt seam. Finish top and lower edges of front bands.

Swiss darn a row of stitches in C at top and lower edge of bands to cont lines of C from neckband and welts.

Stitch pocket linings neatly in place along inside edges of front bands and then stitch to rem side of pocket opening and cont down to welt.

Wash garment using a fabric softener in last rinse. Block out to correct side and shape. Leave to dry.

Press on wrong side. Attach fastener to top edges of front bands.



ne of the remarks! hear most often when attending knitting exhibitions is: "I have a Knitleader but I have never been able to master it". Many of you will identify with this, but I hope that if you have the attachment and do not use it, you will get it out from under the bed and not think of it any longer as something you bought on a whim and will never use.

This very useful piece of equipment will free you from pages of pattern instructions and the need to match yarn and tension, which is essential to use the pattern in the first

place.

How many hours have you spent trying to achieve the stated tensions? You get the stitches right but not the rows or vice-versa. In the end you give up and that particular garment never gets knitted. The Knitleader will solve all your problems. By knitting a tension square that looks and feels right (I know, the dreaded tension square) and using the measurements from it, you can knit your chosen garment. No more matching stitches and rows and yarn types, you can choose your

Janet Cooke explains charting with the Knitleader

own yarn and your own tension. Sounds too good to be true doesn't it, but this is the secret to using the Knitleader and the tension square.

The Brother KL116 charting device uses full scale sheets so you can see the finished garment size. Imagine the pieces of a dressmaking pattern, this is what we are reproducing on the Knitleader sheet. The instruction manual provided with the Knitleader will give you all the information you need to set up and use the attachment. You will find in your box besides the Knitleader itself a tube which contains the plastic sheet on which you draw your shapes, a set of stitch scales, a centimetre ruler, a water soluble pen and binding wires.

Each stitch scale has a single

number at one end, which is the number of that particular scale, and several numbers at the opposite end, these relate to the measurement of the stitches of your tension square. The dotted line in the centre of the stitch scale relates to the centre '0' of your needlebed and is placed over the centre dotted line of your sheet.

On the front of your Knitleader is a plastic finger pointing forwards, if the metal rod is in the left hole, it will trip the sheet every row, if in the right hole it will only trip on alternate rows. Therefore, if you wish to knit

Therefore, if you wish to knit something which is too large to fit on to your sheet, you can scale it down to half size and set your Knitleader to trip on alternate rows by placing the rod into the right-hand hole. You will then be knitting two rows every time your sheet

drops down. But remember, that every mark on your stitch scale will now represent two stitches instead of one.

KNITTING A TENSION SQUARE

Before knitting your final tension square, knit a narrow test strip using various tensions. Choose the tension you like and knit your final tension square (refer to the instruction book for method of knitting tension square). When knitting your tension square, do not start and finish with waste yarn or knit either side of the main body of your tenion square with stocking stitch. Both these examples will distort the tension square making the reading incorrect. Treat your tension square the way you are going to treat your finished garment. If you are going to wash your garment, wash your tension square, if you are going to press your garment, press your tension square. If you knit your tension square without weight or with very little weight, but then knit your garment with a lot of weights or leave the ribber comb on throughout, the length of your finished garment will be




















TOP QUALITY 100% WOOL

There is nothing quite like the soft luxurious feel and warmth of a pure new wool knitted garment
With the **Paris Collection** you can create that special expensive designer look at a fraction of the normal price





| 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. | | | | | | | | | |
|---|--------------|---|----|----------------------|---------------------------|-------|--|--|--|
| | PRICES | | NO | PRICE PER CONE | POSTAGE AND PACKING | TOTAL | | | |
| | OVER 6 CONES | | | £5.49 | FREE | | | | |
| ! | TO 6 CONES | * | | £5.99 | £1.95 | | | | |

TOTAL

Please send to: BSK Ltd, Murdock Road, Manton Industrial Estate, Bedford MK41 7LE or Ring us on (0234) 217096

Cheque /PO payable to BSK Ltd.
Payment by Access, Visa or BSK Account Card
Card No.

Signature.....

If you do not wish to cut your magazine, please send your order on a separate sheet of paper. CLOSING DATE OF OFFER 31st MARCH 1994





























longer than it should be. All these things need to be taken into consideration when knitting your tension square. When your tension square is complete, it needs to be left to rest for a minimum of four hours, preferably overnight. To measure, place your tension square on a flat surface and using the white centimetre ruler supplied with the Knitleader, measure between the marked stitches. Look at the chart on the tube and find the measurement which corresponds to the measurement of the stitches on your tension square. This will tell you which stitch scale to select. To check you have measured correctly, lay the selected stitch scale across the forty stitches of your tension square and it should read forty stitches.

Measure the sixty rows of your tension square with the ruler and set the Knitleader as per the instruction book. Some tuck stitch patterns measure less than 6cm over the 60 rows. The Knitleader only starts with measurements of 6cm. If this happens, double the measurement and set your Knitleader to trip on alternate rows. If you wish to use the

Knitleader for a chunky machine, the tension square needs to be measured over 20 stitches and 30 rows instead of the standard 40 stitches and 60 rows. The stitch scales required for the chunky are provided with the machine itself and not in the Knitleader tube. To compensate for measuring only 30 rows, the chunky carriage has a tripper on each end. Both these trippers must be placed in working position so that the Knitleader trips twice with every pass of the carriage. Now you are ready to draw your garment shape on to your Knitleader sheet. Purchasing a set of basic shapes is the ideal way to start.

Remember though that blocks are basic, it is essential to check the measurements of the block against the person it is intended for and any alterations made at this stage. Check, for instance, the length of the side seams and the sleeve seams, the depth of the neck depending on the type of neckband you intend to add and the depth of the shoulder seams.

Once the basic block is adjusted, you will be able to

use it as the basis for future garments.

From the basic block you can create:

- a) A cardigan by splitting the front of a sweater block in half, extra ease being achieved with the addition of buttonhole bands.
- b) A sleeveless top or waistcoat by deducting the width of a band around the armhole so that when the band is added it will not hang over the shoulder.
- c) A 'V' neck by drawing the 'V' the required depth.
- d) A drop sleeve, by drawing the seam straight up to the shoulder and adjusting the shoulder seam, then drawing a line across the top of the sleeve omitting the sleeve head and widening the top of the sleeve so it matches the armhole depth.

It is so easy to vary your garment shape by simply drawing lines exactly where you want them, no difficult pattern calculations.

Blocks can be found from many different sources, from knitting magazines or even from dressmaking patterns if you omit the seam allowances.

How many times have you tried to follow a complicated Intarsia design from a chart and shaping instructions from another source and lost your way completely? You can draw your Intarsia design directly on to your garment shape on your Knitleader sheet, then you are only following one set of instructions. The Knitleader will show you which colours to use for your picture whilst giving you shaping instructions.

When it is important to place something like a motif or a pocket in a particular position, draw it on to your Knitleader sheet — problem solved! The Knitleader attachment will give you so much freedom, you will at last be able to knit that cone of unusual yarn which has been sitting on your shelf waiting for someone to write a pattern for. You can create your own stitch pattern and shape, giving you a totally exclusive garment. All your Knitleader needs to be successful is a tension square. It is not too much to ask is it? Until next month, enjoy knitting.

Janet.

THE KNITTER'S DESIGN GRAPH

#SEE-THROUGH

A TRANSPARENT VERSION OF THE WELL-KNOWN MACHINE KNITTER'S DESIGN BOARD AT LESS THAN HALF THE PRICE

++++++ Versatile and re-usable ++++++

Wipe clean transparent plastic (26" x 27"), printed with 200 stitch x 320 row grid of stitch-proportioned rectangles marked in blocks of 10. Ideal for designing Intarsia, punchcards, garment shapes, hand knitting, patterning by the holding position, and surface decoration.

Either design freehand or place a photo, picture, logo, dress fabric, cross-stitch chart etc underneath the Graph to create your design.

Can be used with the Machine Knitter's Design Board or on its own.

Includes instructions, pen, record sheet and storage tube.

ONLY £11.99 INCLUDING POSTAGE

The Machine Knitter's Design Board — £26.50 incl p&p

send cheque with order to:

THE MACHINE KNITTER'S COMPANY

or quote credit card number, name and address of cardholder and expiry date.

Credit card phone line: 0446 772336

NOW AVAILABLE BY MAIL ORDER:

CLIP-ON BUTTON COVERS

To transform the look of any garment in seconds. For catalogue — please send 50p cheque or stamps (refundable with first order) to the above address.





RIVERSIDE SPINNING CO

DOCKFIELD TERRACE, SHIPLEY, WEST YORKS BD17 7AW TELEPHONE: 0274 596875

Now fully stocked with your favourite Amber products including – Academy £3.99; Fairisle £3.99; Lurex £3.99; Glenfyne £3.99; New Ambergora £4.99; plus books and accessories

AVAILABLE FROM — LOCAL STOCKISTS, RIVERSIDE MILL SHOP, MAIL ORDER, AGENTS, CLUB VISITS, PLUS THE FOLLOWING VENUES:

Jan 15: United Reform Church Hall, Upton by Chester Jan 20/21/22/23: Esher Show, Sandown Park Jan 28/29/30: Cotswold Show, Town Hall, Cheltenham Jan 29: St Matthews Church Hall, Bootle Feb 5/6: Hobby Horse

Feb 12: Family & Community Centre, Park Rd Sth, Newton Le Willows
Feb 19/20: Victor Warehouse, 1A Westerham Road, Leyton
Feb 19: Portobello Church Hall, Holderness Road, Hull
Feb 24/25/26/27: North West Show, G-Mex, Manchester
March 5: St Michael & All Angels, Gordon Hill (Chaseside), Enfield
March 5: St James Hall, St James Green, Thirsk

* THE LEYTON KNITTING & SEWING WEEKEND includes sales and demonstrations of knitting and sewing machines, accessories, hand and machine knitting yarns, books, fabrics, fabric decorations, tapestries and lots more.

NB — due to the large numbers who came last year we have secured more rooms across the road.

VISIT our large mill shop full of bargain yarns repeatable and job lots + visit our working demonstration spinning area.

OR WE VISIT YOU — BOOK A CLUB VISIT FROM US FOR A TALK ON SPINNING + WE BRING ALL OUR YARNS, BOOKS AND ACCESSORIES — MOST AREAS CONSIDERED

Garter Carriage Cardigan



MACHINES: These instructions are written for standard gauge punchcard machines with garter carriage but without ribber YARN: Worth Knitting 3/14s Combed Cotton used double throughout

FIBRE CONTENT: 100%

Cotton

COLOUR: We used Caramel Shade 14 (MY)

STOCKISTS: To obtain this yarn, please write to Worth Knitting, Silvercrest House, Wesley Road, Armley, Leeds, W. Yorks LS12 1UH

SIZES

To suit bust 86[91:96:101: 106]cm. Finished measurement 102[106: 110:116:121]cm. Length 70.5cm. Sleeve seam 48cm. Figures in square brackets [] refer to larger sizes, where there is only one set of figures, this applies to all sizes.

MATERIALS

Worth Knitting 3/14s Combed Cotton. 1 x 640g cone in MY. 8 buttons.

GARMENT WEIGHS

525g for size 96 cm.

MAIN TENSION

Wash, dry and lightly steam press tension swatch before measuring. 29 sts and 43 rows to 10cm

measured over garter st patt 2 (tension dial approx 7). Tension must be matched exactly before starting garment.

ABBREVIATIONS

See page 113.


Yarn is used double throughout.

Knit side is used as right side. Measurements given are those of finished garment and should not be used to measure work on the machine.


PUNCHCARD PATTERNS

Punch cards for patt 1 and patt 2 before starting to knit. The first row of patt 1 is left unpunched to knit a purl row. This gives a firmer edge to welts and bands.

PUNCHCARD FOR PATTERN ONE



PUNCHCARD FOR PATTERN TWO



Push 74[77:80:84:88] Ns at left and right of centre '0' to WP. 148[154:160:168:176] Ns. ** Attach garter carriage. Using

MY and MT-3, cast on. Insert punchcard for patt 1 and set on first row.

Set RC at 000. Using MT-3, K20

Insert punchcard for patt 2. Set RC at 000. Using MT, K166

SHAPE ARMHOLES

Set RC at 000. Cast off 8 sts at beg of next 2 rows. 132[138:144:152:160] sts. K until RC shows 122. Place a marker on the 25th st at left and right of centre '0' for neck width. Cast off.

LEFT FRONT

Push 26[29:32:36:40] Ns at left and 44 Ns at right of centre '0' to WP. 70[73:76:80:84] Ns. Work as given for back from * to *. K1 row. CAL.

SHAPE ARMHOLE

Set RC at 000. Cast off 8 sts at beg of next row 62[65:68:72:76] sts.

K until RC shows 74. CAR. **SHAPE NECK**

Cast off 5 sts at beg of next row. K3 rows

Using fully fashioned method, dec 2 sts at right edge on next and every foll 4th row, 8 times in all. 41[44:47:51:55] sts. K until RC shows 122. Cast off.


RIGHT FRONT

Work as given for left front, reversing needle settings and shapings.

SLEEVES (KNITTED DOWNWARDS)

Push 81 Ns at left and right of centre '0' to WP. 162 Ns. Attach garter carriage. Using MC and MT, cast on. Insert punchcard upside down for patt 2 and set at row indicated by 'x'. Set RC at 000. Work in patt. K32 rows.

Using fully fashioned method, dec 1 st at each end, K7 rows.



Using fully fashioned method, dec 2 sts at each end of next and every foll 7th row, 24 times in all. 64 sts. RC shows 200.

CUFF

Insert punchcard for patt 1 and set on row 2. Using MT-3, K20 rows. Cast off.

BUTTON BAND

Push 79 Ns at left and 78 Ns at right of centre '0' to WP. 157

Attach garter carriage. Using MY, cast on. Insert punchcard for patt 1 and set on first row. Set RC at 000. Using MT-3, K17 rows. Attach main carriage. Using MY and MT+1, K1 row. With wrong side of left front facing, hang centre front edge evenly on to Ns. Push all Ns to HP. Do not set carriage to hold. Using MT+3, K1 row. Cast off loosely.

BUTTONHOLE BAND

Work as given for button band, reversing needle settings and making 7 evenly spaced buttonholes when RC shows 9.

NECKBAND

Join shoulder seams.

Push 74 Ns at left and right of centre '0' to WP. 148 Ns.

Attach garter carriage. Using MY and MT-3, cast on.

Insert punchcard for patt 1 and lock on first row.

Set RC at 000. K8 rows.

Make a buttonhole, 3 sts in from right edge. K9 rows.

Attach main carriage. With right side facing, hang right front neck over 50 Ns, back neck over 48 Ns and left front neck over 50 Ns.

Push all Ns to HP. Do not set carriage to hold. Using MY and MT+1, K4 rows. Using WY, K a few rows and release from machine.

TO MAKE UP


Backstitch last row of neckband in place to right side of garment. Remove WY.

Sew in sleeves. Join sides of sleeves to cast off edges of

Join side and sleeve seams.

Wash and dry garment. Block out to correct size and lightly steam press. Allow to cool before handling.

Sew on buttons.



Textured Cardigan



MACHINES: These instructions are written for Passap/Pfaff Duomatic machines

YARN: Colourmatch 4 ply Wool

FIBRE CONTENT: 100%

Wool

COLOUR: We used Shade 106 (MY)

STOCKISTS: To obtain this yarn, please write to Colourmatch Yarns Ltd, 62 Dells Lane, Biggleswade, Bedfordshire SG18 8LP

SIZES

To suit bust 86[91:96:101: 106]cm. Finished measurement 105[111: 115.5:121.5:125.5]cm.

Length 55cm.

Sleeve seam 44[45.5:46.5: 48:49]cm.

Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this applies to all sizes.

MATERIALS

Colourmatch 4 ply Wool 2 x 500g cones in MY. 6 buttons.

GARMENT WEIGHS 657g for size 91cm.

MAIN TENSION

Wash and dry tension swatch before meauring. 27.5 sts and 65.5 rows to 10cm

measured over patt (SS approx

Tension must be matched exactly before starting garment.

ABBREVIATIONS

See page 113.

NOTE

Measurements given are those of finished garment and should not be used to measure work on the machine.

PATTERN NOTE

Arrange Ns and pushers as shown in Diagram 1. Handle


Set locks on \underline{N} , SS $5\frac{1}{4}$, $5\frac{1}{4}$, $\frac{1}{4}$


K4 rows.

Set locks on $\frac{N}{AX}$, K4 rows.

Rep these 8 rows throughout.

Handle up. Orange strippers. Push 144[152:158:166:172] Ns on FB and corresponding Ns on BB to WP.





Using MY, K1 row.



Set locks on CX, SS 3½/3½,


Set locks on $\frac{N}{N}$, SS $3\frac{1}{2}$ / $3\frac{1}{2}$,

K1 row **. Set RC at 000. K23 rows. SS 4½/4½, K1 row. Set machine for patt as given in note.

Set RC at 000. Work in patt. K174 rows *. SHAPE ARMHOLES Cast off 8 sts at beg of next 2

rows.

128[136:142:150:156] sts. K until RC shows 282. YOKE Handle down. Bring all intermediate Ns on both beds to



WP. (K/K setting). Set locks on $\frac{N}{N}$, SS $4\frac{1}{2}/4\frac{1}{2}$,

K32 rows. RC shows 314. Transfer sts to FB. Mark the centre 42 sts for neck width. Cast off loosely.

FRONT (KNIT TWO)

Handle up. Orange strippers. Push 72[76:79:83:86] Ns on FB and corresponding Ns on BB to WP. Work as given for back from * to *. Locks at right.

SHAPE ARMHOLE

Cast off 8 sts at beg of next row. 64[68:71:75:78] sts. K until RC shows 282.

YOKE

Handle down. Bring all intermediate Ns on both beds to WP (K/K setting). Set locks on N, SS $4\frac{1}{2}/4\frac{1}{2}$,

K1 row. Locks at left.

SHAPE NECK

Cast off 5 sts at beg of next row. K1 row.

Cast off 4 sts at beg of next row. K1 row.

Cast off 3 sts at beg of next row. K1 row.

Dec 1 st at beg of next and every foll 3rd row, 9 times in all. 43[47:50:54:57] sts. RC shows 314.

Transfer sts to FB. Cast off loosely

Work second front reversing all shapings.

SLEEVES

Handle up. Orange strippers. Push 71 Ns on FB and corresponding Ns on BB to WP. Arrange Ns for 1x1 rib. Work as given for back from ** to **. Set RC at 000. K17 rows. SS 4½/4½, K1 row. Set machine for patt as given in note. Set RC at 000. Work in patt

Inc 1 st at each end of every foll 9th row, 30 times in all. 131 sts. K until RC shows 282[288: 298:306:314].

Bring all intermediate Ns to WP on both beds. Handle down.
Set locks on N.SS 4½/4½,

K2 rows. Transfer sts to FB. Cast off loosely.

NECKBAND

Handle up. Orange strippers. Push 120 Ns on FB and corresponding Ns on BB to WP. Arrange Ns for 1x1 rib. Work as given for back from ** to **. Set RC at 000. Using SS 3½/3½, K4 rows.

Bring intermediate Ns on both beds to WP. Handle down. Black strippers.

Set locks on GX, SS -/6½,

K4 rows. Set locks on N, SS $6\frac{1}{2}$, N

K4 rows.

Using WY, K several rows over both beds and release from machine.

BUTTON BAND

Handle down. Orange strippers. Push 7 Ns on FB and corresponding Ns on BB to WP. Set locks on N, SS 3/3.

Using MY, K1 row. Set locks on CX, SS 3½/3½,

K2 rows. Set locks on $\frac{N}{N}$, SS $3\frac{1}{2}/3\frac{1}{2}$,

K1 row.
Black strippers. Set RC at 000.
Set locks on N, SS 4½/5½,
CX

K approx 222 rows or until band is long enough to fit along centre front edge. Release on WY.

BUTTONHOLE BAND

Work as given for button band making button hole over the centre st when RC shows, 6, 48, 90, 132, 174 and 216.

TO MAKE UP

Join shoulder seams. Sew in sleeves. Join side and sleeve seams.

Pin neckband in position, enclosing neck edge between st st sections. Backstitch in place. Attach bands adjusting length as required and casting off sts. Remove WY. Sew on buttons. Wash garment. Block out to correct shape and size. Leave to

dry. Do not press.



Hints and

Have you overcome a specific problem? Share your discovery with other readers and we'll pay you £10 for your trouble!



Dear MKN,

Many of my friends are constantly asking me how to do simple designing with their knitteds. As most of them seem to find the idea frightening, and it isn't really, I thought I would put together a short article which may be of help to the rest of your readers.

Margaret Dennison

SCOTCH THE TYRANNY OF **TENSION**

Almost every knitting pattern contains that phrase 'To achieve the correct size you must work to the stated tension'. How daunting and how impossible. Why, in fact, bother? From the look of many knitteds walking about most people don't. But there remains the one inescapable fact that the size of the finished piece depends directly on the number of rows and stitches knitted. So why don't people bother? In a commercial knitting pattern the yarn, machine, tension dial setting, stitch structure and fabric gauge are all given and the garment has been actually knitted using this

information. Because every machine is slightly different, mechanically, it may not be possible to achieve the exact fabric gauge however much you try.

So we have a situation where you realise the importance of the tension gauge but can see no way of achieving that stated in the pattern. Most garments are loose and so tolerance levels are high which means there are few problems if you are satisfied with the limitations which working with commercial patterns imposes. The difficulties arise if you want to alter the pattern. Maybe you would like a 'V' neck or a cardigan; perhaps you want to make a sweater dress or a skirt and top or

CLWYD TECHNICS

For the beginner



System 90 Intoshape

For the experienced knitting user

COMPUTERISED KNITTING PACKAGE FOR IBM COMPATIBLE PCs — AVAILABLE FOR THE SILVER **REED KNITTING MACHINES AND BROTHER 930. 940 AND 950i KNITTING MACHINES**

Outstanding features of the package include:

- * Ability to knit 14 colours in one row
- Garment shaping produced in REVOLUTIONARY format which gives you both standard garments and freedom to redesign into any required shape
- Unique stitch pattern gives you FINISHED FABRIC view on screen
- Prints patterns to scale for mylar sheet transfer
- Designer Jacquard option and the 'Optimiser' facility

SILVER REED

* Direct connection from PC to 580

- Direct connection from PC to the PE1 * 'Follow' your progress as you knit on
- Direct connection from PC to EC1
- * Read or program the cartridge
- * Display your mylar cards on screen

- * Send books of patterns to your machine
- screen
- * Transfer to PC from knitting machine
- * Transfer to PC from PPD/cartridge

System 90 package comes complete with software, appropriate connecting lead and manuals — no extras required.



Create your design



'Tile' it





Price £179
(UK carriage costs and VAT inclusive)

For those interested in the package, Clwyd Technics offers specifically tailored one-day tutorial courses.

System 90 Intoshape is also available from selected Brother stockists.

now being sold worldwide!

AUSTRALIA — Reynolds Brothers, Carlton, NSW 2218 Tel: (02) 587 5020

FINLAND - Jim Davenport, Sierasuontie 66, 82200 Hammaslahti Tel: (358) (9) 73 741175

NETHERLANDS — Unique Line Tel: 23 25 9351

SWEDEN — Ursula of Sweden, Göteborg

DENMARK — Brother International, Ishoi

NORWAY - Egil Hansen Tel: 988 0324

GERMANY — Wolfgang Strohlein, Strima AG, Lindlar Tel: 22 663 168

Northwest Knitting Inc (Denny), Olympia WA 98506 Tel: 206 943 9711

Mary Lue's Knitting World (Chuck), Minnesota Tel: 507 931 3702

Wee Knit Shop (Marge & Ken), Michigan Tel: 616 683 8727

CANADA - Pixel Knits, 901 Greig Ave, Brentwood Bay BC VOS1AO Tel: (604) 652 9753

Clwyd Technics, Antelope Industrial Estate, Rhydymwyn, Near Mold, Clwyd CH7 5JH Telephone Mold (0352) 741751/4 • Fax (0352) 741348

Hints

and

Tips

how about leggings to match the outfit or a heavy jacket with integral shawl collar and hood. Simple alterations like neckline or length changes soon lead to a desire to choose your own yarns and texture as well. When you reach this stage then you're really designing.

If you want to knit a certain shape you must know the measurements of that shape and the gauge of your chosen knitted fabric.
The purpose of knitting a tension square is two-fold.
Firstly — to achieve the correct handle to the fabric and

Secondly — to ascertain the tension gauge. The tension gauge is the number of stitches and rows to a unit measurement (centimetres or inches). This is where problems start because although you want to know the number of stitches and rows to a unit measurement, from your tension square, what you actually find out is the measurement of a unit number of stitches and

For example:

Step 1

From your tension square 40 stitches measure X cm. 60 rows measure Y cm.

Step 2

X cm are equivalent to 40 stitches

so 1cm is equivalent to 40

stitches

Y cm are equivalent to 60 rows

so 1cm is equivalent to <u>60</u>

rows.

The more calculations there are the more likely you are to make mistakes and the less likely you are to even attempt them in the first place.

place.
By using the green ruler
Step 2 is cut out. Knitters
who use the Knitmaster
charting device will be
familiar with the green ruler
but it can be bought
separately, very cheaply,
and is an invaluable tool if


you want to do any design work.

When a tension sample is knitted in the prescribed manner the ruler reads DIRECTLY the number of rows and stitches to 10cm. Calculations then only involve moving the decimal point. As most commercial patterns give tension gauges as rows/stitches to 10cm you can relate your own samples directly to this if you wish.

To summarise:

- 1. Draw out your required shape and mark on the measurements.
- 2. Knit your fabric samples in your chosen yarn and stitch until you are satisfied with the handle. Note the tension dial setting you have used.
- 3. Knit a tension square, treat as you intend to treat the final garment. That is as regards washing, pressing etc. If the garment may stretch in wear then knit a

DO MORE, KNIT MORE WITH SIROCCO



Sirocco is the 80% Acrylic, 20% Wool yarn from Forsell.

Because it knits like a 3-ply, Sirocco is ideal for lacy patterns, tuck stitching, Jacquard and Fairisle. It also makes Sirocco a good choice where colour changes are necessary. And it makes Sirocco a very economical yarn because it goes further.

Sirocco comes in 400g cones, is fully

machine washable and is available in an attractive range of colours. It is particularly well suited for use on Duomatic and other double-bed machines.

Sirocco. The versatile and economical addition to the Forsell range of quality yarns. A book of 3-ply patterns for Sirocco is available at Forsell stockists.

T. Forsell & Son Ltd., Blaby Road, South Wigston, Leicester LE18 4SG.

Distributors

USA – Nomi Lee Yarns, 142 Congressional Lane, Rockville, MD 20852. CANADA – Westrade Sales, 2711, no 3 Road Richmond, B.C. V6X 282. AUSTRALIA – Karıngal Vic/Tas. pty Ltd. 10 Reid Street, Bayswater, Victoria 3153. HOLLAND – Projeko, Raamsingel 30, 2012, DT, Haarlem.

long sample and hang it up for 24 hours before measuring.

4. Measure your tension sample using the green ruler. You now know how many rows and stitches there are to 10cm so it becomes a simple matter to work out how many rows and stitches you need to get your planned shape. To begin with keep your shapes simple.

Curves are best expressed as broken straight lines in much the same way as if you are having to draw your curve with pieces of broken matchstitcks. To calculate the decreases

for a diagonal, simply


convert the slope into a right-angled triangle (lines A and B on the diagram). You can easily work out the number of stitches in A and the number of rows in B and it is clear from the diagram that you have to lose A number of stitches in B number of rows.

If B is greater than A, then \underline{B}

will give you the frequency of decreasing and if A is greater than B, then A will

give you the number of stitches to be cast off at this edge on every row. There really is no need to get more complicated than this. If you must, then either

cut and sew or invest in a charting device. But whatever method you choose it is always going to involve taking an accurate tension gauge.



MADNESS SAL

| Brother KH270 New Electronic Chunky | £? | Silver Reed 580 Lace Carriage | |
|--|-----|----------------------------------|----|
| Brother KH900 Electronic Knitting Machine | | Silver Reed SK210 Punchcard | |
| Brother KR100 Super Drive | £? | Silver Reed SK280 Punchcard | |
| Brother 710 Ribber | .£? | Silver Reed SK270 Punchcard | £? |
| Brother 836 | £? | Silver Reed Lace Carriage | £? |
| Brother 864 Punchcard | £? | Silver Reed LK150 Double Knitter | |
| Brother KR850 Ribber (fits all standard machines). | .f? | Horn Cabinet + Bench K4 | £? |
| Brother Garter Carriage KG95 | | Brother 260 Ribber | |
| Brother 230 Chunky and Ribber | £? | Brother 395 Convertible KX | f? |
| Brother 260 Chunky Punchcard | £? | Toyota Colour Changer | |
| Brother 965 Electronic | .£? | Brother 940 | |
| Brother Convertible 390 | £? | Disc Drive | £? |
| Brother PPD 120 | f? | Brother Printer | £? |
| Brother Overlocker 4T 546D | £? | Brother Overlocker*76DE | £? |
| Brother Colour Changer 900 | | Calcuknit | f? |
| Brother Colour Changer 820 | £? | Bond Original | |
| Brother Knitleader | | New Bond Classic | £? |
| Brother Transfer Carriage | .£? | New Bon Elite | £? |
| Brother Linca | .£? | Hague Knitting Machine I.K. 619 | £? |
| Brother Galaxy S/M 895 | .£? | Hague Linker Hand and Electric | £? |
| Silver Reed SRP60 Ribber | £? | Brother Electronic 940 | £? |
| Silver Reed SK155 Chunky Punchcard and Ribber | £? | Toyota 901 | |
| Silver Reed SK151 Chunky and Ribber | .£? | Toyota Ribbers | £? |
| Silver Reed 150 Ribber | £? | Toyota 858 | |
| Silver Reed Option 4 (Chunky) | | Toyota 950 | £? |
| Silver Reed SK580 Standard Gauge | | Motor Drive and Stand P90 | |
| Silver Reed SK840 Standard Gauge | | Electric Wool Winder | £? |
| Silver Reed SK860 Double Knitter | | New Home 8000 S/M and Scanner | |
| Silver Reed SK890 Chunky | £? | Keyto Cabinet and Bench | £? |
| Silver Reed EC1 Control Box | | Overlockers - all makes | £? |
| Silver Reed PE1 Design Controller | £? | Sally Stanley Smocking Machine | £? |
| | | | |

SEWING MACHINES — ALL MAKES — RING FOR PRICE PART EXCHANGE WELCOME

RING TODAY FOR LOWEST PRICE NEVER KNOWINGLY UNDERSOLD

SUPREME SEWING AND KNITTING MACHINES

189 Streatham High Road, SW16 Tel: 081-769 8564. 081-677 7342

OPEN 6 DAYS A WEEK
CREDIT AVAILABLE. ACCESS/BARCLAYCARD ACCEPTED MAIL ORDER THROUGHOUT UK. RING RE DELIVERY.

Daily demonstrations on all models in extensive showroom **TOP DISCOUNT**

THE GREAT



OUR UNIQUE OFFER INCLUDES:

- A PASSAP Double-bed knitting machine
 - "Deco" punch card pattern system
 - Sturdy tubular stand
 - Two-colour changer
 - Four-colour changer optional extra for £149 - usual price £241



Riccar 3/4 Thread Overlocker with differential feed worth £499

AVAILABLE FROM ANY OF THESE STOCKISTS:

ABERGAVENNY: Nantiago Homecrafts, 49:50 Frogmore St., Tel: 854091. BIDEFORD: Bideford Sewing & Knitting Machines, Grenville St., Tel: 476331. BOSTON: R.T. Westland Sewing & Knitting Machines, 19b West St., Tel: 346869 DRIGHTON: Steeles Knitting Machines, 68 North Rd. Tel: 677845. CANNOCK: Sew in Style, 241 Cannock Rd., Tel: 573034 CANTERBURY: JEMS Machine Knitting Centre, 19 Sun St., Tel: 457723 CARDIFF: Cardiff Sewing & Knitting Centre, 141 Cowbridge Rd East. Canton. Tel: 228444 EASTBOURNE: Ryders, 8 South St., Tel: 727576 EDGWARE: Sewfine, 78 High St., Tel: 952 6011 EDINBURGH: Drummond Wools, 79:81. Haymarket Terrace. Tel: 313 1002. HARRINGAY: Sewfine, 515 Green Lanes. Tel: 340 5532 HAVERFORDWEST: Sewing Machine Centre, 20 High St., Tel: 763851 LEEDS: M.K.C. Ltd., 92 Kirkgate Tel: 453156 LEICESTER: Supreme Sewing Machines, 114:116 Narborough Rd., Tel: 549029 LIVERPOOL: Roy Aitken Ltd., 11 & 13 High St., Tel: 733 2056. MANCHESTER: Bamber Sew-Knit Co. Ltd., 42:44 Oldham St., Tel: 236 0219 MIDDLESBROUGH: Meynell of Teesside Ltd., 25 Southfield Rd., Tel: 247863. NEWCASTLE ON TYNE: Fleming Sewing & Knitting Machines, 14-16 Grey St., Tel: 2329274. NORTHAMPTON: Kettering Sewing Machines, 19:0 Overstone Rd., Tel: 37200. PRESTON: Dalby & Jones, 87 Lancaster Rd., Tel: 571845. RHYL: Sewing Machine Discount Centre, 21 Queen St., Tel: 336055. ROCHESTER: C.C.B. Sewing Machines, 2 Red Lion Yard Tel: 377797. SHREWSBURY: Sew Knit Machine Centre, 58 & 59 Wyle Cop., Tel: 343902 SLOUGH: Sewmaster Sewing Machines, 28 Red Lion Yard Tel: 377797. SHREWSBURY: Sew Knit Machine Centre, 58 & 59 Wyle Cop., Tel: 343902 SLOUGH: Sewmaster Sewing Machines, 263 High St., Tel: 525946. SWANSEA: Cliffords (Port Talbott), 154 Western St., Tel: 655928. TAUNTON: Bredons Sewing Machine Centre, 36 East St., Tel: 272450. UXBRIDGE: Sewfine, 226 High St., Tel: 252263. WATFORD: Sewfine, 310 Lower High St., Tel: 234130.

KNIT, CUT AND SEW WITH PASSAP


Knit the

ile-fabric is a real winner during the cold winter months. Trimmings for jackets, warm knitted hats, waistcoats to keep out the cold, pramcovers and cushions for the home can all be knitted the 'loopy way'. There are two methods of knitting the pile, one uses only one yarn and is easy to knit, but has a tendency to unravel when a thread is caught. The second type of pile can be knitted on Singer machines (and Japanese machines with ribber) using the plating facility. This plated pile fabric is much more stable and has more uses.

Both types of pile fabric are produced by knitting on one bed and looping on the other bed. These loops are then stripped off the needles, usually every second row. To release them easily, you really need the GL Unit. This gadget is moved across the bed which holds the loops (or stitches) and throws them off the needles. It is also very useful for lazy or drop-lace.

METHOD ONE

This is knitted with the needles arranged as shown in Diagram 1, the loops are produced when the front bed knits the tuck row and the back bed knits the circular row. On the next row only the front bed knits and anchors the loops. The loops are then released from the needles using the GL Unit or a ruler. The tension dial for the bed which knits \(\subseteq \cong \) is set for firm stocking stitch. The loops should not be knitted with a large stitch size. I find tension 2 ideal and tension 3 the maximum, with a larger size the loops can get tangled in the next row. If you fix the 10cm long white heavy knitting wheels to the back carriage, you can knit larger loops, because the wheels push them out of the way before the next row is knitted. As it is possible to have extra needles knitting at each end of the front bed one gets untidy edges with this type of pile knitting. Another drawback is the need to use weights. These must not be too




This month Trudie looks at pile knitting

heavy, otherwise they pull the loops out of line.

Sample 1A was knitted with the white wheels and light weights, but there is still one

row which looks uneven. **Sample 1B** shows the reverse side.

If you want to try pile knitting without using the GL Unit,



reverse Diagram 1 and set the back bed to \(\subseteq \text{C}\) and the front bed to \(\subseteq \text{C}\). After the row when only the back bed knits, disconnect the front carriage, slide it across and the loops will drop off. Bring the carriage back, connect it and knit the next two rows. This type of pile can be knitted with two strands of fine yarn, not thicker than fine 2 ply. I often knit big squares using up oddments of fine lambswool. These squares are then washed in hot water to felt them slightly. This makes the fabric more stable and the squares can be used with the cut-and-sew technique for all sorts of things, from insoles for wellies to oven gloves and furry toys. To work plain stocking stitch between bands of loops the carriages are set to O on the side of the loops and to V on the knit side (Sample 2).

METHOD TWO


For this version the SYG (second yarn guide) is threaded with the plating yarn and the back carriage set for Jacquard, but without any electronic patterning. The needles should be arranged as shown in Diagram 2 for tidy edges

tidy edges. Sample 3A was knitted with two yarns of the same thickness (2 ply lambswool). I first used tension 1.5/4.5, Bedspace 3, then attached the wheels and was able to knit with tension 4/5 to get larger loops. The plating yarn was brown. The washed sample is very stable and looks like stocking stitch on the reverse (Sample 3B). The main use for this simple fabric would be for super-warm waistcoats and jackets, using the stocking stitch side as the right side. It is also an ideal fabric to use for cut-and-sew garments. It is not essential to loop every stitch. By putting only selected needles to working position, racking every second row or knitting different blocks after several rows, one gets a sculptured fabric.


Sample 4 shows a few variations. First the back carriage was set to **V** and the loops released every row.














Then the back carriage was set to C and the loops released off after the row knitted on the front bed only. Finally, I set the front carriage to V again. I used the same 3 ply yarn as for Sample 1 and the plating yarn was Bramwell Silky. Using the wheels, I knitted using tension 3/5.5.

I hope you will have a go and 'make a pile'.
Next month, I will show you what one can achieve using this technique and electronic patterning.
Until then,





Emma Day has gathered up her passport, sketch pad and knitting machine and is travelling 'Around the World' in search of new inspiration and ideas.

First destination —

North America

This month's casual jacket is inspired by the 'Wild Frontier' — the native American Indians and the newly arrived pioneers and cowboys. The mixing of these two totally different cultures has led, through such inventions as denim, to the now classic casual jeans styling. The different Indian tribes used buckskin and other types of animal skins which could be slashed to create fringing. This fringing could be beaded in bright colours to match their headdresses and jewellery. The cowboys soon adopted some of these hard-wearing fabrics to suit their own needs. For example, cowboy boots and chaps, jeans, work shirts and jackets.

My jacket draws on many of these elements — the main colours come from native animals such as the buffalo and the fleck in the yarn is reminiscent of the small beads.



Lady's Jacket

MACHINES: These instructions are written for standard gauge punchcard machines with ribber MACHINES WITHOUT RIBBER: See page 113

YARN: Jamieson & Smith 2 ply Jumper Weight Shetland

FIBRE CONTENT: 100% Pure Wool

COLOUR: We used Shade F68 (MC) and Shade FC38

STOCKISTS: To obtain this yarn, please write to Jamieson & Smith (Shetland Wool Brokers) Ltd, 90 North Road, Lerwick, Shetland ZEI OPQ

SIZES

To suit bust 91-96[101-106:111-116]cm.
Finished measurement 123[128: 133]cm.
Length 73.5[75.5:78]cm.
Sleeve seam 48cm.
Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this applies to all sizes.

MATERIALS

Jamieson & Smith 2 ply Jumper Weight Shetland. 2 x 16oz cones in MC. 1 x 16oz cone in C.

GARMENT WEIGHS 719g for size 91-96cm.

MAIN TENSIONS
Wash, dry and lightly press

tension swatches before measuring. 30 sts and 33 rows to 10cm measured over Fair Isle patt 1 (tension dial approx 8). 29 sts and 37 rows to 10cm measured over Fair Isle patt 2 (tension dial approx 8). Tensions must be matched exactly before starting garment.

ABBREVIATIONS
See page 113.

NOTE

Purl side is used as right side of patt 1.
Knit side is used as right side of patt 2.

Measurements given are those of finished garment and should not be used to measure work on the machine.

PUNCHCARD PATTERNSPunch cards 1 and 2 before starting to knit.

FAIR ISLE PATTERN ONE
Use punchcard 1.
Use MC in both feeder 1/A and
feeder 2/B throughout.

FAIR ISLE PATTERN TWO
Use punchcard 2.
Use MC in feeder 1/A and C in feeder 2/B throughout.

BACK LOWER SECTION

With RB in position, set machine for 1x1 rib. Push 91[95:99] Ns at left and 92[96:100] Ns at right of centre '0' on MB to WP. 183[191:199] Ns.

* Push corresponding Ns on RB to WP. Arrange Ns for 1x1 rib. CAL. Using MC, cast on and K3 tubular rows.

Set RC at 000. Using MT-3/MT-3, K14 rows. Transfer sts to MB. Insert punchcard 1 and lock on first row. Set machine for patt. Using MT-1, K1 row to select. CAR.

Set RC at 000. Release punchcard. Set carriage for Fair Isle knitting. Using MC in both

Around the M



feeder 1/A and feeder 2/B and MT, work in Fair Isle patt 1. Inc 1 st at left edge *. 184[192:200] sts. K until RC shows 152[156:160]. CAR.


SHAPE ARMHOLES


Cast off 7 sts at beg of next 2 rows. 170[178:186] sts. K until RC shows 172[180:188]. Using WY, K a few rows and release from machine.

FRINGE

Arrange 4 Ns on MB as shown in Diagram 1. Using 1 strand of MC and 1 strand of C tog, cast


on by hand. Set RC at 000. Using MT-5, K 340[356:372] rows. Cast off.








PUNCHCARD 1



PUNCHCARD 2




SHAPE SHOULDERS

SHAPE SHOULDERS
Set carriage to hold. Push 7 Ns to HP at opposite side to carriage, K1 row, 16 times.
Push 10 Ns to HP at opposite side to carriage, K1 row, twice.
Cast off rem 38[46:54] neck sts.
Return 66 Ns to UWP at right.
Set machine for st st. Using MC, K1 row. Using WY, K a few rows and release from machine.
Rep over rem 66 sts at left.

RIGHT FRONT LOWER SECTION

With RB in position, set machine for 1x1 rib. Push 61[65:69] Ns at left and 44 Ns at right of centre '0' on MB to WP. 105[109:113] Ns. Work as given for back from * to *. 106[110:114] sts.



K until RC shows 102[106:110]. Inc 1 st at right edge, K 6[8:8] rows

Inc 1 st at right edge, K6 rows. Inc 1 st at right edge, K4 rows, 9 times.

Inc 1 st at right edge, K 3[1:1] rows. RC shows 153[157:161]. CAL. 118[122:126] sts.

SHAPE ARMHOLE

Cast off 7 sts at left edge.
111[115:119] sts.

K until RC shows 156[160:164]. Inc 1 st at right edge, K4 rows, twice.

Inc 1 st at right edge, K until RC shows 172[180:188]. 114[118:122] sts.

Using WY, K a few rows and release from machine.

FRINGE

Work as given for back fringe, but knitting only 196[204:212] rows before casting off.

VOKE

Push 44 Ns at left and 54[58:62] Ns at right of centre '0' to WP. 98[102:106] Ns. With knit side facing, hang one straight edge of fringe evenly on to Ns. CAR. Set RC at 000. Using MC and MT, K1 row.

Push 16 Ns at left to WP. With wrong side facing, rehang last row of lower section on to Ns (armhole at right). Weight work evenly.

Insert punchcard 2 and lock on first row. Set machine for patt. Using MC and MT, K1 row to select. 114[118:122] sts.

Release punchcard. Set carriage for Fair Isle knitting. Using MC in feeder 1/A and C in feeder 2/B, work in patt 2. K until RC shows 30.

Dec 1 st at left edge, K5 rows, twice.

Dec 1 st at left edge, K4 rows, twice

Dec 1 st at left edge, K3 rows. Dec 1 st at left edge, K2 rows. RC shows 53. CAL. 108[112:116] sts.

SHAPE SHOULDER

Set carriage to hold. Push 7 Ns at right edge to HP and dec 1 st at left edge, K2 rows, 8 times. Push 10 Ns at right to HP and dec 1 st at left edge, K2 rows. RC shows 71. 66 Ns in HP. 33[37:41] Ns in WP.

Return the 66 Ns at right to UWP. Push 33[37:41] Ns at left to HP. Lock punchcard. Disconnect RC. Using WY, release the 66 shoulder sts on WY. Manually return rem 33[37:41] Ns from HP to WP. Make a free move to select patt row. Release punchcard. Reset RC at 71. CAL. Cont in Fair Isle patt.

K1 row.

Dec 1 st at left, K until RC shows 75. 32[36:40] sts.

Dec 1 st at left and inc 1 st at right, K3 rows, 8[9:10] times. RC shows 99[102:105]. 32[36:40] sts.

Dec 1 st at left and inc 1 st at right. K 2[3:2] rows. CAL.
Set RC at 000.Set carriage to hold. Push 3 Ns at right to HP and dec 1 st at left, K2 rows, 7[8:9] times. Dec 1 st at left.
Cancel hold. Set machine for st st. Using MC, K1 row over rem 24[27:30] sts. Using WY, K a few rows and release from machine.

LEFT FRONT

Work as given for right front, reversing needle settings and all shapings.

SLEEVES

With RB in position, set machine for 1x1 rib. Push 39[43:47] Ns at left and 40[44:48] Ns at right of centre '0' on MB to WP. 79[87:95] Ns.

Work as given for back from * to *. 80[88:96] sts.

K until RC shows 12. Inc 1 st at each end, K5 rows, 10 times. 100[108:116] sts.

** Inc 1 st at each end, K4 rows. Inc 1 st at each end, K5 rows **. Rep from ** to **, 3 times more. 116[124:132] sts.

Inc 1 st at each end, K4 rows. Inc 1 st at each end, K3 rows, 12 times. 142[150:158] sts. Inc 1 st at each end, K2 rows, 4

times. 150[158:166] sts. RC shows 146.

SHAPE TOP

Set carriage to hold. Push 10 Ns to HP at opposite side to carriage, K1 row, 10 times. Move carriage to side. Cancel hold. Set machine for st st. Using MC, K1 row over all sts. Cast off loosely.

BAND

With RB in position, set machine for 1x1 rib. Push 9 Ns on MB and corresponding Ns on RB to WP. Arrange Ns for 1x1 rib. Using MC, cast on and K3 tubular rows.

Set RC at 000. Using MT-3/MT-

Set RC at 000. Using MT-3/MT-3, K approx 800[820:840] rows.

Release on WY.

TO MAKE UP

Graft shoulder seams tog.
Graft centre back collar seam
tog. Join edge of collar to back
neck edge.


Sew in sleeves.


Join side and sleeve seams. Trim away lower edge section of

Attach band to front and collar edges. Adjust length. Fasten off

Wash garment using a softener in the last rinse.

Block out to correct measurements and leave to dry. Lightly press on wrong side. Fold collar to right side.





All cm measurements have been adjusted to the nearest 0.5cm cm = 2.511 = 2821 = 53.531 = 78.541 = 10451 = 129521% = 54= 3 11% = 28.5 31¼ = 79.5 41% = 10551% = 13021% = 54.531½ = 80 1% = 411% = 2941% = 105.551% = 131 $1\frac{3}{4} = 4.5$ $11\frac{3}{4} = 30$ $21\frac{3}{4} = 55$ $31\frac{3}{4} = 80.5$ 41% = 10651% = 131.5 12 = 30.5= 5 22 = 5632 = 81542 = 106.552 = 13224 - 55 521/4 = 132.5 12% = 3122% = 56.5321/ - 82 42% = 107.5 $2\frac{1}{2} = 6$ 12% = 3222% = 5732% = 82.542% = 108521/3 = 133 5 $2^{3}/4 = 7$ $12\frac{3}{4} = 32.5$ $22\frac{3}{4} = 58$ 32% = 83 $42\frac{3}{4} = 108.5$ 52% = 134= 7.5 13 = 33 23 = 58.533 = 8443 = 10953 = 134.5 $3\frac{1}{4} = 8.5$ 13% = 33.523% = 5933% = 84.543% = 11053% = 135.5 $3\frac{1}{2} = 9$ 13% = 34523% = 59.53314 - 85 $43\frac{1}{2} = 110.5$ 5314 = 1363% = 9.5133/4 = 35 $23\frac{3}{4} = 60.5$ 33% = 85.553% = 136.543% = 11124 = 61 = 10 34 = 86.5 44 = 11254 = 137 4¼ = 11 14% = 3624% = 61.5 34¼ = 87 44¼ = 112.5 54¼ = 138 4½ = 11.5 14½ = 37 24% = 6234% = 87.544% = 113541/2 = 138.5 $4\frac{3}{4} = 12$ 143/4 = 37.5 $24\frac{3}{4} = 63$ 34% = 88.5 $44\frac{3}{4} = 113.5$ 54% = 139= 12.5 15 25 = 63.535 = 8945 = 114.555 = 139.5 = 38 = 1315% = 38.525% = 6435¼ = 89.5 45% = 11555% = 140 5 5½ = 14 151/2 = 39.525% = 65 351/4 = 90 45½ = 115.5 551/2 = 141 5% = 14.5153/4 = 40 25% = 65.5 35% = 9145% = 116 55¾ = 141.5 = 15 16 = 40.526 = 6636 = 91.546 = 11756 = 1426% = 1616% = 41.526% = 66.536¼ = 92 46% = 117.556% = 143 6½ = 16.5 $16\frac{1}{2} = 42$ $26\frac{1}{2} = 67.5$ 36½ = 92.5 561/2 = 143.5 46% = 1186% = 1716% = 42.526% = 6836% = 93.546% = 118.556¾ = 144 17 = 4327 = 68.5 47 = 119 5 57 = 144.5 = 18 37 = 947¼ = 18.5 17% = 4437% = 94.547% = 12057% = 145.5 27% = 69 $17\frac{1}{2} = 44.5$ $7\frac{1}{2} = 19$ 57% = 14627% = 7037% = 9547% = 120.5 $7\frac{3}{4} = 19.5$ $17\frac{3}{4} = 45$ 57% = 147 $27\frac{3}{4} = 70.5$ 37% = 9647% = 121.5= 20.518 = 45.528 = 7138 = 96.548 = 12258 = 147.5 8% = 2118% = 46.528% = 7238% = 9748% = 122.558% = 14858½ = 148.5 $8\frac{1}{2} = 21.5$ 28% = 72.5 $48\frac{1}{2} = 123$ 18% = 473814 = 9818% = 47.528% = 7338% = 98.548¾ = 124 $8\frac{3}{4} = 22$ 58% = 149= 23 19 = 48.529 = 73.539 = 9949 = 124.559 = 1509% = 23.519% = 4929% = 74.539% = 99.549% = 12559% = 150.59% = 24 $19\frac{1}{2} = 495$ 29% - 7539% = 100.54914 = 125.550% = 151 $9^{3}/4 = 25$ 19% = 50 $29\frac{3}{4} = 75.5$ 39% = 10149% = 126.559% = 15210 = 25.5 20 = 51 30 = 76 40 = 101.5 50 = 12760 = 152.5 101/= 26 20¼ = 51.5 30% = 77 40% = 102 50% = 127.5 60% = 153



KAMALINI'S COMPREHENSIVE TUITION PROGRAMME

40% = 103

 $40^{3}/_{4} = 103.5$

50% = 128.5

50% = 129

60% = 153.5

60% = 154

30% = 77.5

30% = 78

THE BEST LEARNING EXPERIENCE FOR ALL MACHINE KNITTERS

POSTAL PATTERN DESIGN COURSE: Offered in 13 monthly lessons, to teach the skills and techniques required to design and make patterns. You knit at least 12 garments and you have an option for a certificate at the end. Registrations for the spring term are open now. Course fee of £110 is payable in 4 instalments or a discount advance payment of £100 for full 13 months. BE YOUR OWN DESIGNER, SEND FOR THE PROSPECTUS AND REGISTRATION FORM TODAY.

NEW: INDIVIDUAL PLANNED DAY: Spend a day knitting with us. Learn new techniques, try a new knitting machine or accessory.

INSTRUCTIONAL VIDEO TAPES: Video tapes provide expert instructions when you want it, where you want it and as often as you need it. Kamalini's tapes are professionally produced with lots of close ups for easy viewing and live sound for pleasant listening. All tapes have supporting booklet with garment patterns.

Titles now available:

10% = 26.5

10% = 27.5

20% = 52

20% = 52.5

1. START KNITTING ON THE BROTHER

2. START KNITTING ON THE KNITMASTER 3. START KNITTING ON THE TOYOTA

4. HOLDING POSITION & PARTIAL KNITTING 5. GARTER BAR AND WASTE KNITTING

6. KNIT STEAM AND CUT 7. UNDERSTANDING THE RIBBER

8. A CREATIVE APPROACH 9. FUN WITH COLOURS for all Brother machines for all Studio/Singer machines for all Toyota machine for all Japanese machines for all Japanese machines

for all machines for all Brother ribbers for all Brother ribbers for all Brother ribbers

Further information from:


MACHINE KNITTING & DESIGN CENTRE

High Cross House, High Cross, Aldenham, Watford, Herts WD2 8BN

Tel: 0923 859242 (24 hour answer service)

ACCESS

VISA



| 'V' Neck Sweater. 52 | |
|--|---|
| 2. | V |
| Saddle Shoulder Sweater55 | SN |
| 3. Waistcoat with Fair Isle Bands58 | MACHIN instruction standard s |
| 4. | machines MACHIN RIBBER: YARN: M Shetland FIBRE C Pure New COLOUR |
| Sleeveless Slipover60 | Marble (N Midnight and Ocean |
| 5. Crew Neck Sweater | SIZES To suit cl 111:116-12 Finished 120[128:13 Length 70c Sleeve sear Figures in refer to la there is figures, th sizes. |
| 0. | MATERIA Many A M 500g in MO 50g in A, E |
| Shawl Collared Jacket64 | GARMEN 460g for six MAIN TE |
| All the designs featured in this supplement are for standard gauge punchcard machines and knitted in Many A Mickle Shetland. To obtain this yarn, please write to Many A Mickle, Brier Hey, Mytholmroyd, Hebden Bridge, W. Yorks HX7 5PF | Wash, dry tension s measuring. 28 sts and measured dial approx 32 sts and measured (tension 8=MT+1). |

VES: These ns are written for gauge punchcard with ribber **VES WITHOUT** See page 113 lany A Mickle **CONTENT**: 100%

Wool R: We used MC), Russet (A), (B), Cameo (C) n(D)

hest 96-101[106-21]cm. measurement 36]cm. cm. m 53.5cm. square brackets [] arger sizes; where only one set of his applies to all

ALS

lickle Shetland. B, C and D.

NT WEIGHS


ze 106-111cm.

NSIONS

and lightly steam swatches before

42 rows to 10cm over st st (tension 7=MT).

36.5 rows to 10cm over Fair Isle patt dial approx



Tensions must be matched exactly before starting garment.

ABBREVIATIONS See page 113.

NOTE


Purl side is used as right side of st st sections.

Knit side is used as right side of Fair Isle section.

Measurements given are those of finished garment and should not be used to measure work on the machine.

PUNCHCARD PATTERN

Punch card before starting to



COLOUR SEQUENCE MC+A, K11 rows.

MC+B, K7 rows. C+B, K4 rows. C+D, K13 rows. C+B, K4 rows. MC+B, K7 rows. MC+A, K11 rows.

57 rows to patt. BACK


(KNITTED SIDEWAYS)

* Push 174 Ns to WP. Using WY, cast on and K a few rows ending CAL.

Using nylon cord, K1 row. Set RC at 000. Place a marker on the 99th[97th:94th] st in from left edge to mark start of armhole. Using MC and MT, K 84[92:100] rows *.

SHAPE NECK

CAR. Cast off 2 sts at beg of next and every foll alt row, 3



times in all.

K until RC shows 162[170: 178].

Cast on 2 sts at beg of next and every foll alt row, 3 times in all.

K until RC shows 252[268: 284].

Place a marker on the 99th[97th:94th] st in from left edge to mark start of armhole. Release on WY.

FRONT (KNITTED SIDEWAYS IN THREE PANELS) LEFT SIDE PANEL

Work as given for back from * to *.

Push all Ns to HP (do not set carriage to hold). Using A, 'e' wrap along the row. Using A, K3 rows. Push all Ns to HP. Using MC, 'e' wrap along the row. Using MC, K3 rows. Using WY, K a few rows and

release from machine.

RIGHT SIDE PANEL

Work as given for left side panel reversing marker position by counting from right edge.

CENTRE PANEL

Push 198 Ns to WP. Using WY, cast on and K a few rows ending CAL.

Using nylon cord, K1 row. Insert punchcard and lock on

first row. Set machine for patt. Using MC and MT, K1 row to select. CAL.

Set RC at 000. Release punchcard. Set carriage for Fair Isle knitting. Using MT+1, work in colour sequence given.

K1 row. CAR. Shape right neck edge by casting off 6 sts at beg of next and every foll alt row, 14 times. K1 row.

Cast on 6 sts at right edge on next and every foll alt row, 14 times. RC shows 57.

Set machine for st st. Using MC and MT, K1 row. Release on WY.

JOIN PANELS TOGETHER

Push 174 Ns to WP. With right side facing, hang last row of left side panel on to Ns. Remove WY. Push work behind latches.

With wrong side facing, hang



corresponding edge of centre panel on to Ns, dec 24 sts evenly as you go. Remove WY. Leave sts in front of latches. Manually pull one set of sts through the other. Using MC and T10, K1 row. Cast off using latch tool method. Leave Ns in WP. Join rem panel seam in the same way. Hang centre panel edge first with right side facing and then side panel with wrong side facing. Join both shoulder seams.

NECKBAND (WORKED IN TWO HALVES)

Push 117 Ns to WP. With right side facing, hang neck edge from centre front to centre back evenly on to Ns. Set RC at 000. Dec 1 st at centre front edge on every foll alt row, 6 times and then when RC shows 14, inc 1 st at centre front edge on every foll alt row, 6 times. At the same time, work as folls: Using A and MT, K4 rows.

Using MT-2, K3 rows Using MT-3, K3 rows.

Using MT-4, K3 rows. Using MT, K1 row (fold row). Using MT-4, K3 rows.

Using MT-3, K3 rows.
Using MC and MT-2, K3

rows. Using MT, K5 rows. RC shows 28.

Release on WY.

Rep for rem half of neck edge. Join centre back and front seams.

Fold neckband in half to right side and backstitch in place. Remove WY.



SLEEVES (KNITTED DOWNWARDS)

Push 152[156:162] Ns to WP. With right side facing, pick up sts from one armhole edge including sts with marker and hang on to Ns.

Set RC at 000. Using D and MT, K8 rows. Using MC, K2 rows. Using MC, K4 rows. Using MC, K6 rows. Using B, K6 rows. Using B, K6 rows. Using MC, work to end. At the same time, when RC shows

when RC shows 30[20:5], dec 1 st at each end of next and every foll 5th row, 34[36:39] times in all. K until RC shows 200. 84 sts.

Release on WY.

CUFFS

With RB in position, set machine for 2x1 rib.

Push 83 Ns on MB and corresponding Ns on RB to WP. Arrange Ns for 2x1 rib. Using MC, cast on and K3 tubular rows.

Set RC at 000.

Using MT-6/MT-6, K 10 rows.

Using A, K2 rows.

Using MC, K18 rows. RC shows 30. Transfer sts to MB. Using MT, K1 row.

With wrong side facing, hang lower edge of sleeve on to Ns. Using T10, K1 row. Cast off loosely.

WELT BACK AND FRONT ALIKE

With RB in position, set machine for 2x1 rib. Push 176 Ns on MB and corresponding Ns on RB to WP. Arrange Ns for 2x1 rib.

Using MC, cast on and K3 tubular rows.

Set RC at 000. Using MT-6/MT-6, K10 rows.

Using A, K2 rows. Using MC, K28 rows. RC shows 40. Transfer sts to MB.

Using MT, K1 row. With wrong side facing, hang lower edge of back evenly on to Ns. Using T10, K1 row. Cast off loosely. Rep for front.

TO MAKE UP

Join side and sleeve seams. Wash garment using a fabric softener in last rinse. Block out to correct shape and size. Leave to dry.

Lightly steam on wrong side.

2. Saddle Shoulder Sweater

ILLUSTRATED ON PAGE 56

MACHINES: These instructions are written for standard gauge punchcard machines with ribber MACHINES WITHOUT RIBBER: See page 113 YARN: Many A Mickle Shetland FIBRE CONTENT: 100% Pure New Wool COLOUR: We used Midnight (MC), Marble (A), Cameo (B) and Ocean

SIZES

(C)

To suit chest 96-101[106-111:116-121]cm.
Finished measurement
117[125:132]cm.
Length 70[72:73]cm.
Sleeve seam 48[49:50]cm.
Figures in square brackets []
refer to larger sizes; where
there is only one set of figures,
this applies to all sizes.

MATERIALS

Many A Mickle Shetland. 500[500:550]g in MC. 50g in A. 50g in B. 50g in C.

GARMENT WEIGHS 519g for size 106-111cm.

MAIN TENSIONS

Wash, dry and lightly steam

tension swatches before measuring.

24[26:27]

21.5 sts and 70 rows to 10cm measured over tuck st patt (tension dial approx 7=MT).
31 sts to 10cm and 35 rows to

9.5cm measured over Fair Isle patt (tension dial approx 8=MT+1).

Tensions must be matched exactly before starting garment.

ABBREVIATIONS

See page 113.

NOTE

Purl side is used as right side of tuck st patt.
Knit side is used as right side

of Fair Isle patt.

Measurements given are those of finished garment and should not be used to measure work on the machine.


PUNCHCARD PATTERNS


Punch cards 1 and 2 before starting to knit.


COLOUR SEQUENCE FOR PUNCHCARD ONE


A+MC, K7 rows. B+MC, K4 rows. B+C, K13 rows. B+MC, K4 rows. A+MC, K7 rows. 35 rows to patt.

PUNCHCARD 1









BACK

* Push 63[67:71] Ns at left and right of centre '0' to WP. 126[134:142] Ns. Using WY, cast on and K a few rows ending CAR.

Using nylon cord, K1 row. Insert punchcard 2 and lock on first row. Set machine for patt. Using MC and MT, K1 row to select.

Release punchcard. Set RC at 000. Set carriage for tuck st knitting (in both directions) and cont in patt. K 252 rows. SHAPE RAGLANS

Set RC at 000. Cast off 4 sts at beg of next 2 rows *.

Dec 1 st at each end of every foll 7th row, 18[20:22] times. 82[86:90] sts. K 5[5:0] rows. RC shows 133[147:156]. Place a marker at each end. Set RC at 000. Dec 1 st at each end of every foll 4th row, 6[4:3] times and then on every foll alt row, 15[19:22] times. RC shows 54[54:56]. K 2[2:0] rows. Set machine for st st. K1 row. Release rem 40 neck sts on WY.

FRONT


Work as given for back from * to *.

Dec 1 st at each end of every foll 7th row, 18[20:22] times and at the same time, when RC shows 112[126:134]. CAR.

SHAPE NECK

Make a note of row on punchcard. Set carriage to hold. Push all Ns at left and 13 Ns at right of centre '0' to HP. Cont over rem sts at right.

Keeping raglan shaping correct as set, dec 1 st at neck



edge on every foll 3rd row, 7 times. RC shows 133[147: 155]. Cast off rem 21[23:25] sts loosely.

Reset punchcard on row previously noted. Leaving all Ns at right and 13 Ns at left of centre '0' in HP, return rem Ns at left from HP to WP.

Reset RC at 112[126:134]. Complete to correspond with first side, reversing shapings. Cancel hold. Set machine for st st. Using MC and MT, K1 row over rem 26 front neck sts. Release on WY.

RIGHT SLEEVE SIDE SECTION

Push 14[16:17] Ns to WP. Using WY, cast on and K a few rows ending CAR. Using nylon cord, K1 row.

Insert punchcard 2 and lock on first row. Set machine for patt. Using MC and MT, K1 row to select.

Release punchcard. Set RC at 000. Set carriage for tuck st knitting (in both directions) and cont in patt.

Shape outside edge by inc 1 st at right edge on every foll 11th[11th:10th] row, 26[26: 29] times. 40[42:46] sts. K until RC shows 288[294:300]. CAR.

SHAPE RAGLAN

Set RC at 000. Cast off 4 sts at beg of next row.

Dec 1 st at right edge on every foll 3rd row, 8[10:8] times and then on every foll 4th row, 25[26:32] times. RC shows 125[135:153].

Cast off rem 3[2:2] sts. Work a second side section,

reversing shapings.

CENTRE PANEL (KNITTED SIDEWAYS IN TWO SECTIONS) TOP SECTION

Push 61-0-61 Ns to WP. Using WY, cast on and K a few rows. Using nylon cord, K1 row. Using A, work an 'e' wrap cast on. Using A and MT, K1 row. Insert punchcard 1 and lock on first row. Set machine for patt. K1 row to select.

Release punchcard. Set carriage for Fair Isle knitting. Using MT+1, work the 35 rows of patt.

Set machine for st st. Using A and MT, K2 rows. Cast off.

LOWER SECTION

Work as given for first piece, but over 61-0-35[40:43] Ns. Join the two sections neatly tog to make centre panel. Join sleeve pieces and raglans tog as shown in Diagram 1.

LEFT SLEEVE

Work as given for right sleeve reversing needle settings for lower section of centre panel and leaving the back saddle seam and raglan seam open.

NECKBAND

Push 150 Ns to WP. With right side facing, hang neck edge evenly on to Ns. Using MC and MT, K2 rows.

Bring RB into WP and arrange sts for 1x1 rib. Return empty MB Ns to NWP.

Using B and MT-6/MT-6, K1 row.

Hang comb and weights. K11 rows.

Using MT-5/MT-5, K1 row. Using MT-6/MT-6, K4 rows. Using C, K4 rows.

Using MC, K6 rows. Transfer sts to MB.

Using MC and MT, K3 rows. Using MT+1, K1 row. Release on WY.

WELTS BACK AND FRONT ALIKE

With RB in position, set machine for 2x1 rib. Push 182[194:200] Ns on MB and corresponding Ns on RB to WP. Arrange Ns for 2x1 rib. Using MC, cast on and K3 tubular rows.

Set RC at 000. ** Using B and MT-6/MT-6, K4 rows. Using MC, K2 rows. Using C K4 rows

Using C, K4 rows.
Using MC, K20 rows. RC
shows 30. Transfer sts to MB.
Using MT, K1 row. Release
on WY **.

Push 126[134:142] Ns to WP. Rehang rib, with purl row facing, on to Ns, dec 56[60:58] sts evenly as you go. Remove WY. Push sts behind latches.

With wrong side facing, hang lower edge of back on to Ns. Remove WY. Leave sts in front of latches. Manually pull one set of sts through the other.

Using T10, K1 row. Cast off behind sinker posts. Rep for front.

CUFFS

With RB in position, set machine for 2x1 rib. Push 83 Ns on MB and corresponding Ns on RB to WP. Arrange Ns for 2x1 rib.

Using MC, cast on and K3 tubular rows.

Set RC at 000. Work as given for welt from ** to **.

Push 58[62:64] Ns to WP. With right side facing hang lower edge of sleeve on to Ns, placing Fair Isle panel over the centre 30 Ns.


With wrong side facing (purl row facing away from you), hang cuff on to Ns, dec 25[21:19] sts evenly as you go. Using MT, K1 row. Using T10, K1 row. Cast off

behind sinker posts.

TO MAKE UP

Join rem raglan and saddle seam.

Join side and sleeve seams. Fold neckband in half to right side and back stitch in place. Wash garment using a fabric softener in the last rinse. Block out to correct shape and size. Leave to dry. Lightly steam on wrong side.



MACHINES: These instructions are written for standard gauge punchcard machines with ribber **MACHINES WITHOUT** RIBBER: See page 113 YARN: Many A Mickle Shetland FIBRE CONTENT: 100% Pure New Wool COLOUR: We used Marble (MC), White (A) and Russet (B)

SIZES

To suit chest 96-101[106-111:116-121]cm. Finished measurement 111[121:131]cm. Length 65[67:69]cm. Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this applies to all sizes.

MATERIALS

Many A Mickle Shetland. 250[300:350]g in MC. 100g in A. 50g in B. 6 or 7 buttons.

GARMENT WEIGHS 294g for size 106-111cm.

MAIN TENSION

Wash, dry and lightly steam tension swatch before measuring.

28 sts and 42 rows to 10cm measured over st st (tension dial approx 7).

Tension must be matched exactly before starting garment.

ABBREVIATIONS

See page 113.


NOTE

Purl side is used as right side of st st.

Measurements given are those of finished garment and should not be used to measure work on the machine.

PUNCHCARD PATTERN

Punch card before starting to



COLOUR SEQUENCE

A+MC, K3 rows. A+B, K5 rows. A+MC, K3 rows. 11 rows to patt.

BACK

With RB in position, set machine for 2x1 rib. Push 156[170:184] Ns on MB and corresponding Ns on RB to WP.

* Arrange Ns for 2x1 rib. CAR. Using A, cast on and K3 tubular rows.

Set RC at 000. Using MT-5/MT-5, K2 rows. Using MC, K6 rows. Using B, K4 rows. Using A, K4 rows. Using MC, K6 rows. RC

shows 22

Transfer sts to MB.

Set RC at 000. Using MT, K 148[156:164] rows *

SHAPE ARMHOLES

Set RC at 000. Cast off 5 sts at beg of next 4 rows.

Cast off 2 sts at beg of next 6

Dec 1 st at each end of next and every foll alt row, 4 times in all. 116[130:144] sts. K until RC shows 96.

SHAPE NECK AND **SHOULDERS**

Set carriage to hold. Push 82[89:96] Ns at left to HP. Cont on rem 34[41:48] sts at right for first side.

Kl row. Push 1 N at neck edge to HP and push 7[9:10] Ns at right to HP, K2 rows, 3 times.

Push 1 N at neck edge to HP. Return Ns at right from HP to UWP. K1 row over the 30[37:44] shoulder sts. Release on WY.

Return 34[41:48] Ns at left from HP to WP. Reset RC at 96. Complete to correspond with first side reversing

shapings.
Cancel hold. Using MC and MT. Kl row over rem 56 neck sts. Release on WY.

LEFT FRONT

With RB in position, set machine for 2x1 rib. Push 77[84:91] Ns on MB and corresponding Ns on RB to WP. Work as given for back from * to *. CAR.

SHAPE NECK AND **ARMHOLE**

Set RC at 000. Place a marker at left edge. Dec 1 st at left edge on next and every foll 4th row, 24 times in all and then on every foll alt row, 3 times. At the same time, and beg at RC 000, shape right edge as folls:

Cast off 5 sts at beg of next and foll alt row, K l row.

Cast off 2 sts at beg of next and every foll alt row, 3 times in all. K I row.

Dec 1 st at beg of next and every foll alt row, 4 times in

K until RC shows 97. CAL. SHAPE SHOULDER

Set carriage to hold. Push 7[9:10] Ns at right to HP, K2 rows, 3 times.

Cancel hold. K1 row over rem 30[37:44] shoulder sts. Release on WY.

RIGHT FRONT

Work as given for left front, reversing shapings.

JOIN SHOULDER SEAMS

Push 30[37:44] Ns to WP. With right side facing, hang back right shoulder sts on to Ns. Remove WY. Push sts behind latches.

With wrong side facing, hang corresponding front shoulder sts on to Ns. Remove WY.

Manually pull one set of sts through the other. Using MC and T10, K1 row.
Cast off using latch tool


method.


Rep for rem shoulder sts.

ARMHOLE BAND (KNIT TWO)

Push 166 Ns to WP. With wrong side facing, hang one armhole edge evenly on to Ns. Insert punchcard and lock on first row. Set machine for patt. Using A and MT, K1 row to select.

Release punchcard. Set RC at 000. Set carriage for Fair Isle





knitting. Foll colour sequence given, work in patt.
Using MT, K3 rows.
Using MT-1, K3 rows.
Using MT-2, K3 rows.
Using MT-3, K2 rows.
Set machine for st st. Using A and MT-3, K1 row.
Using MT, K1 row.
Using MT-3, K3 rows.
Using MT-2, K3 rows.
Using MT-1, K3 rows.
Using MT-1, K5 rows.
Using MT, K5 rows.
Pick up loops from first row and hang on to corresponding Ns.
K1 row.

Using T10, K1 row.

Cast off using latch tool method.

NECKBAND

Push 200 Ns to WP. With wrong side facing, hang neck edge from left front marker, across back neck and down to right front marker evenly on to Ns. ** Insert punchcard and lock on first row. Using A and MT, K1 row to select.

Release punchcard. Set RC at 000. Set carriage for Fair Isle knitting. Foll colour sequence given and using MT-1, K11 rows of patt.

Set machine for st st. Using A

and MT-1, K1 row. Using MT, K1 row. Using MT-2, K12 rows. Pick up loops from first row and hang on to corresponding Ns.

Using T10, K1 row. Cast off using latch tool method **.

BUTTON BAND

Beg with N 70 at right of centre '0', push 115[121:126] Ns to WP. With wrong side facing, hang right front edge evenly on to Ns.

Work as given for neckband from ** to **.

BUTTONHOLE BAND

Work as given for button band over rem left front edge, reversing needle settings. At the same time, when RC shows 5 work buttonholes in centre of alternate diamonds as illustrated. Rep over same sts when RC shows 20.

TO MAKE UP

Join side seams.

Join band seams neatly. Wash garment using a fabric softener in last rinse. Block out to correct shape and size. Leave to dry. Lightly steam on wrong side. Sew on buttons.

Sleeveless

MACHINES: These instructions are written for standard gauge punchcard machines with ribber **MACHINES WITHOUT** RIBBER: See page 113 YARN: Many A Mickle Shetland FIBRE CONTENT: 100% Pure New Wool **COLOUR**: We used White (MC), Marble (A). Midnight (B) and Russet (C)

SIZES

To suit chest 96-101[106-111:116-121]cm. Finished measurement 110[125:129]cm. Length 66[68:70]cm. Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this applies to all sizes.

MATERIALS

Many A Mickle Shetland. 200[250:250]g in MC. 100g in A. 100g in B. 100g in C.



GARMENT WEIGHS


346g for size 106-111 cm.

MAIN TENSION

Wash, dry and lightly steam tension swatch before measuring.

31 sts and 36 rows to 10cm measured over Fair Isle patt (tension dial approx 8).

Tension must be matched exactly before starting garment.



ABBREVIATIONS

See page 113.

NOTE

Knit side is used as right side. Measurements given are those of finished garment and should not be used to measure work on the machine.

PUNCHCARD PATTERN

Punch card before starting to knit.

COLOUR SEOUENCE

MC+A, K6 rows. MC+B, K5 rows. MC+C, K5 rows. MC+B, K5 rows. MC+A, K5 rows. Rep this sequence of 26 rows throughout.

BACK

With RB in position, set machine for 2x1 rib. Push 85[97:100] Ns at left and right of centre '0' on MB to WP. 170[194:200] Ns.

Push corresponding Ns on RB to WP. Arrange Ns for 2x1 rib. CAL.

Using MC, cast on and K3 tubular rows.

Set RC at 000. Using MT-

6/MT-6, K8 rows. Using B, K4 rows. Using MC, K2 rows. Using C, K4 rows. Using MC, K2 rows. Using B, K4 rows. Using MC, K8 rows. RC shows 32.

Transfer sts to MB. Insert punchcard and lock on first row. Set machine for patt. Using A and MT, K1 row to select.

Release punchcard. Set RC at 000. Set carriage for Fair Isle knitting. Foll colour sequence given, work in patt.

K until RC shows 126[134: 1401 *.

SHAPE ARMHOLES

Set RC at 000. Cast off 9 sts at beg of next 2 rows.

Cast off 2 sts at beg of next 6 rows.

Dec 1 st at each end of every foll alt row, 7 times. 126[150:156] sts.

K until RC shows 82. CAR. SHAPE NECK AND **SHOULDERS**

Make a note of row on punchcard and position in colour sequence. Set carriage to hold. Push 89 [101:104] Ns at left to HP. Cont on rem 37[49:52] sts at right for first

K1 row. Push 9[11:12] Ns at right and 1 N at neck edge to HP, K2 rows, 3 times.

Push 1 N at neck edge to HP. Return 27[33:36] Ns at right from HP to UWP. Set machine for st st. Using MC, K1 row over the 33[45:48] shoulder sts. Release on WY. Return 37[49:52] Ns at left from HP to WP. Reset punchcard on row previously noted. Reset RC at 82.

Starting at correst positon in colour sequence, complete to correspond with first side, reversing shapings.

Cancel hold. Set machine for st st. Using MC, K1 row over rem 60 neck sts. Using WY, K a few rows and release from machine.

FRONT

Work as given for back from * to *. CAR.

SHAPE NECK AND ARMHOLES

Set RC at 000. Make a note of row on punchcard and position in colour sequence. Using nylon cord, K 85[97:100] Ns at left of centre '0' by hand taking Ns down into NWP. Cont on rem 85[97:100] Ns at right for first side.

Dec 1 st at neck edge on next and every foll 3rd row, 30 times in all and at the same time, shape right edge as folls: Cast off 9 sts at beg of next row. K1 row.

Cast off 2 sts at beg of next and every foll alt row, 3 times in all. K1 row.


Dec 1 st at beg of next and every foll alt row, 7 times in

K until RC shows 83. CAL. **SHAPE SHOULDER**

Set carriage to hold. Push 9[11:12] Ns at right to HP, K2 rows, 3 times.

Set machine for st st. Cancel hold. Using MC, K1 row over the rem 33[45:48] shoulder sts. Release on WY.

Unravel nylon cord over sts at left. Reset punchcard on row previously noted. Reset RC at 000. Starting at correct position in colour sequence,



complete to correspond with first side, reversing shapings.

JOIN SHOULDER SEAMS

Push 33[45:48] Ns to WP. With right side facing, hang back right shoulder sts on to Ns.

Remove WY. Push sts behind latches. With wrong side facing, hang corresponding front shoulder sts on to Ns. Remove WY.

Manually pull one set of sts through the other. Using MC and T10, K1 row. Cast off using latch tool method. Rep for rem shoulder sts.

ARMHOLE BAND (KNIT TWO)

With RB in position, set machine for 2x1 rib. Push 170 Ns on MB and corresponding Ns on RB to WP. Arrange Ns for 2x1 rib.

Using C, cast on and K2 tubular rows.

Set RC at 000. Using MC and MT-6/MT-6, K2 rows.

Using B, K4 rows.

Using MC, K4 rows. RC shows 10.

Transfer sts to MB. Using MC and MT, K1 row.

With wrong side facing, hang armhole edge evenly on to Ns. K1 row. Using T10, K1 row. Cast off using latch tool method.

NECKBAND (KNIT TWO PIECES)

With RB in position, set machine for 2x1 rib. Push 113 Ns on MB and corresponding Ns on RB to WP. Arrange Ns for 2x1 rib.

Using C, cast on and K2 tubular rows.

Set RC at 000. Using MC and MT-6/MT-6, K2 rows.

Using B, K4 rows.

Using MC, K4 rows. Transfer sts to MB.

Using MT, K1 row.

With wrong side facing, hang one side of front neck and half back neck evenly on to Ns, omitting edge N at centre back. K1 row.

Using T10, K1 row.

Cast off using latch tool method.

Rep for rem half of neck edge.


TO MAKE UP

Join side seams.

Join centre back neckband seam. Mitre neckband tog at centre front or overlap if preferred.

Wash garment using a fabric softener in last rinse. Block out to correct size. Leave to dry.

Lightly steam on wrong side.



5. Crew Neck Sweater

MACHINES: These instructions are written for standard gauge punchcard machines with ribber MACHINES WITHOUT RIBBER: See page 113 YARN: Many A Mickle Shetland FIBRE CONTENT: 100% Pure New Wool COLOUR: We used White (MC), Midnight (A), Ocean (B) and Cameo (C)

SIZES

To suit chest 96-101[106-111:116-121]cm. Finished measurement 118[125:129]cm. Length 68[72:74]cm. Sleeve seam 54cm. Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this applies to all sizes.

MATERIALS

Many A Mickle Shetland. 400[450:450]g in MC. 200g in A. 200g in B. 100g in C.

GARMENT WEIGHS 580g for size 106-11 lcm.

MAIN TENSION

Wash, dry and lightly steam tension swatch before measuring.
31 sts and 37.5 rows to 10cm measured over Fair Isle patt (tension dial approx 8).

Tension must be matched exactly before starting garment.

ABBREVIATIONS


See page 113.

NOTE

Knit side is used as right side. Measurements given are those of finished garment and should not be used to measure work on the machine.

PUNCHCARD PATTERN

Punch card before starting to knit.



COLOUR SEQUENCE

Using MC in feeder 2/B throughout.

A+MC, K6 rows.
B+MC, K6 rows.
A+MC, K6 rows.
C+MC, K6 rows.
A+MC, K6 rows.
B+MC, K6 rows.
A+MC, K6 rows.
C+MC, K6 rows.
C+MC, K6 rows.

BACK

With RB in position, set machine for 2x1 rib. Push 91[97:100] Ns at left and right of centre '0' on MB to WP. 182[194:200] Ns.

Rep these 46 rows throughout.

* Push corresponding Ns on RB to WP. Arrange Ns for 2x1 rib. CAL.

Using MC, cast on and K3

tubular rows.
Set RC at 000 Using MT-

Set RC at 000. Using MT-6/MT-6, K30 rows.

Transfer sts to MB. Insert punchcard and lock on first row. Set machine for patt. Using MT, K1 row to select. CAR.

Set RC at 000. Release punchcard. Set carriage for Fair Isle knitting.

Foll colour sequence given, work in patt *.

K 138[142:146] rows.

Set RC at 000. Place a marker at each end for start of armholes. K 94[98:102] rows. CAR

SHAPE NECK AND SHOULDERS

Make a note of row on punchcard and position in colour sequence. Set carriage to hold. Push 121[127:130] Ns at left to HP. Cont on rem 61[67:70] sts at right for first side. K1 row.

Push 1 N at neck edge to HP and push 15 Ns at right to HP, K2 rows, 3 times. Push 1 N at neck edge to HP.

Set machine for st st. Return 45 Ns at right from HP to WP. Using appropriate contrast yarn, K1 row over the 57[63:66] shoulder sts. Release on WY.

Return 61[67:70] Ns at left to UWP. Reset punchcard on row previously noted. Reset RC at 94[98:102]. Starting at correct position in colour sequence, complete to correspond with first side, reversing shapings.

Cancel hold. K1 row over rem 68 neck sts. Release on WY.

FRONT

Work as given for back until RC shows 68[72:76] after armhole marker. CAR.

SHAPE NECK

Make a note of row on punchcard and position in colour sequence. Using nylon cord, K 105[111:114] sts at left by hand taking Ns down into NWP. Cont on rem 77[83:86] sts at right for first side.

Kl row.


Cast off 2 sts at beg of next and every foll alt row, 4 times in all.


Dec 1 st at neck edge on next and every foll alt row, 12 times in all. At the same time, when RC shows 95[99:103]. CAL.

SHAPE SHOULDER

Set carriage to hold. Push 15 Ns at right to HP, K2 rows, 3 times.

Cancel hold. Set machine for st st. Using appropriate contrast yarn, K1 row over the





57[63:66] shoulder sts. Release on WY.

Unravel nylon cord over 28 sts at right (centre neck). Using WY, K a few rows and release from machine.

Unravel nylon cord over rem 77[83:86] sts at left. Reset punchcard on row previously noted. Reset RC at 68[72:76]. Starting at correct position in colour sequence, complete to correspond with first side, reversing shapings.

JOIN RIGHT SHOULDER SEAM

Either graft right shoulder sts tog or join on machine as folls:

Push 57[63:66] Ns to WP. With right side facing, hang back right shoulder sts on to Ns. Remove WY. Push sts behind latches.

With wrong side facing, hang corresponding front shoulder sts on to Ns. Remove WY.

Manually pull one set of sts through the other. Using appropriate yarn and T10, K1 row. Cast off using latch tool method.

NECKBAND

With RB in position, set machine for 2x1 rib. Push 143 Ns on MB and corresponding Ns on RB to WP. Arrange Ns for 2x1 rib.

Using MC, cast on and K3 tubular rows.

Set RC at 000. Using MT-6•/MT-6•, K30 rows.

Transfer sts to MB. Dec 1 st at right edge.

With wrong side facing, hang neck edge evenly on to Ns. Using T10, K1 row. Cast off loosely behind sinker posts.

Join left shoulder seam using the same method as before. Join neckband seam.

SLEEVES

With RB in position, set machine for 2x1 rib. Push 41 Ns at left and 42 Ns at right of centre '0' on MB to WP. 83 Ns

Work as given for back from * to *. Inc 1 st at left. 84 sts.

SIZE 96-101cm ONLY

Inc 1 st at each end of next and every foll 5th row, 35 times in all.

SIZES 106-111[116-121]cm ONLY

Inc 1 st at each end of next and every foll alt row, 6[7] times and then on every foll 5th row, 33 times.

ALL SIZES

156[162:164] sts. K until RC shows 180. Set machine for st st. Using A, K1 row.

Using WY, K a few rows and release from machine. Leave Ns in WP.

With right side facing, hang one armhole edge from marker to marker evenly on to Ns. Push work behind latches. With wrong side facing, rehang last row of sleeve on to Ns. Remove WY. Manually pull one set of sts through the other.

Using T10, K1 row.

Cast off using latch tool method.

TO MAKE UP

Join side and sleeve seams.
Wash garment using a fabric softener in last rinse.
Block out to correct size and shape. Leave to dry.
Lightly steam on wrong side.

Shawl Collared

ILLUSTRATED ON PAGE 66

instructions are written for

MACHINES: These

standard gauge punchcard machines with ribber **MACHINES WITHOUT** RIBBER: See page 113 YARN: Many A Mickle Shetland FIBRE CONTENT: 100% Pure New Wool **COLOUR**: We used Ocean (MC), Russet (A) and Midnight (B)

SIZES

To suit chest 96-101[106-111:116-121]cm. Finished measurement 120[127:134]cm. Length 70[71:72]cm. Sleeve seam 47[49:50]cm. Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this applies to all sizes.

MATERIALS

Many A Mickle Shetland. 650[700:750]g in MC. 50g in A. 100g in B. 7 buttons.

GARMENT WEIGHS 646g for size 106-111cm.

MAIN TENSIONS

Wash, dry and lightly steam tension swatches before measuring.

23 sts and 68 rows to 10cm measured over tuck st patt (tension dial approx 7=MT). 32 sts to 10cm and 35 rows to 9.5cm measured over Fair Isle patt (tension dial approx 8 = MT + 1).

Tensions must be matched before starting exactly garment.

ABBREVIATIONS

See page 113.

NOTE

Purl side is used as right side of tuck st patt.

Knit side is used as right side of Fair Isle patt.

Measurements given are those of finished garment and should not be used to measure work on the machine.

PUNCHCARD PATTERNS

Punch cards 1 and 2 as given for Saddle Shoulder Sweater, Pattern 2 on pages 55 and 57 before starting to knit.

COLOUR SEQUENCE FOR PUNCHCARD ONE

MC+A, K7 rows. B+A, K21 rows. MC+A, K7 rows. 35 rows to patt.

BACK

Push 138[146:154] Ns to WP. * Using WY, cast on and K a few rows.

Using nylon cord, K1 row. CAR.

Insert punchcard 2 and lock on first row. Set machine for patt. Using MC and MT, K1 row to select. CAL.

Set RC at 000. Release punchcard.

Set carriage for tuck st knitting (in both directions) and cont in patt *.

K14 rows. Place a marker at each end for start of pocket opening.

K122 rows. Place a marker at each end for finish of pocket opening.

K until RC shows 244. **SHAPE RAGLANS**

Set RC at 000. Cast off 6[6:7] sts at beg of next 2 rows.

Dec 1 st at each end of every foll 7th row, 18[20:21] times. 90[94:98] sts. K 2[2:1] rows. RC shows 130[144:150]. Place a marker at each end. Set RC at 000. Dec 1 st at each end of every foll alt row, 23[25:27] times. 44 sts rem. K 8[4:0] rows. RC shows 54. Cast off loosely.

RIGHT FRONT

Push 86[90:96] Ns to WP. Counting from right edge, return the 11th N to NWP.

(This N rems in NWP to end). Work as given for back from * to *. K until RC shows 14. CAL.

Cast off 4 sts at left edge. K until RC shows 122.

Cast on 4 sts at left edge. K until RC shows 244. CAL.

SHAPE RAGLAN

Set RC at 000. Cast off 6[6:7] sts at beg of next row. K1 row. Dec 1 st at left edge on every foll 7th row, 18[20:21] times. At the same time, when RC shows 88[102:108].

SHAPE COLLAR

Inc 1 st at right edge on every foll 3rd row, 14 times. 76[78:82] sts. RC shows 130[144:150]. CAL.

Cast off 23[25:27] sts at left. Set RC at 000. Inc 1 st at right edge on every foll 20th row, 7 times and when RC shows 74, inc 1 st at left edge on every foll 9th row, 7 times.

K until RC shows 142. 67[67:69] sts.

Set machine for st st. K1 row. Release on WY.

LEFT FRONT

Work as given for right front reversing ladder needle position and all shapings. Work 4 st buttonholes, 4 sts out either side of ladder needle (see Diagram 1) when RC shows 40[42:43] and then every 55[57:58] rows until 6 buttonholes in all have been

RIGHT SLEEVE SIDE SECTION (KNIT TWO)

Push 17[17:18] Ns to WP. Using WY, cast on and K a few rows ending CAR. Using nylon cord, K1 row. Insert punchcard 2 and lock on first row. Set machine for patt. Using MC and MT, K1 row to

select. CAR. Set RC at 000. Release punchcard. Set carriage for tuck st knitting (in both directions). Cont in patt.

Inc 1 st at right edge on every foll 10th[9th:8th] row, 26[31: 34] times. 43[48:52] sts. K until RC shows 272[286: 292]. **SHAPE RAGLAN**


Set RC at 000. Cast off 6[6:7] sts at beg of next row.


Dec 1 st at right edge on every foll 4th row, 14[15:18] times and then on every foll 3rd row, 21[25:24] times. RC shows 120[136:145]. Cast off rem 2[2:3] sts.

Work second side section, reversing shapings to left

CENTRE PANEL (SIDEWAYS KNITTED IN TWO PIECES) **TOP SECTION**

Push Ns 61-0-61 to WP. Using WY, cast on and K a few rows. Using nylon cord, K1 row. Using MC, work an 'e' wrap cast on. Insert punchcard 1 and lock on first row. Set machine for patt.





Using MC and MT, K1 row. Release punchcard. Set carriage for Fair Isle knitting. Using MT+1 and foll colour sequence given, K35 rows. Set machine for st st. Using MC and MT, K2 rows. Cast off behind sinker posts.

LOWER SECTION

Work as given for top section but over 61-0-39[47:49] Ns. Join the two sections neatly tog to form centre panel.

Join side raglans to back/front raglans. Attach centre panel to side sections starting at wrist and cont across top of back/front to neck edge.

LEFT SLEEVE

Work as given for right sleeve, reversing needle settings for lower section of centre panel.

POCKET (KNIT TWO)

Push 50 Ns to WP. With wrong side of back facing, hang one pocket edge from marker to marker evenly on to Ns.

Set RC at 000. Using MC and MT-1, K84 rows. Cast off.

POCKET BAND (KNIT TWO)

Push 54 Ns to WP. With wrong side of front facing, hang pocket edge between cast on and off sts evenly on to Ns. Set RC at 000. Using MC and MT-1, K10 rows.

Using MT, K1 row. Using MT-1, K10 rows.

Pick up loops from first row and hang on to corresponding Ns.

Using T10, K1 row. Cast off.

BACK WELT

With RB in position, set machine for 2x1 rib. Push 182[194:200] Ns on MB and corresponding Ns on RB to WP.

** Arrange Ns for 2x1 rib. Using MC, cast on and K3 tubular rows.

Set RC at 000. Using MT-5/MT-5, K10 rows.

Using A, K2 rows.


Using MC, K18 rows. RC shows 30. Transfer sts to MB. Using MT, K1 row. Release on WY **.

Push 138[146:154] Ns to WP. With purl row facing, rehang welt on to Ns, dec 44[48:46] sts evenly as you go. Remove WY. Push work behind latches.

With wrong side facing, hang lower edge of back on to Ns. Remove WY.

Manually pull one set of sts through the other.

Using T10, K1 row. Cast off behind sinker posts.



FRONT WELT (KNIT TWO)

With RB in position, set machine for 2x1 rib. Push 98[104:107] Ns on MB and corresponding Ns on RB to WP. Work as given for back welt from ** to **.

Push 75[79:85] Ns to WP. With purl row facing, rehang welt on to Ns, dec 23[25:22] sts evenly as you go. Remove WY. Push work behind latches.

With wrong side facing, hang lower edge of right front from side edge to ladder line on to Ns. Fold back facing along ladder line and hang these sts on to the end 11 Ns. Remove WY. Manually pull one set of sts through the other. Using T10, K1 row.

Cast off behind sinker posts. Rep for left front working a buttonhole 5 sts in from front edge when RC shows 13.

CUFFS

With RB in position, set machine for 2x1 rib. Push 83 Ns on MB and corresponding Ns on RB to WP. Work as given for back welt from ** to **.

Push 67[69:71] Ns to WP. With right side facing, rehang lower edge of sleeve on to Ns placing centre Fair Isle panel over 35 Ns. Push work behind latches. With wrong side facing, hang last row of cuff on to Ns, dec 16[14:12] sts evenly as you go. Manually pull one set of sts through the other.

Using T10, K1 row. Cast off behind sinker posts.


TO MAKE UP

Join centre back collar seam on machine Fold collar in half to inside and stitch neatly in place along back neck edge. Slip stitch collar/facing neatly in place on wrong side of fronts. Ensure buttonholes are aligned.

Stitch side of pocket bands to cast off/on edges. Stitch pocket neatly in place to wrong side of fronts.

Join side and sleeve seams. Wash garment using a fabric softener in last rinse. Block out to correct shape and size.

Leave to dry.
Lightly steam on wrong side.
Sew on buttons.



Man's Tuck and Rib Sweater

ILLUSTRATED ON PAGE 69



MACHINES: These

instructions are written for standard gauge punchcard or electronic machines with ribber

YARN: Bramwell 4 ply

Acrylic

FIBRE CONTENT: 100%

Acrylic

COLOUR: We used Oak

STOCKISTS: If you have any difficulty in obtaining this yarn, please write to F. W. Bramwell & Co Ltd, Unit 5, Lane Side, Metcalf Drive, Altham, Accrington, Lancs BB5 5TU

Casual Stroller

To suit chest 101[106:111: 116:121]cm.

Finished measurement 111[117:

121:126:132]cm. Length 67[67:67:69:69]cm. Sleeve seam 56cm.

Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this

applies to all sizes.

MATERIALS

Bramwell 4 ply Acrylic. 2 x 500g cones in MY.

GARMENT WEIGHS

582g for size 111cm.

MAIN TENSION

26 sts and 55 rows to 10cm measured over tuck and rib patt (tension dial approx 7 on MB/4 on RB=MT/MT-3).

Tension must be matched exactly before starting garment.


ABBREVIATIONS

See page 113.

NOTE

Purl side is used as right side.

PUNCHCARD PATTERN



Front neckline is shaped using the cut and sew method. Measurements given are those

of finished garment and should not be used to measure work on the machine.

PUNCHCARD PATTERN

Punch card before starting to

Set machine to elongate or double length patt.

ELECTRONIC PATTERN

Fill in mylar sheet before starting







ready-built or flat packed FROM £139.95


The cabinet illustrated takes Brother, Knitmaster, Silver and Toyota machines and ribbers. The cabinet complete with bench seat is offered at £199.95 + £10 carriage. (Cabinet and bench ready built £249.95 + £15 carriage).


Elegant yet sturdy — child-safe. Leave your knitting and carriages on — just slide away your machine and ribber in seconds. ciegaint yet sturry — child-sale. Leave your knitting and carriages on — just since away your infacting and noder in seconds.


The unique variable height and pitch means you knit in maximum comfort. The slideaway action converts your cabinet into a handsome piece of furniture.


Cones feed from the floorthrough the base of the cabinet. The bench if ordered will store cones and many accessories — even another machine. It glides under the cabinet on strong easy run castors. Complete with a bench, the Keyto Cabinet is £199,95. Each unit is flatpacked with easy-to-follow assembly instructions. Choose yours from simulated Warm Natural Teak or Traditional Mahagany. Dimensions: 51° x 27% x 18%. Please allow 28 days for delivery. Delivery of furniture £10 UK Mainland only. Pay by cheque, Access or Visa

PO Box 200, Bolton BL5 3JJ Telephone: 0942 888881









to knit. Use reverse and double length switches.

PATTERN NOTE

Arrange Ns as shown in Diagram 1.

Set MB carriage to tuck in both

Set RB carriage to knit in both directions.

BACK AND FRONT ALIKE

With RB in position, set machine for 1x1 rib. Push 72[76:79:82: 86] Ns at left and right of centre 'O' on MB to WP.

144[152:158:164:172] Ns. Push corresponding Ns on RB to WP. Arrange Ns for 1x1 rib. CAR.

Using MY, cast on and K3 tubular rows. Set RC at 000.

Using MT-4/MT-4, K36 rows. Transfer sts to MB.

Arrange Ns as shown in Diagram 1 (half pitch setting). Fill empty RB Ns with heel of opposite st on MB. Insert punchcard and lock on first row or insert mylar sheet and program machine for patt. Set RC at 000.

Using MT/MT-3, K1 row to select. Release punchcard. Set machine for patt as given in note. Cont in patt.

K until RC shows 176.

Place a marker at each end for start of armholes.

K until RC shows 330[330:330:

Mark the 23rd st at left and right of centre '0' for neck width. Cast off loosely.

With RB in position, set machine for 1x1 rib. Push 44[44:44:46: 46] Ns at left and right of centre '0' on MB to WP.

88[88:88:92:92] Ns.

Push corresponding Ns on RB to WP. Arrange Ns for 1x1 rib. CAR.

Using MY, cast on and K3 tubular rows.

Set RC at 000. Using MT-4/MT-4, K24 rows. Transfer sts to MB. Arrange Ns as shown in Diagram 1 (half pitch setting). Fill empty RB Ns with heel of opposite st on MB. Insert punchcard and lock on first row

or insert mylar sheet and program machine for patt. Set RC at 000. Using MT/MT-3, K1 row to select. Release punchcard. Set machine for patt as given in note. Cont in patt. K6 rows.

Shape sides by inc 1 st at each end of next and every foll 9th[9th:9th:8th:8th] 29[29:29:32:32] times in all. Where necessary bring RB Ns into WP to keep arrangement correct. K until RC shows 274.

Mark the centre st and cast off

loosely.

SHAPE FRONT NECKLINE

Foll Diagram 2, mark front neckline. Stitch around neckline and cut away excess. Join both shoulder seams

With RB in position, set machine

for 1x1 rib. Push 161 Ns on MB

NECKBAND

and corresponding Ns on RB to WP. Arrange Ns for 1x1 rib. Using MY, cast on and K3 tubular rows. Set RC at 000. Using MT-4/MT-4, K12 rows. Bring intermediate Ns on both beds to WP. Set carriage for tubular knitting, K2 rows. Set machine for FNR, K1 row. Set MB carriage to slip. Using MT, K3 rows on RB only. Set RB carriage to slip. Pull yarn down between the beds. Using MT, K3 rows on MB only. Set machine for tubular knitting. Using WY, K12 rows and release from machine.

TO MAKE UP


Carefully pin the neckband in position starting and finishing at centre front and enclosing neck edge between the st st sections. Backstitch in place through open sts of last row worked in MY. Remove WY.

Mitre band tog at centre front and slip stitch excess neatly in place on inside.

Sew in sleeves matching centre marker to shoulder seam. Join side and sleeve seams.

Block out to correct shape and

Spray with cold water and leave to dry.



SAMPLE '

Continuing the theme from last month,
Jenny experiments further with tuck and rib combinations

his month we are going to have another look at tucking on the main bed with selected needles working on the ribber. Last month, we used the basic 1x1 card with most of the needles in work on the ribber, I wanted to find out whether I could get a single bed tuck fabric with raised ridges created by using the ribber

the first property

PUNCHCARD B


10 row repea

Punchcards A and B:

Repeat the pattern shown enough times to allow card to rotate

SAMPLE 3





ELECTRONIC PATTERN A





24 sts x 2 rows

Fill in the mylar sheet as shown and use the reverse button


needles. It seemed quite straightforward so off I went with **Sample 1**. This involved using the 1x1 card on the double length setting and bringing groups of needles into working position

on the ribber. I was expecting a basic tuck stitch fabric with plain ridges where the ribber needles had knitted. Imagine my surprise when I took the sample off the machine and looked at it. I certainly had the single bed tuck stitch, but instead of my plain ridges I had a textured raised feature. When I looked at it carefully I realised what had happened. The tuck card was patterning all across the main bed. It was knitting single bed tuck stitch where there were not any ribber needles and it was knitting a full needle rib tuck where the ribber needles were working. If I had thought about it a bit more carefully to start with, I would have realised what was going to happen. I really liked the combination of the two textures and decided to experiment with this later. However, I still had not achieved my original aim of






PUNCHCARD C



row repeat

Repeat the pattern shown enough times to allow card to rotate



single tuck with plain ribber stitches so I continued to try to sort it out. If the combination of ribber needles and a 1x1 card meant that there was patterning all across the bed it seemed that one way of cancelling the patterning around the ribber needles was to adapt the card so that the main bed needles in line with the ribber needle did not tuck. Sample 2 shows what this looked like. My first version was fine, but the plain ridges were fuller than the tuck stitches causing the plain column to twist and buckle. This was solved by setting the ribber to slip in one direction, reducing the bulk of knitting. This also gave a nice sharp edge to the plain stitches. What would happen if you combined these two techniques? Sample 3 shows the effect. The same card was used, only this time instead of just having ribber stitches around the non-patterning bit of the card, another block of ribber stitches was brought into working position. When I knitted the first sample, the plain ridge still seemed to buckle, so I tried setting the ribber to slip one way.

MACHINE KNIT AMERICA

Design and Fashion for Today's Knitter

Whether you are a beginner or an expert, you will find new and interesting articles to read, and patterns to knit in *the* magazine from the USA.

* Stylish Patterns.

- * Tips and Techniques.
- ***** Workshop Projects.
- * What's New on the Marketplace
- * Computer programmes explained, and much, much more.

Subscribe today (no longer available from newsagents)

Send your cheque or postal order for £13.50 to:


Machine Knit America, 1 Finedon Road, Burton Latimer, Northants. NN15 5QB. Phone: 0536 724745. Fax: 0536 726065

USA AND CANADA: Subscription Price - USA \$37.50. Canada \$43.50 (US Funds)


Machine Knit America, PO Box 389045, Cincinnati, OH 45238-9045. USA.

Phone: (800) 882-8035. Fax: (513) 922-9390

Dealer enquiries welcome.




RIB-ABILITY



V Create an illusion of travelling stitches


ELECTRONIC PATTERN B

24 sts x 10 rows



Although this stopped the bulk on the plain ridge it also stopped the tuck rib pattern, so I gave up that idea. Another possibility would be to cable the plain ridge. Sample 4 shows what happens when the two techniques are combined in a more organised way. Again some of the stitches are set for full needle rib and some for single bed tuck, but because the design was actually planned out, it is possible to get a much more raised effect. This combination has lots of potential, it would be especially good for producing Aran style garments on the chunky machine. Sample 5 illustrates what

happens when the tuck stitch tendency to distort the work is harnessed. Previously, we have been using the tuck stitch as an all-over pattern, but this time just a small shaped portion of tuck has been used. This tends to push the work out sideways. If some plain needles are set on the ribber, every time they knit round a tuck portion they will be pushed sideways creating an illusion of travelling stitches. I used this technique in this month's garment with the ribber knitting in both directions to produce a slightly more three-dimensional effect. I hope that these samples have given you some ideas to develop. I know that I am going to be quite busy. Till next month,







BUTTONHOLES on the ribber. Readers have asked for some simple methods and this month 'Step by Step' shows two transfer techniques.

STARTING OUT is the title of a new series from Irene Krieger aimed at knitters new to Passap and Pfaff machines.

EXPLODING THE MYTH is what Carole Baker does about the difficulties of intarsia. With illustrated techniques and simple freehand ideas, intarsia is brought well and truly into the '90s.

SIMPLY SILVER takes a look at the Knit Contour, its basics and abilities with Maggie Dyke.

FREE STITCH PATTERN LIBRARY — Wonderful textures and multi-coloured stitch patterns for ALL makes and models of machine.

ADAPT-A-PATTERN — A simple trim on a slightly modified basic sweater creates a stunning combination which could be made by a novice knitter.

THE AMERICAN TOUCH — Our exclusive column from Joyce Schneider guides garter carriage owners in the art of stopping and starting and presents some delightful new combination garter carriage stitches.

THE DESIGNER LOOK — Ruth Lee starts a new series on 'Form and Texture' this month and explains how your choice of yarns can influence your fabrics with some inspirational examples.

COLOURFUL DESIGNS FOR THE FAMILY — That's what we have for you this month, with great Fair Isle sweaters and cardigans using exciting stitch patterns and colour combinations. Other designs include an

original Cornish Fisherman style garter stitch sweater for him or her; a tuck rib and Fair Isle cardigan for E6000 owners to snuggle into and a chunky intarsia tunic and matching hat.

So much to do, read and learn this month whatever your knitting preference and ability. 'Falkberry Stitch' invites garter bar owners to try out new stitch pattern techniques. 'Discovering Double

Jacquard' takes a look at how computer software helps us sort out our colours. Betty Abbott's 'Master Class' presents original and delightful neck trims for garter carriage owners. 'Special Occasions' presents a sampler idea that can be adapted for many themes. 'Textile Arts in Mexico' will have you looking forward to warmer days whilst enjoying the pictures of the selection Linda Jackson found on her travels. Don't let your computer catch a cold, or your machine suffer from heat stroke! Prevention and cure for both these conditions are explained, together with the latest to read, knit and learn in the February issue of

Machine Knit Today

THE FEBRUARY ISSUE ON SALE 13th JANUARY



MACHINE KNIT TODAY

FEBRUARY 1994

£1.70

FREE

STITCH PATTERN LIBRARY FOR ALL MAKES AND MODELS OF MACHINES



STARTING OU

FOR NEWCOMERS TO PASSAP/PFAFF KNITTING

MIRSI

FOR THE '90S <u>New</u> Illustrated Series of Techniques and Inspiration

SPECIAL OCCASIONS

MAKE AN HEIRLOOM GIFT

COLOURFUL FORSELL YARNS

MYGHNE MILLYG MENERAL





TODAY'S TECHNIQUES, PATTERNS AND KNOW HOW FOR ALL MACHINES

ON SALE 13th JANUARY

AVAILABLE FROM NEWSAGENTS AND WOOL SHOPS OR LITHARNE LTD 0789 720604

9

Lady's Suit

Suitable



MACHINES: These instructions are written for standard gauge electronic machines with garter carriage but without ribber YARN: Forsell Naturell (used double throughout)

FIBRE CONTENT: 80% Wool, 20% Alpaca

COLOUR: We used Lima

496 (MY) STOCKISTS: If you have any difficulty in obtaining this

yarn, please write to T. Forsell & Son Ltd, Blaby Road, South Wigston, Leics

LE8 2SG

SIZES TOP

To suit bust 86[91:96:101: 106]cm.

Finished measurement 94[99: 104:109:114]cm.

Length 65cm.

Sleeve seam 46[47:47:48: 48]cm.

SKIRT

To suit hip 91[96:101: 106:111]cm. Finished measurement 94[99:

Finished measurement 94[99: 104:109:114]cm. Length 76[78:80:82:84]cm.

Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this applies to all sizes.

MATERIALS

Forsell Naturell. 3[3:3:4:4] x 400g cones in MY. Waist length of elastic.

GARMENT WEIGHS


TOP: 588g for size 91cm. **SKIRT**: 448g for size 96cm.

MAIN TENSION

Wash and dry tension swatch before measuring. 32 sts and 38.5 rows to 10cm measured over garter st patt (tension dial approx 8). Tension must be matched exactly before starting garment.

ABBREVIATIONS

See page 113.



NOTE

Side facing away from knitter is used as right side.

Measurements given are those of finished garment and should not be used to measure work on the machine.

MYLAR SHEET PATTERN

Fill in mylar sheet before starting to knit. The mylar sheet patt for 1x1 rib is also required.

SPECIAL NOTE

When knitting skirt, place a marker at each end of work every 50 rows as guide for joining seams.

TOP BACK

Push 75[79:83:87:91] Ns at left and right of centre '0' to WP. 150[158:166:174:182] Ns. Attach garter carriage. Using

MY, cast on.

Insert mylar sheet for 1x1 rib and program machine. Set RC at 000. Using MT-2, K31 rows.

Insert mylar sheet for main garter st patt and program machine. Set RC at 000. Using MT, work in patt.

K 128[124:124:120:120] rows. Place a marker at each end for start of armholes.

K until RC shows 216. CAR.

SHAPE NECK

Make a note of position in patt. Using a separate length of MY, cast off the centre 34 sts. Using nylon cord, K 58[62:66:70:74] sts at left by hand taking Ns down into NWP. Cont on rem 58[62:66:70:74] sts at right for first side. K1 row.

Cast off 3 sts at beg of next row. K1 row. Cast off 2 sts at beg of next and every foll alt row, 3 times in all. 49[53:57:61:65] sts. K until RC shows 224.

Return mylar sheet to set line. Using MT+4, K1 row. Cast off using latch tool method.

Unravel nylon cord over sts at left. Reset RC at 216. Starting at correct position in patt, complete to correspond with first side, reversing shapings.

FRONT

Work as given for back until RC shows 194.

SHAPE NECK

Make a note of position in patt. Using a separate length of MY, cast off the centre 18 sts. Using nylon cord, K 66[70:74:78:82] sts at left by hand taking Ns down into NWP.

Cont on rem 66[70:74:78:82] sts at right for first side.

K1 row. Cast off 3 sts at beg of next row. K1 row.

Cast off 2 sts at beg of next and every foll alt row, 4 times in all. K1 row.

Dec 1 st at beg of next and every foll alt row, 6 times in all. 49[53:57:61:65] sts. K until RC shows 224.

Return mylar sheet to set line. Using MT+4, K1 row. Cast off using latch tool method. Unravel nylon cord over sts at left. Reset RC at 194. Starting at

correct position in patt, complete to correspond with first side, reversing shapings.

SLEEVES

Push 51 Ns at left and right of centre '0' to WP. 102 Ns. Using WY, cast on and K a few rows ending CAR.

Using nylon cord, K1 row. Using MY and MT, K1 row. Attach garter carriage at right. Insert mylar sheet for main garter st patt and program machine. Set RC at 000. Cont in

Shape sides by inc 1 st at each end of every foll 5th[5th:5th: 5th:4th] row, 14[18:6:10:33] times and then on every foll 4th[4th:4th:4th:3rd] row, 15[11: 26:22:2] times.

160[160:166:166:172] sts.

K until RC shows 150[154:154: 158:158]. Place a marker on the centre st.

Return mylar sheet to set line. Using MT+4, K1 row. Cast off using latch tool method.


CUFFS

Push 35 Ns at left and right of centre '0' to WP. 70 Ns. With

ELECTRONIC PATTERN



7 sts x 4 rows







Nemo Knitting Desk


aptain Nemo was the man in charge of the submarine Nautilus. Submarines are usually tight for space — so are many modern houses. The Keyto knitting desk suggests a way of keeping your children and your machine safe in the smallest possible space. When closed the **Nemo** makes an unobtrusive desk.

o, suppose you are an enthusiastic machine knitter whose house is very limited for space. Suppose you haven't even really got room for that tubular foldaway table you got originally with your machine and ribber — suppose you want to knit a lot but are afraid of the children having an accident by bumping into your machine; of course you do not want to dismantle the whole thing when the children are around! So now, suppose you have a **Nemo** Knitting Desk. All those problems are solved. It takes less space than a simple

knitting table, 4.65 square feet to 5.75 square feet to be precise. Yet it stores away your machine and ribber.

It is sturdy as well because it is fixed to the wall and supported by two steel legs. To bring out your machine and ribber you lift them still mounted on a firm platform, which locks into two special clips fixed inside the desk — the machines are rigid whilst knitting yet stored away safely in seconds. The unit

you do not wish to cut your magazine, please send your order on a separate sheet of paper. CLOSING DATE OF OFFER 31st MARCH 1994 comes to you flat packed and is available in melamine simulated teak or walnut.



Order yours from your local dealer

| enc Cheq | ose a | o che O pa | equ ayab | e/PO ole to | for £. | Ltd. | | | | | | | | | |
|--------------|-------|---------------|-------------|----------------|--------|------|------|------|-------|------|-------|----|-----|---|---------|
| Paym Card | | зу А | cce | SS, V | isa or | BSF | (Ac | coul | it Ca | ra | | | | 7 | |
| T | T | T | | П | T | T | T | | T | T | T | T | 1 = | 7 | ∐ v |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| Signa | ture. | | | | | | | | E | xpir | y Da | te | | | |
| | | | | | | | | | | | | | | | |
| NAB | IE. | | | | | | | | | | | | | | |
| | CAPI | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| ADD | RES | S | | | | | | | | | ••••• | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |



| • | FREE FASHION SHOWS | • , F | REE DEMONS | STRATIONS | FREE CC | MPETITIONS |
|---------------|--|---|---------------------------|---|---|---|
| · YARNS | Book nov Knitting | | | | | |
| ALLIED CRAFTS | NEEDLECRAFT & DESIGN EXHIBITION SANDOWN PARK EXHIBITION CENTRE ESHER SURREY 20th-23rd JANUARY | | * NORTH WEST | | T & K N & N E BRIS | NITTING EEDLECRAFT EXHIBITION TOL EXHIBITION CENTRE |
| • | Normal Admission Price ADVANCE TICKET PRIC | | mal Admission Price ADVA | | | ADVANCE TICKET PRICE |
| SPEAKERS | Thurs/Fri Sat/Sun Adults £4.00 £5.00 £3.50 £4.50 OAPs £3.00 £4.00 £2.50 £3.50 | | £4.50 £5.00 | Fri Sat/Sun £4.00 £4.50 £2.50 £3.00 | Adults £4.50 OAPs £3.00 | £3.50 £2.00 |
| Ř | ALL SHOWS | OPEN 10 - 6 EVERY D | AY ACCOMPANIED CHILL | DREN UP TO 14 ADMITTED F | FREE (Applies to all shows) | |
| GUEST SPE | | | | (See advance r | OF TICKETS £ rates above) rd No. (35p Booking fee per credit car | d) VISA |
| 5 | ADDRESS | | | | | |
| 9 | POSTCODE | | | _ LUDIDY DATE | | |
| • | Tickets required (Tick Exhibitions and enter EXHIBITIONS Please Tick | quantity tickets in box) Number Required Adults OAP's | Day Thur, Fri, Sat. Su | CHEQUE No | ER No. | |
| Ž | THE 9th KNITTING & NEEDLECRAFT EXHIBITION ESHER SURREY | | | | to Nationwide Exhibitions) | |
| RGAINS | THE 3rd NORTH WEST KNITTING & MEDLECRAFT EXHIBITION MANCHESTER | | | NA | ooking form together with paym ATIONWIDE EXHIBITIONS (OX 20 FISHPONDS BRISTO | UK) LTD |
| | THE 10th SOUTHERN KNITTING & NEEDLECRAFT EXHIBITION | | | | booking form now to avoid queues and en | |

Suitable

77

wrong side facing, hang lower edge of sleeve on to Ns, dec 32 sts evenly as you go. Remove WY and nylon cord. Using MY and MT, K1 row. Attach garter carriage. Insert mylar sheet for 1x1 rib and program machine. Set RC at 000. Using MT-2, K31 rows.

Return mylar sheet to set line. Úsing MT+4, K1 row. Cast off using latch tool method.

NECKBAND

Join one shoulder seam.

Push 76 Ns at left and right of centre '0' to WP. 152 Ns.

Attach garter carriage. Using MY, cast on.

Insert mylar sheet for

1x1 rib and program machine. Set RC at 000. Using MT-2, K30

Return mylar sheet to set line. Using MT+2, K1 row.

Cast off using latch tool method.

TO MAKE UP

Join rem shoulder and neckband seam

Fold neckband in half to inside and slip stitch in place.

Sew in sleeves matching centre marker to shoulder seams. Join side and sleeve seams.

Wash garment. Block out to correct size and shape. Leave to dry. Lightly steam on wrong side if desired. Do not allow iron to touch fabric.

BACK AND FRONT ALKE

Push 75[79:83:87:91] Ns at left and right of centre '0' to WP. 150[158:166:174:182] Ns.

Attach garter carriage. Using MY, cast on. Insert mylar sheet for 1x1 rib and program machine. Set RC at 000. Using MT-2, K15 rows.



Insert mylar sheet for main garter st patt and program machine. Set RC at 000.

Using MT, work in patt. K 230[238:244:252:260] rows. Dec 1 st at each end of next and every foll 8th row, 5 times in all. 140[148:156:164:172] sts. K until RC shows 270[278:284: 292:3001

WAISTBAND

Insert mylar sheet for 1x1 rib and program machine. Set RC at 000. Using MT-2, K24 rows. Return mylar sheet to set line. Using MT+4, K1 row. Cast off using latch tool method.

TO MAKE UP

Using markers as guide, join side seams.

Join waistband seams. Fold waistband in half to inside and slip stitch in place leaving an opening for elastic. Insert elastic. Secure ends. close opening.

Wash garment. Block out to correct measurements. Leave to dry. Lightly steam on wrong side if desired. Do not allow iron to touch fabric.



Hertfordskire

Knilling Centre
— part of H.K.C. Ltd

MACHINE DISCOUNTS

Are you about to buy a knitting machine? Is price important to you?

'Phone us on 0279 438886


Stockists of all leading makes of machines and accessories.

Fast delivery service anywhere in the British Isles and BFPO.



PART EXCHANGE 26 The Stow, Harlow, Essex





Silver Reed Machines

his month we are going to learn a new technique — changing colour in the middle of a row which will give us two single motifs in different colours. The benefit of this is not just having two different coloured motifs, but it does away with the floats between the motifs, which is important in my swatch because I have used a very fine main yarn to produce a much lighter weight Fair Isle fabric than usual.

METHOD

We are going to start with an all-over Fair Isle pattern which we are going to knit in different coloured sections. Inspection light on. Insert design sheet 2 and set to row 1 of pattern 13. Pattern width indicators 0 and 24.

Needle 1 cam between 3 and 4 at right of centre '0'. (This setting is for the second part of the pattern which involves single motifs).

Point cams at 40 each side of centre '0'.
Buttons 1 left and 2 left.

Yarns

2 ply Honey. 4 ply Plum Tweed Effect. 4 ply Terracotta.

4 ply Fawn — Note: The fawn

rows may not show up terribly well in the photograph, but the subtle contrast of colour and yarn thickness works very well on the actual fabric. 4 ply Plum Bouclé.

Using 2 ply Honey, cast on 40 stitches each side of centre '0', 80 stitches in all, and knit several rows ending with carriage at right. I set the tension dial to 5 to knit plain 2 ply, to give it the open texture I wanted. I then set the tension dial to 7 for the allover Fair Isle, to accommodate the 4 ply. Inspection light off. Set carriage for Fair Isle. With 2 ply Honey in feeder 1 throughout, change the yarns in feeder 2 as follows: 5 rows with 4 ply Plum Tweed Effect in feeder 2. 5 rows with 4 ply Terracotta in feeder 2. 5 rows with 4 ply Plum Tweed Effect in feeder 2 10 rows with 4 ply Fawn in feeder 2. Set carriage for plain knitting and knit 1 row with 2 ply Honey in feeder 1. Leave the inspection light on so that the card moves on one row. Note: I am knitting this plain row because I do not like the next row of the pattern. It introduces an extra stitch which is neither part of the last section of the pattern nor the next section of the pattern. Therefore, I would rather lose it than introduce another colour for one row. So, now you have knitted one plain row, set the carriage for Fair Isle again and continue

with 2 ply Honey in feeder 1 throughout, changing the yarns in feeder 2 as follows: 17 rows with 4 ply Plum Bouclé in feeder 2. 2 rows with 4 ply Fawn in feeder 2. 2 rows with nothing in feeder 2.


Note: You do not have to set the carriage for plain knitting, these 2 rows are blank on the design sheet which means they will only knit the yarn in feeder 1.

If you were knitting this pattern in one colour throughout, you would not have to remove the yarn in feeder 2. It would simply travel across the bed and back again without knitting. The only time it might be safer to remove the yarn from feeder 2 would be if you were working with a particularly wide piece of knitting. In that case, you might find you had lost all the tension on the yarn which would cause you problems on the next row.

To continue with the swatch: 3 rows with 4 ply Plum Tweed Effect in feeder 2 2 rows with nothing in reed 2. These are blank rows on rows with nothing in feeder the design sheet again, so you do not have to set the carriage for plain knitting. 2 rows with 4 ply Terracotta in feeder 2. This is the end of one pattern repeat. You can now continue, repeating the whole thing again to give a lovely all-over Fair Isle design, or you can introduce some single motifs, as I have.

Changing the contrast
yarn in the centre of a
row is not as difficult as
it sounds.

Laraine explains this
technique and creates
extra surface interest by
using a variety of yarns



SINGLE MOTIFS

Inspection light on.
Set design sheet to row 1
of pattern 15.
Pattern width indicators 0
and 30. This allows for
some plain stitches between
motifs.

Needle 1 cam stays between 3 and 4 at right of centre '0'.

Point cams at 30 each side of centre '0'. This will give us two complete motifs. Set carriage for plain knitting and the tension dial to 5.

Knit 8 rows using 2 ply Honey.

Inspection light off.
Set carriage for Fair Isle.
Insert yarn separators.
Set tension dial to 6.
Now knit each of the two motifs in a different colour.

TECHNIQUE

With 2 ply Honey in feeder 1 throughout, put 4 ply Terracotta in feeder 2 and knit halfway across the row. Remove 4 ply Terracotta from feeder 2 and replace it with 4 ply Plum Bouclé.
Continue across to the end of the row.



Note: This is a good motif to practise this technique on because there is only one contrast stitch knitting at each side of the centre '0' at the moment, with a huge gap of plain knitting between. So, you do not have to be too precise about the position of the carriage when you change the yarns in feeder 2. By the time the motif reaches it's widest point, with only six stitches between the change of yarns, you will have had lots of practise and will be able to stop exactly in the right place. As the pattern gets wider, try lowering your eye level to just below the yarn feeders. You will see that the patterning needles come out further than the nonpatterning needles. Then you will spot a gap in the middle where no needles are coming out that far. That is the time to change yarns.

change yarns.
At the end of the first row,
keeping the 4 ply Plum Bouclé

in feeder 2, knit halfway across the row. Remove the 4 ply Plum Bouclé from feeder 2 and replace with 4 ply Terracotta. Continue in this way, knitting with 4 ply Terracotta on the


with 4 ply Terracotta on the right side and 4 ply Plum Bouclé on the left, until you have knitted the full length of the motif.

Inspection light on. Set carriage for plain knitting. Knit several rows of 2 ply Honey. Cast off.
Persevere with this technique, even if it is all going horribly wrong to begin with. It did for me the first time but, by the time I had knitted the whole motif, I had got the hang of it quite nicely. You might find it easier to use all plain 4 ply yarns for your first attempt, rather than a mixture of

textures and plys.

Good luck!

Laraine



Man's Crew Neck Sweater

Jacquard Sweater



MACHINES: These

instructions are written for Passap/Pfaff Electronic 6000 machines

YARN: Christiana Braemar **FIBRE CONTENT: 80%** Acrylic, 20% Wool **COLOUR**: We used Cream (Col 1), Taupe (Col 2), Bullrush (Col 3) and Stone

STOCKISTS: To obtain this yarn, please write to Christiana Wools, Whitton View, Leintwardine, Craven Arms, Shropshire SY7 OLS

SIZES

(Col 4)

To suit chest 96[101:106: 111:116:121]cm. Finished measurement 108[112: 119:124:130:133]cm. Length 66[66:69.5:69.5:72:

72]cm. Sleeve seam 48[48:49:49:50.5:

50.5]cm.

Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this applies to all sizes.

MATERIALS

Christiana Braemar. 1 x 500g cone in each colour.

GARMENT WEIGHS

466g for size 111cm.

MAIN TENSION

100 sts = 45 cm and and 100rows = 9cm measured over patt (SS approx 4½/4½). Tension must be matched exactly

before starting garment.

ABBREVIATIONS

See page 113.

Col 1 is used double throughout. Cols 2, 3 and 4 are used singly throughout.

Front and back necklines are shaped using the cut and sew All st counts refer to FB only. Inc, dec, cast on and off corresponding BB sts as required.

Measurements given are those of finished garment and should not be used to measure work on the machine.

PATTERN CARDS


Fill in patt cards before starting to knit.

PROGRAM

| CAST ON — ALL ST PATTS — | 4 | ENT |
|---|--------------------|--|
| ST PATT A — READ CARD 1 | DOT | ENT |
| ALTER — DIRECT — E — TT DIRECT O.K. — ADD — ADD WHAT — READ CARD 2 | DOT | ENT ENT ENT ENT ENT ENT |
| ALTER — DIRECT — E — TT DIRECT O.K. — 3 COL — ADD — ADD WHAT — READ CARD 3 | DOT | ENT ENT ENT ENT ENT ENT ENT ENT |
| ALTER — DIRECT — E — TTI DIRECT O.K. — 4 COL — KNIT TECH ENLARGE/POSITK CM? — | 211 ON — NO | ENT ENT ENT ENT ENT ENT ENT |
| 320 ROWS — 28 STS — | NO | ENT |
| STS x 2 — 56 STS — PATT AFT R O — TO R/L O — IN PATT AT R O— REP R O — REP ST O — TEST — | - - NO NO | ENT ENT ENT ENT ENT ENT ENT |
| ALL ST PATTS — ST PATT B — ENLARGE/POSITK | 211 | ENT |
| ALL ST PATTS — | 514 140 | ENT |

BACK AND FRONT AUKE

Using 2 strands of Col 1, work a 2x1 rib cast on over 120[124:132:138:144:148] Ns



(on each bed). Set RC at 000. Using SS 3½/3½, K40 rows. Bring intermediate Ns on both beds to WP.

Set locks on \underbrace{CX}_{CX} , K2 rows.

Set RC at 000. Engage st patt A. Blue strippers. Using SS 4½/4½, work in patt.

K 664[664:704:704:736:736] rows. Mark centre st. Cast off loosely.

SLEEVES

Using 2 strands of Col 1, work a 2x1 rib cast on over 74[74:76: 76:78:78] Ns (on both beds).

Set RC at 000. Using SS 3½/3½, K34 rows. Bring intermediate Ns on both beds to WP. Set locks on <u>CX</u>, K2 rows.

Set RC at 000. Engage st patt B. Blue strippers. Using SS 4½/4½, work in patt.

Shape sides by inc 1 st at each end of next and every foll 15th[14th:13th:12th:12th:12th] row, 32[34:2:6:3:3] times in all and then on every foll 0[0:14th:13th:13th:13th] row, 0[0:33:32:36:36] times.

138[142:146:152:156:156] sts. K until RC shows 480[480: 488:488:504:504]. Mark centre st. Cast off loosely.

NECKBAND

Switch off console. Handle down. Orange strippers. Push 152[152:158:158:164: 164] Ns on FB corresponding Ns on BB to WP. Arrange Ns for 2x1 rib. Rack once to the left. Using 2

strands of Col 1, set locks on N, SS 2½/2½, K1 row.

On BB only, bring a pusher into WP for every WP N.

Bring intermediate Ns on BB into

Set locks on $\frac{CX}{CX}$, SS 3/3,

K2 rows.

Set locks on BX, rack once to the

right, K38 rows.

Bring intermediate Ns on FB into


Set locks on CX, K2 rows.

Set locks on N, K1 row.

Black strippers. Set locks on GX,

SS 5/5, K4 rows. Pull yarn down between the beds. Set locks on N, K4 rows. GX

Orange strippers.



Set locks on N.

Using WY, K a few rows and release from machine.

TO MAKE UP

Press last rows of neckband to set sts. Mark front and back necklines as shown in Diagram 1. Sew along line and cut away excess.


Join shoulder seams.

Pin neckband in position, enclosing raw neck edge between st st sections. Place neckband seam at centre back. Backstitch in place on right side and then catch in place st by st on inside.

Sew in sleeves matching centre marker to shoulder seams.

Join side and sleeve seams. Block out to correct shape and size. Spray with cold water. Leave to dry.

PATTERN CARD 1



Knitting Matters Correspondence Courses

On Brother, Knitmaster and Silver Reed machines. Learn to knit or improve your skills in your own time.

> Beginners on the single bed - £40 More advanced work on the single bed - £40 Ribber work for beginners - £40 More advanced work on the ribber - £40 Chunky machine course - £50

Pick and Mix Lessons - make up a course to suit yourself from my detailed 'course contents brochure'.

Private Tuition is also available on a one to one basis.

PATTERN CARD 2 25 23 7 5 3


New!

A book for beginners - the first in a series 'Patterns Made Easy'

This is not just a pattern book, but a knitting course. All instructions are given in great detail. Row counter and stitch numbers are given throughout. Learn as you knit through the seven patterns Find out how to alter the patterns to fit And how to change the look!

Now available at £6.99 incl. post & packing.

Send a SAE for a free comprehensive brochure to Mrs Ishbel Sherriff 18 North Loch Road FORFAR, Tayside, DD8 3LS



SPECIAL OFFER 10% OFF

on orders of 3 or more sets

MARION NELSON PATTERN CARDS

| FOR STANDARD MACHINES | Price each | No ordered | Total |
|--|---------------|---------------|-------|
| All sweater sets are in 4 tensions: 9, 8, 7 and 6 sts to 1" suitable for 2, 3, 4ply and DK yarns. Up to 48" chest. | eacii | ordered | price |
| Complete Sweater Set Raglan, Set-in Sleeve and Sleeveless, 'V' and Round Neck | £9.00 | | |
| Saddle Shoulder Sweater Set | £3.00 | | |
| Sideways Knitted Sweaters Std. and Dolman Sleeve | £3.25 | | |
| Circular Yoke Sweaters in DK | £3.50 | | < |
| Complete Skirt Set Hip sizes 36"-50". Various styles and tensions | £9.00 | | |
| Children's Collection in 4 ply | £5.00 | | |
| Children's Collection in DK 22" to 30" | £5.00 | | |
| Dropped Shoulder Sweater Set in 4 ply | £3.00 | | |
| FOR WIDE GAUGE MACHINES * All sets are in 4 tensions, 5, 4½ 4 & 3½ sts to 1* in sizes up to 48* chest. | | | |
| Circular Yoke Sweaters - Chunky * | £3.50 | | |
| Sideways Knitted Sweaters - Chunky * Std. and Dolman Sleeve | £3.25 | | |
| Chunky Sweater Set 1 (3½ sts to 1") | £3.00 | | |
| Chunky Sweater Set 2 (4 sts to 1") | £3.00 | | |
| Chunky Sweater Set 3 (4½ sts to 1") | £3.00 | | |
| Chunky Sweater Set 4 (5 sts to 1") Each Chunky Set includes: Raglan, Set-in Sleeve and Saddle 24"-48" Sleeveless 30"-38" | £3.00 | | |
| | SU | B TOTAL | £ |

DON'T DELAY POST TODAY!

Add Postage and Packing (For orders more than £25 omit P&P) TOTAL

Less 10% (if 3 or more sets) £1 25

MKN 2/94

Marion Nelson Pattern Cards Offer, PO Box 9, Stratford-upon-Avon, Warwickshire CV37 8RS Please send me sets of Marion Nelson Pattern Cards

| l enclose a cheque/postal order made payable to Litharne Ltd for |
|--|
| £incl p&p for my Marion Nelson Pattern Cards |
| Please charge my Visa American Express Access Card No. |
| Expiry dateCredit card orders may be faxed on: 0789 720888 |
| Signature |
| Name(BLOCK CAPITALS) |
| Address |
| |
| |

PostcodeTelephone

Please use plain paper if you do not wish to cut your magazine.

Overseas enquiries to MKN offices.

Please allow up to 28 days for delivery. This offer applies to UK only.

KNITTING MACHINES

13B Bridge Street, Witney, Oxon OX8 6DA Telephone: (0993) 775671 10 miles west of Oxford on the A40

Knitting machines, linkers, spares and accessories.

Probably the largest stock of coned yarn, books and patterns in Oxfordshire.

Bramwell, Forsell. **Yeoman, Denys Brunton, Jandis** 1 ply - 2 ply - 3 ply - 4 ply - Double Knit - Chunky



MAIL ORDER



Send SAE plus £1 for Shade Cards (PLEASE SPECIFY TYPE REQUIRED)

ADVICE AND HELP FREELY GIVEN 24 HOUR ANSWERING SERVICE

Closed ALL DAY MONDAY



nitweave or weaving is a useful and surprising technique. You can achieve some beautiful fringe and pile effects like velvet — which have been very popular with the designers this winter. It can be worked on most types of machine and is a good way of using yarns which might otherwise be unsuitable. On a stocking stitch background, another yarn is fed in, which threads in and out of the knitting but is not actually knitted. The result looks rather like a woven fabric, with a similar lack of stretch. If, however, the floats of weaving yarn are cut, then it behaves more like a normal knitted fabric. In general, the purl side of the fabric is the most interesting, but all knitweave patterns could be considered reversible. To knitweave, the main or background yarn is threaded into the machine as for normal stocking stitch. Set up your mylar sheet and put your weaving brushes into action. From here you can choose the most comfortable method to introduce the weaving yarn. It can be:

a) threaded through the tension mast

b) hand-held above the

carriage — do not forget to tie it on first, or

c) if your needles are preselected (as with Brother or Toyota machines), tied on and laid across the selected needles with a weight to hold down the far end. (This method does not use the weaving guide).


I prefer to use method (b) as I can change yarn more easily. The weaving yarn is then placed or directed into the weaving yarn guide which you will find on each side of your carriage. On Silver Reed machines this is the small rod with a red bobble on it and on Brother machines it is a flat metal strip that looks 's'-shaped from above. For these and other machines, please check your instruction manual too. (Únfortunately, it is not possible to knitweave in this way on a Passap although you can 'lay in' yarns between the two beds for a similar effect). The weaving yarn must be in the yarn guide on the same side as the direction in which you are I have found it best if the

tension is set one or two dots

looser than is appropriate for

the yarn being used, although

PATTERN A




Redis

Having achieved an

honours degree in Design, Debra Livingstone went on to complete a European post graduate course in Fashion and Textiles. This course included studying in London, Amsterdam and Paris. She now works as a free-lance designer and part-time teacher of Design and Textiles. This month, Debra introduces cut float weaving and suggests several stitch patterns to use with this technique

Debra Livingtone

cover



you may not want your background to look too open, especially if you intend to use both sides of the fabric. Generally the more weaving into the fabric and/or the thicker the weaving yarn the looser the tension. For this and my next article, I have prepared for you a series of ideas which can then be worked on in two main ways for a variety of finishes. All the following samples were knitted on a Brother 950i Electronic at tension 6 using Rowan or Forsell 4 ply wool for the background and Rowan DK wool for the weaving yarn. If necessary, the patterns could be adapted to suit a smaller stitch repeat - this should be done by altering the number of blank squares between the weaving design squares.


SAMPLES ONE AND TWO — Pattern A

These samples were knitted in three colours of 4 ply — background, and DK (used double) in eight colours — weaving yarn. You do not need to use as many colours as this, three to weave with would be sufficient, although it is fascinating to see the effects of so many.

Cast on in background colour A and knit a few rows without

Engage pattern and knit 10 rows colour B, weaving in the first of your range of DK colours for the same number of rows.

At row 10, change both your yarns and knit another 10 rows and so on, changing colours every 10 rows for 120 rows. Once you have knitted the two samples, you can





explore the first of the finishing options.


Sample 1 is used sideways and has a section of uncut floats with a double fringe of cut floats. Cut the floats on one side only, carefully, so as not to cut the backing fabric, but very close to where they are woven in, they will not fall out. If you have cut them evenly you will have a zig-zag edge to the fringe.

Sample 2 has been cut close on one side and ½cm from the edge on the other to expose

the background yarns.
As you will see, the floats left uncut are quite long and may snag. Bear this in mind when designing a garment for this fabric.

Both these samples would appear very different if the colour changes were altered. Only one colour in the background would highlight the zig-zag effect and multiple colours would destroy it completely.

Now you can see the first three effects of weaving —





PATTERN C

uncut floats, cut away completely, and fringing. This article focuses on cut floats, although there are other possibilities of using uncut floats such as catching them up on the needles above and combining them with other techniques. John Allen's Treasury of Machine Knitting Stitches illustrates this very well.

SAMPLES THREE AND FOUR — Pattern B

These two samples were knitted in three colours of 4 ply — background and two or three colours of DK — weaving yarn. The colour sequence is 2 rows A, 8 rows B, and 2 rows A, 8 rows C, for the background, with 10 rows in turn of each of the weaving yarns.

weaving yarns.

Sample 3 has been cut on one side of the diagonal lines leaving the fringing the length it already is. The fringing thus completely covers the woven sections.


Sample 4 has been cut as 3, but then trimmed further so that you can see the woven sections completely thus giving more colour variation.

SAMPLE FIVE — **Pattern C** This sample was knitted in two


This sample was knitted in two colours of 4 ply — background, and two colours of DK used together as weaving yarn.

Knit 10 rows without weaving in background colour A and then change to B for 7 rows. Start weaving pattern and knit 11 rows — one repeat, then knit another 18 rows plain stocking stitch. Repeat four times.

Trim the floats to fit the triangular pattern leaving as long a fringe as you wish. The fabric is used sideways so that



Dana Nivir



the knitweave creates little fringed motifs across the fabric. As the background shows through more, you should spend some time deciding how (or if) you want the stripes. You can also change the length of fringe for each motif — this is dictated by how far apart the motifs are — and, of course, could be varied down a garment.

SAMPLE SIX — Pattern D

Here the idea has been taken one stage further to create a large motif suitable for the front or back of a garment. Care should be taken over the choice of motif as the fringe will not come out well on all shapes. This sample was knitted in one colour of 4 ply background and two colours of DK used together as weaving yarn. Place the motif in desired position. Work motif, leaving long ends or loops of weaving yarn at either side on each row. Cut fringe as Sample 5 following

the diamond shape. I have only cut the outer fringe for contrast.

Sewing in the ends

As there are many colour changes there are, of course, a lot of ends. You only need to worry about the ones belonging to the background, these can be darned in as usual. The weaving yarns need only be cut, or left as an additional fringe as they are already anchored by the weaving technique. So, as you can see, the possibilities are endless. I particularly like the way in which knitweave can alter colours. It gives an effect almost like the French Impressionist painters technique of pointillism, where little dots of colour blend in an optical illusion to create the picture. Next month, I shall show you

how deep pile fabrics are

made using the knitweave

technique.

BARBARA STUBBS MACHINE KNITTING VIDEOS 'THE KNITTER'S KNITTER'



***LIVE COMMENTARY *NOTES & PATTERNS** *PROBLEM SOLVING ***LOTS OF CLOSE UPS**

SUITABLE FOR BROTHER, SILVER REED, KNITMASTER & TOYOTA USERS ALL BARBARA'S VIDEOS CONFORMTO THE GOVERNMENTS CODE OF PRACTICE ON OPEN LEAR!

BEGINNERS

(2hrs 45) 'Step by Step' instruction for the new knitter in detailed stages, from unpacking your machine to finishing your garment, including:

- *SUITABLE YARNS
- * WELTS
- * MAKING UP
- *TENSION SQUARES
- *INCREASING & DECREASING
- *SMALL KNITTING PROJECTS
- *SHOULDERS & NECKLINE IN PARTIAL KNITTING

NEW SINGLE BED PATTERNING & ATTACHMENTS (3hr) **NEW*

- *FAIRISLE, SLIP, TUCK & WEAVING
- *SETTING UP PUNCHCARD FOR GARMENT WITHOUT PLAIN KNIT ROW
- *SETTING CARD FOR NECKLINE PATTERN ROW
- *SINGLE MOTIF
- *CHARTING DEVICES, KNITHEADER, KNIT RADAR, KNIT TRACER
- *COLOUR CHANGER
- *INTARSIA

FIRST RIBBER VIDEO

(3hrs) As with the beginner's video this is a comprehensive first ribber video, covering:

*VARIOUS RIBS * NECKLINES


- *BUTTON & BUTTONHOLE BANDS
- *INCREASING/DECREASING & CASTING OFF

OTHER VIDEOS INCLUDE:

* SECOND RIBBER * CRAFTS & SKILLS OF MACHINE KNITTING * NECKLINE KNOWHOW

BARBARA STUBBS MACHINE KNITTING VIDEOS 6, LINDRUM AVENUE, LYME GREEN, MACCLESFIELD CHESHIRE SK11 OLG PHONE 0260 253245

BARBARA STUBBS 'PUTS MACHINE KNITTERS IN THE PICTURE!



Man's Woven **Sweater**



MACHINES: These instructions are written for standard gauge punchcard machines with ribber. We used a Brother 836 with ribber

MACHINES WITHOUT RIBBER: See page 113 YARN: Any 2/8s Shetland Wool which will knit to the

tension given

FIBRE CONTENT: 100% Pure

COLOUR: We used Clerical Grey (MC) and Plum Tweed Mix (C)

STOCKISTS: If you have any difficulty in obtaining this yarn, please write to J. C. Rennie & Co, Milladen, Mintlaw, P.O. Box 2, Peterhead AB42 6SA

To suit chest 96[101:106:111: 116]cm. Finished measurement 110[113: 116:120:124]cm. Length 65[66:67:68:69]cm. Sleeve seam 48[49:50:51: 52]cm.

Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this applies to all sizes.

MATERIALS

2/8s Shetland. 1 x 500g cone in MC. 1 x 500g cone in C.

GARMENT WEIGHS

483g for size 106cm.

MAIN TENSION

Wash and dry tension swatch before measuring. 23 sts and 36 rows to 10cm measured over weaving patt (tension dial approx 10).

Warm and Cosy

Tension must be matched exactly before starting garment.

ABBREVIATIONS

See page 113.

NOTE

Purl side is used as right side. Measurements given are those of finished garment and should not be used to measure work on the machine.


PUNCHCARD PATTERN

We used card 6 from the Brother 836 Basic set. If necessary punch card before starting to knit.


BACK

With RB in position, set machine for 2x2 rib. Push 63[65:67: 69:71] Ns at left and right of centre 101 on MB to WP. 126[130:134:138:142] Ns.

Push corresponding Ns on RB to WP. Arrange Ns for 2x2 rib. CAL. Using C, cast on and



Reproduced courtesy of **Brother**



K3 tubular rows. Set RC at 000. Using MT-7/MT-7, K2 rows. Using MC, K39 rows. Transfer sts to MB. CAL. Inc 1 st at each end. 128[132:136:140:144] sts. Insert punchcard and lock on first row. Using MC and MT, K1 row to select. CAR.

Set RC at 000. Release punchcard. Set carriage for weaving. Using MC in feeder 1/A throughout and C as weaving yarn, cont in patt *. K until RC shows 116.

SHAPE ARMHOLES

Cast off 12 sts at beg of next 2 rows. 104[108:112:116:120]

K until RC shows 198[202:206: 210:214]. CAR.

SHAPE NECK

Make a note of row on punchcard. Using a separate length of MC, cast off the centre 28[28:30:30:30] sts. Using nylon cord, K 38[40:41:43:45] sts at left by hand taking Ns down into NWP. Cont on rem 38[40:41:43:45] sts at right for first side. K1 row.

Cast off 3 sts at beg of next row.

Cast off 2 sts at beg of next and every foll alt row, 1[1:1:1:2] times in all. K1 row.

Dec 1 st at beg of next and every foll alt row, 2[2:2:2:1] times in all. 31[33:34:36:37]

RC shows 206[210:214:218:

Using WY, K a few rows and release from machine.

Unravel nylon cord over sts at left. Reset punchcard on row previously noted. Reset RC at 198[202:206:210:214]. Complete to correspond with first side, reversing shapings.

Work as given for back until RC shows 118[120:124:128:132]. 104[108:112:116:120] sts.

SHAPE NECK

Make a note of row on punchcard. Using a separate length of MC, cast off the centre 42[42:44:44:46] sts. Using nylon cord, K 31[33:34:36:37] sts at left by hand taking Ns down into NWP. Cont on rem 31[33:34:36:37] sts at right for first side.

K until RC shows 206[210:214: 218:2221

With wrong side facing, hang

corresponding back shoulder sts on to Ns. Cast off loosely.

Unravel nylon cord over sts at left. Reset punchcard on row previously noted. Reset RC at 118[120:124:128:132]. Complete to correspond with first side, joining rem shoulder seam.

SLEEVES

With RB in position, set machine for 2x2 rib. Push 35[35:37:37: 39] Ns at left and right of centre '0' on MB to WP.

70[70:74:74:78] Ns.

Work as given for back from * to *, but inc 0[1:0:1:0] st at each side after rib. 70[72:74:76:78]

Inc 1 st at each end of every foll 7th[7th:7th:6th:6th] 6[4:2:19:18] times and then on every foll 6th[6th:6th:5th:5th] row, 17[20:23:8:10] times. 116[120:124:130:134] sts.

K until RC shows 162[166:170: 172:176]

Mark the centre st and cast off loosely.

COLLAR

(KNIT TWO PIECES)

With RB in position, set machine for 2x2 rib. Push 102[102:106: 106:110] Ns on MB and corresponding Ns on RB to WP. Arrange Ns for 2x2 rib.

Using C, cast on and K3 tubular

Set RC at 000. Using MT-7/MT-7, K2 rows.

Using MC, K until RC shows 76[76:80:80:84].

Transfer sts to MB. Using MT-1, K1 row.

Using WY, K a few rows and release from machine.

TO MAKE UP

Join centre back collar seam, reversing halfway for fold over to right side. Steam press the last row of collar to set sts. Pin in place to right side of neck edge. Backstitch in place through open loops of last row worked in MC. Remove WY.

Overlapping left over right, stitch edges of collar to cast off section of neck edge.

Sew in sleeves matching centre marker to shoulder seam.

Join side of sleeves to cast off edges of armholes. Join side and sleeve seams. Wash garment using a fabric softener in last rinse. Block out to correct shape and size. Leave to dry.

MAGIC CABLE SWEATERS

By Ricki Mundstock

The easiest Cabled Sweaters you'll ever knit . . . without transferring a stitch!



NOW... THE SOLUTION FOR WHAT TO DO WITH ALL THOSE PARTIAL CONES OF YARN!

Magic Cable Patchwork Pullovers and Cardigans are the perfect way to use up all those small cones of yarn. Each piece is joined together on the machine as you knit. They are fun to knit and fun to wear.

PATCHWORK PULLOVERS

Three different versions of pullovers and tunics. Patchwork pieces can be knit in different colors and then embellished. Pattern includes instructions for easy embroidery, knitted flowers & leaves, and fancy tunic hem. Sizes 36-50

PATTERN - \$10.00 Pattern & Disk - \$16.00 Set of punchcards - \$11.00

PATCHWORK CARDIGANS

Pattern incudes 5 different versions of patchwork cardigans in sizes 38-50. Each version is knit with different cable and tuck patterns in different colors. Easy buttonband and buttonhole instructions. PATTERN - \$14.00 Pattern & Disk - \$20.00 Set of punchcards - \$11.00

*All disks available in DesignaKnit [DAK] format

| | OTHER MAGIC CABLE PATTERNS | AVAILABLE: |
|----------------|----------------------------|----------------------|
| Magic Cable | Magic V-Necks | Electronic Sampler |
| Magic Tuck | Magic Cardigan | Passap Cables |
| Magic Aran #1 | Braided Bunch | Passap Diamonds & |
| Magic Aran #2 | Tiffany Collection | Cables |
| Magic Aran #3 | Children's Collection | Passap Tiffany |
| Magic Aran #4 | Bulky Collection | Passap Cables & Lace |
| Magic Aran #5 | Cables & Lace | Passap Aran |
| Cables 'N Bits | Candy Cane Cables | Cut & Sew Necklines |
| Pair Of Diamor | ds Wishbone Cables | |

The Knitting Neuk The Old Manse Cromarty, Ross-shire Scotland

Knitmates Unit 21, Rowfant Bus. Ctr. Wallage Lane, Rowfant Crawley, West Sussex AVAILABLE FROM: Tanunda Woolcraft Shop 1, 76 Murray Street Tanunda 5352 South Austrailia

Joan M. Roberts P.O. Box 594 Highlands North 2037 South Africa Mrs. Val Payne 21 Watson Street Green Island Dunedin, New Zealand



If not available from your dealer, you can order directly from: Ricki Mundstock

5209 Tonyawatha Trail, Madison, WI 53716 U.S.A.

(608) 221-0934 Fax (608) 221-8664

12

Lady's Mohair Sweater

ILLUSTRATED ON PAGE 97



MACHINES: These instructions are written for standard gauge punchcard machines with ribber MACHINES WITHOUT RIBBER: See page 113 YARN: Celandine Dawn FIBRE CONTENT: 70% Kid Mohair, 30% Nylon COLOUR: We used Plum 4 (MC) and Silver Grey 15 (C) STOCKISTS: To obtain this yarn, please write to Celandine Ltd, 44 Kirkgate, Otley, W. Yorks LS21 3HJ

SIZES

To suit bust 86[91:96:101: 106]cm.
Finished measurement 100[104: 108:112:116]cm.
Length 60[62:62:64:65]cm.
Sleeve seam 47[48:48:49: 49]cm.
Figures in square brackets [1]

Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this applies to all sizes.

MATERIALS

Celandine Dawn. 1 x 300g cone in MC. 1 x 300g cone in C.

GARMENT WEIGHS

211g for size 96cm.

MAIN TENSION

Wash and dry tension swatch before measuring. 33 sts and 34 rows to 10cm measured over Fair Isle patt (tension dial approx 6). Tension must be matched exactly before starting garment.

ABBREVIATIONS

See page 113.

NOTE

MC is used double for rib sections only. Knit side is used as right side. Measurements given are those of finished garment and should

Cosy Days

Cast off 3[2:2:0:1] sts at beg of

not be used to measure work on the machine.

PUNCHCARD PATTERN

Punch card before starting to knit.

| • | • | • | 0 | | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
|---|----|---------------|----|---|---|-----|---|----|----|---|----|----|----|----|----|---|---|---|---|---|---|---|---|---|---|
| | 9 | 9 | | | 9 | - | | | | | | | | | | | 9 | 0 | | 0 | 0 | 0 | 0 | • | 8 |
| | • | | | ٠ | ٠ | | ٠ | | ٠ | | • | ٠ | ٠ | ٠ | ٠ | • | | | ٠ | • | ٠ | ٠ | ٠ | • | |
| | • | | | | | | • | ٠ | ě | | ě | | ٠ | | | | | ٠ | | | | | • | | |
| | | | ٠ | ٠ | 9 | | | ٠ | | | | | | • | ۰ | | | | 0 | | | | | | |
| | • | ٠ | ٠ | ø | | | ٠ | ٠ | | ٠ | ٠ | ٠ | | ٠ | • | ٠ | ٠ | • | | 9 | • | | | | |
| | | | | | 0 | | | | | | | | | | | | , | | 0 | | | | | | |
| | 6 | | | | | ٠ | - | | | | • | | | • | | • | 4 | | | | | | | | |
| | | - | • | | | | - | | | | | | | | 8 | | | | | | | | | 8 | |
| | d | | | | | à | å | | | | 4 | | | | | à | | | 8 | | | | | | |
| | | | | | - | | ě | | | | ŏ | 9 | | | | Ħ | ٠ | | | | | | | | |
| - | | | | | | | | | ø | ٠ | | | | | | 6 | | | | | 6 | | | | |
| | | | | ě | | | | | · | | | | | | | 9 | | | | | | | | | |
| | | | | A | | | 6 | i | | | | | | 60 | 9 | | | ě | H | š | | | | | |
| - | ÷ | | | 6 | Ė | | ě | | | | ě | | | 0 | | ě | | - | H | è | | | | | |
| × | ÷ | • | | ě | | | | | | | ě | | | | | 0 | | | | ě | | | | | |
| | | | | | | | | | | | | | | | 4 | · | 4 | × | | | 9 | • | | | |
| | Ŀ | ٠ | | 9 | | 9 | | ٠ | | | | | | | | - | | | | ٠ | | • | • | : | |
| | | ٠ | | | 0 | | ٠ | | | | | | | • | | | | | ¥ | | A | | ٠ | | |
| | | | | | 0 | | | | | | | | | | | | | | | | 0 | | | | |
| | 9 | 8 | L | 0 | ٠ | | | | | 9 | 0 | | | 9 | | | | | | 9 | | | | | |
| | 8 | 9 | 9 | 9 | | | | | | | • | | 9 | | 9 | | 9 | 8 | | | • | | | • | |
| | Ŀ | | | 0 | | | | ٠ | | | | | 9 | | | | 0 | | | | • | | 9 | 9 | |
| 0 | | | | 9 | 9 | | 9 | 8 | | | 9 | | 8 | | | | | | | | • | | | | |
| | | 9 | | | | | | | | | | | | | | | | | | | ٠ | ٠ | ٠ | | 8 |
| | | 9 | | | | | | | | 0 | - | | ٠ | | | | | | | 0 | ٠ | ٠ | ٠ | | |
| | | | 8 | | | | | | ē | | | 8 | | 9 | | | | | | | 0 | | | | |
| | | | | | | | | | | | | | | | | | | ě | | | • | | | | |
| | | 5 | ē | é | 6 | | • | | | | 8 | | | 8 | | 중 | ÷ | G | 8 | | o | | | • | |
| | | 8 | | | | | | | | | | | | | 6 | | | | 6 | | | ٠ | ٠ | | |
| | | | | | | 0 | | | | | | | | | | | | 9 | | | | | ٠ | | |
| | 0 | | | | 0 | | | | | | | | | | | | | ě | | | | | | - | |
| | | | | | | | | ā | | | | | | | | | | 6 | | | | | 6 | | |
| | H. | 7 | 4 | | | | | | | | | | | | | | | i | | | | | · | | |
| | 1 | | 1 | | | | | 0 | | | | | | | | | | | | | | Ĭ | | | |
| | - | | | | | | _ | À | | | - | | | × | A | | ě | | - | · | ĭ | | | | |
| - | | | | | | | | A | | | | | | | | | | - | | À | | - | : | , | |
| | ÷ | | | | | | | | | : | · | | | | _ | | | ٠ | | ě | | | | | 0 |
| | | | | 0 | | | | P. | - | - | - | - | | | - | - | | ٠ | | | - | | 6 | | |
| | | | | | | | | 4 | ٠ | | ٠ | | | | | | ٠ | | | 4 | | - | Ä | | 0 |
| | | | | | | | 8 | | | • | | | 9 | | | ۰ | | • | | 8 | ٠ | ٠ | ā | ٠ | |
| 9 | | | | | | | | | 9 | | _ | 9 | | | 9 | - | | | | | | ٠ | 9 | | 0 |
| | · | | | | | ٠ | | | | | | 8 | | | | | | _ | | ٠ | | | 9 | • | |
| | | | | | | | | | | | | * | - | | 1 | | ٠ | | ٠ | | | 8 | 0 | • | |
| | | | 8 | | | | | | | | ٠ | | | | | | | ٠ | | ٠ | ٠ | ٠ | 9 | • | |
| | | | | | | | | | | | 9 | | | | | | • | • | ٠ | | ٠ | ٠ | | • | 0 |
| | Ŀ | | | | | | | | | | 8 | | | | | | | | | | | | ٠ | ٠ | |
| | | | | | | | | | | | | • | | | | | | | | | | | ٠ | | |
| | 9 | | - | | | | | | | | | | | | | | | | | | 9 | | | | |
| | | • | - | 6 | 8 | • | | - | | | | | • | - | 9 | | 9 | | | 4 | ٠ | ٠ | | • | |
| | | $\overline{}$ | | | 0 | 8 | 9 | | 9 | | | | | | 0 | 0 | | | | | | 9 | 9 | - | |
| | | | | | | | | | | | | 9 | 9 | | | ě | | | | | | | ě | | |
| | é | | | | | | | | | | | ė | ě | | | | | | | | | | ě | | 6 |
| | 0 | | | | | ě | | | | | | | | 6 | - | | | | | | | · | é | Ŏ | |
| | 1 | | | | | 0 | | | , | | | | | | ě | | 6 | | | | | | | ě | |
| | - | | | | | 6 | | | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | - |
| | ŀ | | | | | 0 | | | | | | | 1: | | | | | | | | | | | | |
| - | 1 | | | | | | | | | | | | | | | 9 | | | | | 6 | | | · | |
| - | Ÿ | ŀ. | Ų. | | | | Ŀ | Ŀ | | | Ļ. | Ļ. | ŀ, | i, | Τ. | 1 | 9 | Ļ | H | - | Ę | ÷ | Ļ | | |
| | 9 | 4 | ı | 4 | I | 7 9 | | 9 | Į. | | | • | | | 4 | | - | | | ā | | ā | 6 | | - |

BACK Push 82[86:89:92:96] Ns at left

and right of centre '0' to WP. 164[172:178:184:192] Ns. Using WY, cast on and K a few rows ending CAR. Using nylon cord, K1 row. Insert punchcard and lock on first row. Set machine for patt. Using MC and MT-1, K1 row to select.

Set RC at 000. Release

punchcard. Set carriage for Fair Isle knitting. Using MC in feeder 1/A and C in feeder 2/B, work in patt. K 94[98:98:102:102] rows.

K 94[98:98:102:102] | SHAPE ARMHOLES

Cast off 7[8:9:9:10] sts at beg of next 2 rows.

Cast off 2[3:3:3:3] sts at beg of next 4[4:4:6:6] rows.

Cast off 3[2:2:0:1] sts at beg of next 2[2:2:0:2] rows.

Dec 1 st at each end of every foll alt row, 7[7:8:8:9] times. 122[126:128:132:134] sts. K until RC shows 162[170:170: 176:180].

SHAPE NECK AND SHOULDERS Make a note of row on punchcard. Using a separate



IRIS BISHOP DESIGN COLLECTIONS

All design collections are illustrated in full colour.

NEW CELTIC INSPIRATION — Classic tunic-style sweater and jacket patterns, plus creative fabric and border designs with 'short floats'. (24 st.) £4.95 COUNTRYSIDE CELEBRATION — Realistic land-scape designs including foxes, rabbits, birds, flowers etc. (24 st.) £4.95 POT-POURRI — Florals, geometrics, oriental designs, planets etc. (24 st.) £4.95 40 STITCH SPECIAL — Animals, florals, sports and abstracts. Passap, Pfaff, electronics (jacquard). £4.95 BORDERS and YOKES — The classic collection of borders and 'circular yokes'. (24 st.) £3.95 AUTUMN/WINTER collection (24 st.) £3.00 KID'S FAIRISLE — Over 20 designs, plus a basic sweater pattern. (24 st.) £2.95

DISCS — for Brother electronics ... £5.95 each

NEW Designaknit discs in preparation.

| CATS — 5 intarsia designs | £2.00 |
|-----------------------------------|-------|
| BIRDS — 5 intarsia designs | £2.00 |
| CHRISTMAS DESIGNS — (12 & 24 st.) | £2.50 |
| | |

Prices include P&P. Outside U.K. add 50p per item — sterling cheques etc. only, please. Please send orders or SAE for details to:

IRIS BISHOP

64 Ifield Road, West Green, Crawley, West Sussex RH11 7BQ



length of MC, cast off the centre 42 sts. Using nylon cord, K 40[42:43:45:46] sts at left by hand taking Ns down into NWP.

Cont on rem 40[42:43:45:46] sts at right for first side.

Cast off 6[7:7:7:8] sts at right, K1 row.

Cast off 4 sts at beg of next row. Cast off 6[7:7:7:7] sts at right, K1 row

Cast off 3 sts at beg of next row. Cast off 6[6:7:7:7] sts at right, K1 row.

Cast off 2 sts at beg of next row. Cast off 6[6:6:7:7] sts at right,

Dec 1 st at beg of next row. Cast off rem 6[6:6:7:7] sts.

Unravel nylon cord over sts at left. Reset punchcard on row previously noted. Reset RC at 162[170:170:176:180].

Complete to correspond with first side, reversing shapings.

FRONT

Work as given for back until RC shows 136[144:144:150:154]. CAR.

SHAPE NECK

Make a note of row on punchcard. Using a separate length of MC, cast off the centre 20 sts. Using nylon cord, K 51[53:54:56:57] sts at left by hand taking Ns down into NWP. Cont on rem 51[53: 54:56:57] sts at right for first side. K1 row.

Cast off 3 sts at beg of next row. K1 row.

Cast off 2 sts at beg of next and every foll alt row, 6 times in all. K1 row.

Dec 1 st at beg of next and every foll alt row, 6 times in all. RC shows 162[170:170:176: 180]. 30[32:33:35:36] sts. CAR.

SHAPE SHOULDER

Cast off 6[7:7:7:8] sts at beg of next and every foll alt row, 4[2:3:4:1] times. K 0[1:1:0:1]

Cast off 0[6:6:0:7] sts at beg of next and every foll alt row, 0[2:1:0:3] times in all. K1 row. Cast off rem 6[6:6:7:7] sts.

Unravel nylon cord over sts at left. Reset punchcard on row previously noted. Reset RC at 136[144:144:150:154].

Complete to correspond with first side, reversing shapings.

WELT BACK AND FRONT ALIKE

With RB in position, set machine for 2x2 rib. Push 138[146:150: 158:166] Ns on MB and corresponding Ns on RB to WP. Arrange Ns for 2x2 rib.

UPPINGHAM YARNS (UK)



UPPINGHAM

(19 MILES EAST OF LEICESTER) OPEN 7 DAYS & HOLIDAYS (NOT CHRISTMAS) TO PUBLIC AND TRADE TEL: 0572 823747 ARRANGE A COACH TRIP (COMMISSION PAID)

DIRECT FROM INDUSTRY OWN BRAND

ONE PLY

HIGH BULK, OPEN END BRIGHT ACRYLICS, COTTONS AND VISCOSE

TWO PLY

COTTON, LINEN, WOOL, LAMBSWOOL, CREPE, BOUCLE

THREE PLY BRUSHED, ACRYLIC

FOUR PLY
ACRYLICS, WOOL,
WOOL/ACRYLIC, SHETLAND,
CHENILLE, MOHAIR AND CREPE
DK ACRYLIC
ALSO LYCRA AND LUREX.

ALPACA, ANGORA, SILK AND CASHMERE (WHEN AVAILABLE) MANY OTHER YARNS AND

CLEARANCES

BRANCHES

RHONDDA, Dinam Park Avenue, Ton Pentre CF41 7AT • Tel: 0443 431500 Open Monday to Saturday GATESHEAD, Kent Avenue, off Ravensworth Road, Dunston NE11 9AB ONLY open first Wednesday and


Saturday each month MAIL ORDER

Please send me mail order and price details

| NAME | |
|---------|--|
| ADDRESS | |
| | |

Send to: Uppingham Yarns Ltd Uppingham, Leics LE15 9QL (SAE please)

nningham Varns I td



* Using 2 strands of MC, cast on and K3 tubular rows.

Set RC at 000. Using MT-3/MT-3, K39 rows.

Transfer sts to MB *

With wrong side facing, hang lower edge of back on to Ns, dec 26[26:28:26:26] sts evenly as you go. Using MT+4, K1 row. Cast off using latch tool method. Rep for front.

SLEEVES

Push 54 Ns at left and right of centre '0' to WP. 108 Ns. Using WY, cast on and K a few rows ending CAR.

Using nylon cord, K1 row. Insert punchcard and lock on row 24. Set machine for patt. Using MC and MT-1, K1 row to

select.

Set RC at 000. Release punchcard. Set carriage for Fair Isle knitting. Using MC in feeder 1/A and C in feeder 2/B, work in patt.

Shape sides by inc 1 st at each end of every foll 12th[12th: 10th:9th:9th] row, 1[10:12: 12:4] times and then on every foll 13th[0:0:8th:8th] row,

8[0:0:2:11] times. 126[128:132:136:138] sts. K until RC shows 126[130:130: 134:134].

SHAPE TOP

Cast off 7[8:9:9:10] sts at beg of next 2 rows.

Dec 1 st at each end of every foll alt row, 2[4:4:3:7] times.

Dec 1 st at each end of every foll row, 42[40:40:42:38] times. 24[24:26:28:28] sts. RC shows 174[180:180:184:188]. Mark the centre st. Cast off.


CUFFS

With RB in position, set machine for 2x2 rib. Push 70 Ns on MB and corresponding Ns on RB to WP. Arrange Ns for 2x2 rib. Work as given for welt from * to *.

With wrong side facing, hang lower edge of sleeve on to Ns, dec 38 sts evenly as you go.
Using MT+4, K1 row. Cast off using latch tool method.

NECKBAND

Join right shoulder seam. With RB in position, set machine for 2x2 rib. Push 158 Ns on MB



and corresponding Ns on RB to WP.

Arrange Ns for 2x2 rib.
Using 2 strands of MC, cast on and K3 tubular rows. Set RC at 000. Using MT-3/MT-3, K6 rows.
Using MT-3••/MT-3••, K6

rows.
Using MT-4•/MT-4•, K4 rows.
Using MT-3••/MT-3••, K6
rows.
Using MT-3/MT-3, K6 rows. RC
shows 28.
Transfer sts to MB.
Using MT, K1 row.

With wrong side facing, hang neck edge evenly on to Ns.
Using MT+4, K1 row. Cast off using latch tool method.

TO MAKE UP

Join rem shoulder and neckband seam. Fold neckband in half to inside and slip stitch in place.
Sew in sleeves matching centre marker to shoulder seam and easing slightly to fit.
Join side and sleeve seams.
Wash gently.
Block out to correct size and

shape. Leave to dry.



The New Zea

Exp

con

here are many excellent knitters in New Zealand, but of necessity I have focused on four whose work stood out and who will give some idea of the

Laurel Judd

creative talent
that is being produced there. I
start this article however, with
the general impression I
formed while in New
Zealand.

During my five week tour I travelled through both islands from Keri Keri in the north of the North Island, to Invercargill at the southern tip of the South Island. I conducted 43 workshops, master classes or lectures, in fifteen different towns and cities. I travelled mainly by car, allowing me to see a great deal of the country which has a variety of scenery and vegetation ranging from tropical rain forests to snowy mountains, all stunningly beautiful. I arrived in New Zealand at the beginning of August which is early spring there. I saw daffodils in bloom and lambing for the second time in one year! During most of my travels I stayed with knitters whose hospitality was overwhelming and from whom I gathered a great deal of information on the knitting

scene in New Zealand.

Heather Smith
Illustration 2

One question repeatedly
asked was: "Had I seen any
knitting that impressed me?"
My answer always seemed to
surprise the questioners,
because my answer was

asked was: "Had I seen any knitting that impressed me?"
My answer always seemed to surprise the questioners, because my answer was obviously something the knitters there take for granted. What most impressed me was the quality of fabric and technical expertise in shaping and finishing most knitters achieve.
While wool is the most commonly used fibre, the

commonly used fibre, the choice of yarn types and plys is limited which I found surprising in a country that producers so much wool. Most knitters buy fine yarn and ply these to the thickness they require. The reason for this seems to be the lack of a really good colour range in any of the other plys. There seemed to be very few standard 4 ply yarns. Even so, the quality of fabric produced is very high, and would stand out anywhere. It was, however, the styling of the garments — particularly the knitted suits that really


John ends his tour,
impressed by the
landscape and the
hospitality of the
people, but also full of
admiration for the
creative styling and
technical expertise of
the New Zealand
Machine Knitters



impressed me. The knitters in New Zealand have realised something I have been trying hard to promote for a long time — that a straight skirt can be very flattering to the fuller figure and never dates. I hardly saw a part row or pleated knitted skirt on the whole of my visit! The knitted suits varied in style, but mainly they consisted of a straight skirt knitted in a variety of ribs or combination of ribs. The style of the tops varied from jumpers with interesting neck details, to co-ordinated long jackets, waistcoats or cardigans, in simple stitch

Heather Smith Illustration 3

lana erience





constructions. These garments relied on good quality yarn, colour, creative styling and superb finishing. Garments with simple styling are often the most difficult to make and great attention has to be paid to the making up and finishing if they are to be successful. With few exceptions, all the suits I saw in New Zealand were impressively successful.

general level of knitting abilities is encouraged and assisted by the organisation of the clubs. As I explained last month, all new knowledge and information is shared and passed around the clubs. The only possible criticism I could make is that many of the knitters are very conservative, both in their design and in their use of colour. The latter was particularly noticeable at the workshop I conducted on this subject. I think the lack of adventurous

use of colour generally in machine knitting is often due to lack of confidence. At the colour workshop in New Zealand this was certainly true! Knitters started with conservative ideas, but ended up using very adventurous and attractive combinations of colours. It is always exciting to see what knitters can do with colour if only they are

encouraged and given the confidence to try.
In case you think I only saw beautifully knitted, well made classic suits, I end this article by focusing on four designers who are experimenting with shape, colour, stitch constructions and making up techniques. This will illustrate the breadth of knitting in New Zealand and allow you to see the most innovative work going on there.

Laurel Judd I met in

Napier, North Island, she was 1993 guest exhibitor at the National Knitting Festival. Laurel is a professional designer selling garments to stores and making one off items which she markets from home. She knits experimentally, working with bright colours and is not afraid of mixing yarns to achieve interesting effects (see Illustration 1). Alongside the experimental work, Laurel also produces a range of very beautiful classic garments inspired by painters such as Mondrian.

Heather Smith comes from Invercargill, South Island. Heather won more prizes than any other knitter at the 1993 knitting festival and so qualifies to be guest exhibitor at the 1994 festival. Heather's strength is in the design of classic garments, where the style and silhouette are all-important. Her attention to detail and finish is enviable. Heather does not earn her living as a designer, she has young children and is a working partner with her

husband on a sheep farm. She is living proof that if you want to do something you can (see Illustrations 2 and 3). Karen Drinkroe is a very quiet, unassuming knitter I met in Auckland. Karen's knitting was among the most sophisticated and accomplished I saw. She has long since abandoned the restrictive idea that garments have to have conventional seams. Being released from this constraint has allowed her to exploit new and orginal ways of assembling garments. Some of the ones I saw where made up from many pieces of knitting in different patterns and stitch constructions. The resulting garments were both innovative and desirable. Needless to say, this way of working not only requires an inventive approach to garment design, but a command of making up and finishing to match (see Illustrations 4 and 5). Anne Baxter I met in Gore on the South Island when she attended one of my classes. Even then I noticed the knitting she wore, but it was only later when I saw a copy of the New Zealand Crafts magazine, that I realised the full extent of her knitted work and range of designing. When entering special exhibitions, Anne links up with Jan Rae-Robinson a fashion designer. Jan sketches garment ideas, which Anne then adapts and works on to produce innovative and creative garments (see Illustration 6). This sharing of talents is, I believe, admirable, it assists in breaking down the many barriers between the different design and craft fields, which leads to the exchange of ideas and the enhancement of knitting as a craft. It has only been possible to show you a little of the wealth of knitting I saw in New Zealand, but I hope it has given you some idea of the quality of knitting which is produced there and that it



om Allen

reflects my great admiration.



Early

Baby's All-in-one



MACHINES: These

instructions are written for standard gauge punchcard or electronic machines with lace facility and garter carriage but without ribber YARN: Bramwell Duo Magic FIBRE CONTENT: 100% Acrylic

COLOUR: We used White (MY)

STOCKISTS: If you have any difficulty in obtaining this yarn, please write to F.W. Bramwell & Co Ltd, Unit 5, Lane Side, Metcalf Drive, Altham, Accrington, Lancs BB5 5TU

SIZES

To suit 0-3[3-6:6-9] months. Finished measurement 48[51: 55]cm. Sleeve seam 17[19.21.5]cm. Inside leg seam 11.5cm. Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this applies to all sizes.

MATERIALS

Bramwell Duo Magic. 1 x 500g cone in MY. 6 buttons.

GARMENT WEIGHS

106g for size 3-6 months.

MAIN TENSIONS

Wash and lightly steam tension swatches before measuring. 34 sts and 46 rows to 10cm measured over st st (tension dial approx 4=MT). 32 sts and 46 rows to 10cm

measured over lace patt (tension dial approx 4).

30 sts and 80 rows to 10cm

measured over garter st (tension dial approx 1=MT-3)

Tensions must be matched exactly before starting garment.

ABBREVIATIONS

See page 113.

Knit side is used as right side. Measurements given are those of finished garment and should not be used to measure work on the machine.

PATTERN NOTE

Foll charts either punch cards or fill in mylar sheet for lace patt and garter st before starting to

Right and left single st cams are used throughout garter carriage

The lace patt given is specifically for Brother machines. If you have a different make or model, the patt must be adapted accordingly.

RIGHT BODY HALF, LEG AND **FOOT SECTION** (KNITTED DOWNWARDS)

Push 64[67:70] Ns at left and 62[65:68] Ns at right of centre '0' to WP. 126[132:138] Ns. Using WY, cast on and K a few rows ending CAL. Using nylon cord, K1 row. Set RC at 000. Using MY and MT, K1 row, CAL. Set carriage to hold. Push 110[115:121] Ns at right to HP, K2 rows.

Return 16[17:18] Ns at inside edge from HP to UWP, K2 rows, 3 times.

Cancel hold. K1 row. CAR. KC shows 10.

Place a marker on N1 at right of centre '0' (side seam position). Insert punchcard or mylar sheet for lace patt. Set on first row. Program machine. Set machine for face knitting and cont in patt. K until RC shows 56.

Cast on 3 sts at beg of next row. 129[135:141] sts.

K until RC shows 84[88:92].

SHAPE LEG

Cast off 3 sts at beg of next 2 rows. 123[129:135] sts. K until RC shows 102[110:118]. Dec 1 st at each end, K4 rows, 13 times. 97[103:109] sts. RC shows 154[162:170]. Do not break yarn. Using nylon cord, K1 row. Using WY, K a few rows and release from machine.

ANKLE BAND AND FOOT SECTION

Push 21[23:25] Ns at left and 22[24:26] Ns at right of centre '0' to WP. 43[47:51] Ns. With wrong side facing, hang last row worked in MY on to Ns, dec 54[56:58] sts as you go. CAR. Set RC at 000. Using MY and MT, K1 row. Insert punchcard or mylar sheet for garter st patt. Set on first row. Program machine. Attach garter carriage at left. Using MY and MT-3, K23 rows. Remove garter carriage. Attach main carriage. Set machine for st st. Using MY and MT, K5 rows. RC shows 29.

HEEL

CAL. Set RC at 000. Set carriage to hold. Push 23[25:27] Ns at right to HP. Cont over rem 20[22:24] Ns at left. K1 row.

Push 1 N at left and right to HP, K1 row, 7[8:9] times. 6 Ns rem in WP. RC shows 8[9:10].

Return 1 N at left and right to UWP, K1 row, 6[7:8] times *. RC shows 14[16:18].

Cancel hold. Cont over all sts. K until RC shows 38[40:42]. CAL. TOE

Work as given from * to *, once

Do not break yarn. Using nylon cord, K1 row. Using WY, K a few rows and release from machine.

JOIN TOE SEAM

Push 11[12:13] Ns at left and right of centre '0' to WP. 22[24:26] Ns. With right side facing and commencing at left edge, hang 22[24:26] sts from last row worked in MY on to Ns. Fold work back on to itself so that wrong side is facing and hang rem sts on to Ns, omitting the first N at right edge (fold st). Using MY and MT, K1 row. Using MT+6, K1 row. Cast off using latch tool method.

LEFT BODY HALF, LEG AND **FOOT SECTION**

Push 61[64:67] Ns at left and 65[68:71] Ns at right of centre '0' to WP. 126[132:138] Ns. Work as given for right half, reversing all shapings and needle settings. Commence with CAL.

BACK YOKE

Push 40[43:46] Ns at left and 41[44:47] Ns at right of centre '0' to WP. 81[87:93] Ns.

Using WY, cast on and K a few rows ending CAL. Using nylon cord, K1 row.


Set RC at 000. Using MY and MT, K 42[46:48] rows. Set carriage to hold. Push 56[61:64] Ns at left to HP.

Using WY, K a few rows over rem 25[27:29] sts at right and release from machine.


Return 25[27:29] Ns at left to

Using WY, K a few rows and release from machine. Cancel hold.

Using WY, K a few rows over rem 31[33:35] neck sts and release from machine.







RIGHT FRONT YOKE

Push 19[20:22] Ns at left and 19[21:22] Ns at right of centre '0' to WP. 38[41:44] Ns.

Using WY, cast on and K a few rows ending CAR. Using nylon cord, K1 row.

Set RC at 000. Using MY and MT, K 29[33:33] rows. CAR.

SHAPE NECK

Set carriage to hold. Push 3[4:4] Ns at left to HP, K2 rows. Push 2[2:3] Ns at left to HP, K2 rows.

Push 2 Ns at left to HP, K2 rows, 4 times. 25[27:29] Ns in WP. K until RC shows 47[51:53]. Place a marker at right edge for shoulder line.

K until RC shows 52[56:58]. Using WY, K a few rows and release from machine.

Cancel hold. Using WY, K a few rows over the 13[14:15] neck sts and release from machine.

Push 25[27:29] Ns to WP. With right side facing, hang back right shoulder sts on to Ns. Remove WY.

With wrong side facing, hang front right shoulder sts on to Ns. Remove WY.

Using MY and MT, K1 row. Using MT+6, K1 row. Cast off using latch tool method.

LEFT FRONT YOKE

Work as given for right front yoke, reversing shapings and joining rem left shoulder seam.

SLEEVES (KNITTED DOWNWARDS)

Push 33[37:39] Ns at left and 34[38:40] Ns at right of centre '0' to WP. 67[75:79] Ns.

With wrong side facing and matching shoulder line marker to N1 at right of centre '0', hang side edge of back/front yoke evenly on to Ns.

Set RC at 000. Using MY and MT, K 16[18:26] rows.

Dec 1 st at each end, K4 rows, 13[15:15] times. 41[45:49] sts. RC shows 68[78:86].

Do not break yarn. Using nylon cord, K1 row. Using WY, K a few rows and release from machine.

CUFF

Push 36[39:42] Ns to WP. With wrong side facing, rehang last row worked in MY on to Ns, dec 5[6:7] sts evenly as you go. Remove WY.

Set RC at 000. Attach garter carriage. Insert punchcard or mylar sheet for garter st patt. Set on first row. Program machine. Using MT-3, K16 rows.

Remove garter carriage. Attach main carriage. Using MY and MT+6, K1 row.

Cast off using latch tool method.

BACK WAIST INSERT

Push 36[39:42] Ns at left and 37[40:43] Ns at right of centre '0' to WP. 73[79:85] Ns.

** Using WY, cast on and K-a few rows. Using nylon cord, K1 row.

Attach garter carriage. Insert punchcard or mylar sheet for garter st patt. Set on first row. Program machine.

Set RC at 000. Using MY and MT-3, K23 rows **.

With wrong side of right half facing and starting at left, match side seam marker to edge N and hang rem sts from half edge evenly on to 37[40:43] Ns. With wrong side of left half

With wrong side of left half facing and starting at right edge, match side seam marker to edge N and hang rem sts evenly on to 37[40:43] Ns. The two halves should overlap by one N at centre.

Leave rem front sections hanging free at either side. Do not remove WY.

Remove garter carriage. Attach main carriage. Using MY and MT, K1 row. Using MT+6, K1

Cast off using latch tool method. Push 36[39:42] Ns at left and 37[40:43] Ns at right of centre '0' to WP. 73[79:85] Ns. With right side facing, hang loops from first row of waist insert on to Ns. Remove WY.

With wrong side facing, hang first row of back yoke on to Ns dec 8 sts evenly as you go. Remove WY. Using MY and MT, K1 row

Using MT+6, K1 row. Cast off using latch tool method.

FRONT WAIST INSERT (KNIT TWO)

Push 16[18:19] Ns at left and 17[18:20] Ns at right of centre '0' to WP. 33[36:39] Ns.

Work as given for back waist insert from ** to **.
With wrong side facing, hang

with wrong side tacing, hang rem loops from one half evenly on to Ns. Remove garter carriage. Attach main carriage. Using MY and MT, K1 row. Using MT+6, K1 row. Cast off using latch tool method.

Push 16[18:19] Ns at left and 17[18:20] Ns at right of centre '0' to WP. 33[36:39] Ns. With right side facing, hang loops

from first row of waist insert on to Ns. Remove WY.

With wrong side facing, hang first row of appropriate front yoke on to Ns, dec 5 sts evenly as you go. Remove WY.
Using MY and MT, K1 row.

Using MT+6, K1 row. Cast off using latch tool method.
Rep for rem front half.

BUTTON BAND

Push 54[57:57] Ns to WP.
*** Using WY, cast on and K a
few rows. Using nylon cord, K1
row.

Attach garter carriage. Using MY and MT-3, cast on.

Insert punchcard or mylar sheet for garter st patt. Set on first row. Program machine.

Set RC at 000 ***. K15 rows. With wrong side facing, hang left front edge from start of neck shaping to 3st cast on point evenly on to Ns.

Remove garter carriage. Attach main carriage. Using MY and MT, K1 row. Using MT+6, K1 row.

Cast off using latch tool method.

BUTTONHOLE BAND

Work as given for button band, making 5 evenly spaced buttonholes when RC shows 8 and attaching to rem right front edge.

NECKBAND

Push 39[41:43] Ns at left and 40[42:44] Ns at right of centre '0' to WP. 79[83:87] Ns.

Work as given for button band from *** to ***.

K until RC shows 6.

Make a buttonhole 4 sts in from left edge, K7 rows.

With wrong side facing and commencing at right edge, hang top of button band over 5 Ns, left front neck edge over 13[14:15] Ns, side neck over 6 Ns, back neck over 6 Ns, right front neck over 13[14:15] Ns and top of buttonhole band over rem 5 Ns.

Remove garter carriage. Attach main carriage. Using MY and MT, K1 row.

Using MT+6, K1 row. Cast off using latch tool method.

TO MAKE UP

Join side and waist insert seams and sleeve seams. Join centre back front seam to start of bands. Overlap buttonhole band over button band and st neatly in place at lower edge. Sew on buttons. Join inside leg and foot seams. Wash garment. Block out to correct shape and leave to dry. Lightly steam to finish.

Do not allow iron to touch fabric.

abric.

102

Baby's Hexagonal Shawl

ILLUSTRATED ON PAGE 100



MACHINES: These instructions are written for standard gauge punchcard or electronic machines with lace facility and garter carriage but without ribber YARN: Bramwell Duo Magic **FIBRE CONTENT: 100%**

Acrylic **COLOUR**: We used White (MY)

STOCKISTS: If you have any difficulty in obtaining this yarn, please write to F.W. Bramwell & Co Ltd, Unit 5, Lane Side, Altham, Accrington, Lancs BB5 5TU

SIZE

Maximum 140cm in diameter.

MATERIALS

Bramwell Duo Magic. 1 x 500g cone in MY.

WEIGHT

270g.

MAIN TENSION

Wash and lightly steam tension

Earl

swatch before measuring. 28 sts and 48 rows to 10cm measured over lace patt 1 (tension dial approx 5). Tension must be matched exactly before starting garment.

ABBREVIATIONS

See page 113.

NOTE

Knit side is used as right side. Measurements given are those of finished garment and should not be used to measure work on the machine.

PATTERN NOTE

Foll charts either punch cards or fill in mylar sheets for patts 1, 2 and 3 before starting to knit. Rep patts where necessary to allow card to rotate.

The lace patts given are specifically for Brother machines. If you have a different make or model, the patts must be adapted accordingly.

Right and left single st cams are used throughout garter carriage

Remove garter carriage before operating lace carriage (patt 2). To dec 2 sts work as folls

Using 2-pronged transfer tool, move the 2 ends sts, 1 N in. Return empty N to NWP. Using 3-pronged transfer tool, move sts from 3 end Ns, 1 N in. Return empty N to NWP. (2 sts

and 2nd and 3rd Ns in from edge).

If these Ns are selected by lace carriage, return to WP or use lace cams on dec rows only.

CENTRE SECTION

Push 49-0-50 Ns to WP. 99 Ns. Using WY, cast on and K a few rows ending CAL. Using nylon cord, K1 row. CAR.

Set RC at 000. Using MY and MT, K2 rows.

Insert punchcard for lace patt 1 or insert mylar sheet and program machine for lace patt 1. Set machine for lace knitting and work in patt. K1 row.

Inc 1 st at each end, K3 rows, 47 times. 193 sts. RC shows 144. Inc 1 st at each end, K1 row. Place a marker at each end, K1 row. Set RC at 000.

Dec 2 sts at each end, K6 rows, 24 times.RC shows 144, 99 sts.

Using nylon cord, K1 row. Using WY, K a few rows and release from machine.

SIDE SECTION (KNIT SIX)

Push 97-0-98 Ns to WP. 195 Ns. Using WY, cast on and K a few rows ending CAL. Using nylon cord, K1 row. Attach garter carriage at left.

Using MY and MT, work a garter carriage cast on, K1 row.

Insert punchcard for patt 2 or insert mylar sheet and program machine for patt 2.

Set RC at 000. Work in lace and

garter st patt. K6 rows. Dec 2 sts at each end, K6 rows. RC shows 12.

Remove garter carriage. Attach main carriage.

Insert punchcard for lace patt 3 or insert mylar sheet and



What's New with Cochenille?


Cochenille has gone modular!


- · Stitch Painter, Gold and Standard for PC windows, Mac & Amiga (std.) for all gridded crafts and all knitting links
- £120 (gold) £60 (std) VAT incl. + s/h Stitch Editor for PC pos (aid for scanned images) £75 VAT incl. + s/h

PC versions save in .pcx, .cut & .lbm

Bit Knitter now sold separately. £175 + 51/h

Cochenille Design Studio c/o Gillian Lamb. 16 Firwood Close St. Johns' Woking, Surrey, GU211UQ 0483 476356





program machine for patt 3. Set machine for lace knitting. Using MY and MT, work in lace

patt.

Dec 2 sts at each end, K6 rows, 22 times. RC shows 144. 103 sts.

Dec 2 sts at each end. Using MT+5, K1 row. 99 sts. RC shows 145.

Do not break yarn. Using nylon cord, K1 row.

Using WY, K a few rows and release from machine.

Push 49-0-50 Ns to WP. 99 Ns. With right side of centre section facing, hang loops from first row worked in MY on to Ns. Remove WY. Push work behind latches.


With wrong side facing, hang last row of side section on to Ns in front of latches. Remove WY. Manually pull one set of sts through the other.

Using MY and MT, K1 row. Using MT+5, K1 row. Cast off using latch tool method.

Knit one more side section and attach to last row of centre

section.

Knit four more side sections and attach to rem 4 sides of centre section indicated by markers.



TO MAKE UP

Join side sections neatly tog. Wash shawl. Block, pulling out points along garter st border. Leave to dry. Lightly steam.

Do not allow iron to touch fabric.



elcome a

Child's Sweater

MACHINES: These instructions are written for standard gauge machines with Intarsia facility and ribber

MACHINES WIHTOUT RIBBER: See page 113 YARN: 2/10s Shetland Wool and Botany or Lambswool of the same weight

FIBRE CONTENT: 100%

Wool

COLOUR: We used Natural (MC) and compatible yarns in Red (A), Yellow (B), Green (C), Black (D), Purple (E) and Light Blue (F)

STOCKISTS: The Knitter's Design Graph is available

The Machine Knitter's Company, PO Box 10, Cowbridge, South Glamorgan CF7 7YY price £11.99 incl p&p.

To suit chest 66[71:76]cm. Finished measurement 76[81: 86]cm. Length 48.5[51:53]cm. Sleeve seam 38[40:42]cm. Figures in square brackets [] refer to larger sizes; where there is only one set of figures, this applies to all sizes.

MATERIALS

2/10s Shetland. 1 x 250g cone in (MC) Compatible Yarn. Oddments in A, B, C, D, E and F.

GARMENT WEIGHS

215g for size 66cm.

MAIN TENSION

Wash, block and steam press swatch before tension

measuring. 29sts and 38 rows to 10cm measured over st st (tension dial approx 8). Tension must be matched exactly before starting garment.

ABBREVIATIONS

See page 113.

NOTE

Knit side is used as right side. Measurements given are those of finished garment and should not be used to measure work on the machine.


With RB in position, set machine for 1x1 rib. Push 110[118:126]
Ns to WP on both beds.
Arrange Ns for 1x1 rib. Using MC, cast on and K3 tubular rows. Set RC at 000. Using MT-4/MT-4, K24 rows.


AS EASY AS A.B.C.

letters I would use.

This design makes full use of the new Knitter's Design Graph. I was planning to knit a child's sweater and came up with the idea of using random letters of the alphabet to decorate it. I placed the backing sheet behind the Graph (making it opaque) while I drew the outline of the garment row for row and stitch for stitch and then started to think about the type of

I was looking through various letter shapes when I found some large, sticky back plastic ones. I was about to stick them on to the Graph when I realised that all the letters would come out back to front. The Design Graph to the rescue! I turned the Graph over and, because it is transparent, I could still see the garment outline. I stuck the letters in position (they were removed easily on completion of the garment) and then, on turning the Graph back to the right side, I could see the reversed letters clearly.





Transfer sts to MB.
Set RC at 000. Using MT and Intarsia carriage, foll chart as given.
K 86[92:96] rows.

Mark edges with WY for start of armholes. K 76[80:84] rows. RC shows 162[172:180].

Cast off 33[35:37] sts at each end for shoulders.

Using WY, K a few rows over centre 44[48:52] sts and release from machine.

FRONT

Work as given for back until RC shows 140[150:158].

SHAPE NECK

Using nylon cord, K 66[71:77] sts at left by hand taking Ns down into NWP.

Cont on rem 44[47:49]sts at right for first side. K1 row. Using nylon cord, K1 st at neck edge by hand taking N down into NWP, K1 row, 12 times. K until RC shows 162[172: 180]. Cast off rem 3 3 [3 5 : 3 7]


shoulder sts.

Unravel nylon cord over 44[47:50] sts at left bringing Ns back into WP. Reset RC at 140[150:158]. Complete to correspond with first side, reversing all shapings.

Unravel nylon cord over rem 44[48:52] neck sts. Release on WY.

SLEEVES

With RB in position, set machine



for 1x1 rib. Push 58[62:66] Ns to WP on both beds. Arrange Ns for 1x1 rib.


Using MC, cast on and K3 tubular rows.

Set RC at 000. Using MT-4/MT-

4, K24 rows.
Transfer sts to MB.

Set RC at 000. Using MT and Intarsia carriage, foll chart as given. K4 rows.

Inc 1 st at each end of next and



THE KNITTER'S DESIGN GRAPH

every foll 4th row, 29[30:31] times in all. 116[122:128] sts. K until RC shows 122[130:138]. Cast off loosely.

NECKBAND

Join right shoulder seam. With RB in position, set machine for 1x1 rib. Push 106[114:122] Ns to WP on both beds. Arrange Ns for 1x1 rib.
Using MC, cast on and insert comb but do not knit tubular rows.

Set RC at 000. Using MT-4/MT-4, K10 rows.

Using MT-1/MT-1, K 1 row. Using MT-4/MT-4, K 12 rows. Transfer sts to MB. Remove comb and place alt loops of cast on row on to alt Ns on MB. With right side facing, hang neck sts on to Ns. Using MT, K3 rows.

Using WY, K a few rows and remove from machine.

TO MAKE UP


Join left shoulder seam. Sew in sleeves between markers. Join side and sleeve seams.

Join neckband seam.

Backstitch last row of neckband in place to right side of garment using MC.

Wash garment. Block out to correct shape and size. Leave to dry.

Steam press on wrong side.



FREN YARN

When you subscribe to

Machine Knitting News

you will receive an MKN Binder

worth £4.50 and a 400g cone of BSK Tru-Match 100% Courtelle worth £4.75

Subscribe to 12 issues for only

£22.80 and

receive two gifts worth a total of £9.25



ABSOLUTELY FREE

| To: Machine Knitting News Subscription Offer, PO Box 9, Stratford-upon-Avon, Warwickshire CV37 8RS |
|--|
| I wish to subscribe to 12 issues of MKN commencing with the issue (PLEASE STATE MONTH) |
| l understand that I will receive my FREE Binde r (worth £4.50) and my FREE Yarn (worth £4.75) |
| PLEASE TICK SHADE REQUIRED 1. Royal 2. White 3. Midnight 4. Matador 5. Coal 6. Lilac White |
| PLEASE TICK SHADE REQUIRED 1. Royal 2. White 3. Midnight 4. Matador 55. Coal 6. Lilac White 558 531 579 536 500 500 1 Enclose a cheque/postal order made payable to Litharne Ltd for £ |
| OF AMERICAN |
| ricase charge my crear cara |
| No. Signature |
| Expiry date |
| NameAddress |
| BLOCK CAPITALS |
| |
| Postcode |
| Please use plain paper if you do not wish to cut your magazine MKN 2/94 |

1/5/3/3

For advice phone Maggie Michaells on 081-807 118*5*

Machine Knitting News is published by Litharne Ltd, and printed by Acorn Web Offset Limited. Distributed by Comag, Tavistock Road, West Drayton, Midd (telephone West Dray ton 444055). All info ns in this issue of Machine Knitting News have been carefully checked but, whilst all th material has been written in good faith, the publisher and his staff are unable to accept any responsibilities whatsoever and by whoseever caused. Whits all care is taken, no responsibility can be accepted for the safe return of manuscripts, designs, garments and photographs etc. Any rates etc., werecorrectat the time of going to press. Colour reproduction of garments is as accurate as printing will allow. This statement does not constitute any part of an offer or contract ents contained in this magazine have been accepted on the understanding that any description of goods, services etc are accurate and true All adversaments contained in this magazine have been accepted on the uncersamining that any description of goods, services etc are accurate and truct. Whilst every effort is made to ensure that information given is correct and reliable, no responsibility can be accepted by the publisher nor any represon in its employment nor any guarantee given in the case of any disguite or claim. Any goods or services supplied under any of the advertisements more responsibility of Machine Kritting News We will, however, investigate any complaints. No recommendation on the part of the publisher is to be implied. It is advisable to check prices at the time of ordering goods etc. All rights reserved. No part of this magazine may be reproduced or utilised in any form by any means

ACCESSORIES

APPLIQUÉS AND MOTIFS BY POST

Over 110 designs, sheep, teddies, frogs, balloons and our exciting new wildlife range including Dinosaurs

For sample appliqué and full catalogue send £1 coin (refundable) to:

HOBBY HORSE PO Box 316, Preston PR1 4QG. Trade enquiries welcome.

YARN WINDERS

PDB Engineering Ltd Manufacturers of yarn winders and many other accessories. Catalogues £1 refundable on first purchase.

> 51/53 ROBERT STREET, NORTHAMPTON Telephone 0604 35937

Shadow pleated skirt steaming kit

| NEW SUIT PATTERNS for '93 | |
|--------------------------------------|--------|
| 'Dollie' — the foldaway mannequin | £17.50 |
| Skirt pattern book (shadow pleat) | £5.95 |
| A-line skirt book (6 designs) | £5.95 |
| 6 designs by Beverley (shadow pleat) | £5.95 |
| Steaming kit stand (all kits) | £17.50 |
| 'Add on' for shadow pleated kit | £5.95 |
| 'Add on' for A-line kit | £3.95 |
| A-line skirt steaming kit | £9.95 |
| oriadovi produca omir cotodining me | 20.00 |

Willow for Brother 940/950/950i/965
With Garter Carriage
Family Fair Isle (unisex sweater)
Wickerwork (top and A-line skirt)
Dogtooth Suit (ribbed skirt) £3.00 £3.00 £3.00 £3.00 Braemar Suit (fully pleated skirt) Artistic Suit (A-line skirt) £3.00

Send your cheque (including your addr IN-EX LTD. PO Box 1459. WINDSOR, BERKS SL4 2TP All prices include p&p.
Other patterns available — send SAE for details and free newsletter

BOOKS

6000 JOURNAL (est 1989) £9 for 6 issues PASSAP KNITTING MACHINE JOURNAL (est 1984) £7 for 4 issues KNITTING MACHINE JOURNAL (est 1975) £5 for 4 issues Alice's E6000 Pattern Book B £4.95 inc p&p. Learn to Love your Forma £1.90 inc p&p. Learn to Love your Deco £3.30 inc p&p Learn to love your Form Computer £1.90 inc p&p. Alice's 1st Duomatic Baby Book £5 inc p&p. Simplified Guide to Programming the E6000 £6.50 inc p&p. Alice's Duomatic Book A £4.50 inc p&p. Convert Duomatic Stitches to the E6000 £8.50 inc p&p. All above UK prices. All available only from Alice Wilmshurst N N WILMSHURST, 'HAWTHORNES', WHITECROFT, FOREST OF DEAN, GLOS GL15 4PF

PAM TURBETT THE REVISED KNIT, CUT AND SEW: BOOK 1

Discover how to process, cut and sew your own knitted fabrics in order to make beautiful clothes by dressmaking methods, with the aid of this new, revised, updated and enlarged version of the original 1985 Batsford publication. Simple directions and clear diagrams: 96 pages, A4, laminated cover. £9.25 inc p&p Send cheque made out to 'Pam Turbett': post to

Dept MKN, 17 Forest Rise, Liss, Hants GU33 7AU Trade enquiries welcomed. Talks, demos, workshops can be arranged for clubs, colleges and

exhibitions. Tel: 0730 893654

THE ELECTRIC DESIGN LIBRARY.

Hundreds of designs for Japanese electronics. InGrid pattern design software. Send large SAE for details: Foxwood Designs Ltd, Stream House, Castle Hill, Rotherfield, East Sussex TN6 3RU. Tel: 0825 830388.

Private advertisements (selling a machine or accessories) are 35p PER WORD.

Cheques/Postal Orders to be made payable to Litharne Ltd and sent to

MACHINE KNITTING NEWS, PO Box 9, STRATFORD-UPON-AVON, WARKWICKSHIRE CV37 8RS

For all trade advertisements please contact MAGGIE MICHAELLS ON TELEPHONE 081-807 1185 OR FAX 081-803 7195

PASSAP SYSTEM: KNITTING AND PATTERN TECHNIQUES **VOLUME 2**

£8.95 + £1 p&p; Volume 1 £7.95 + £1 p&p or £1.50 p&p for 2 books.

KATHLEEN KINDER, Valley View, Station Road, Giggleswick, Settle, North Yorkshire BD24 0AB. Telephone 0729 822444

PLATING TECHNIQUES AND PATTERNS. Cut and sew for the machine knitter, techniques and patterns £6 each including p&p. Appliqués for the machine knitter, techniques and patterns £5 including p&p. Meg Tillotson, 6 Court Close, Bristol BS7 0XH.

ARTICLES FOR SALE

BARGAIN HABERDASHERY
PACKS. £7.50 and £10. J Mortlock,
190 Warren Drive, Hornchurch,
Essex RM12 4PP. Tel: 0708 454605.
BROTHER PPD110 with 120
cartridge, printer cable and FB100
disc drive £300. Tel: 0268 550820

(S.E. Essex). LEHA 97140 G01 5 GAUGE

BOND NEEDLES for sale. We have 135,000 to sell at £40 per 1000. Telephone Stuart Hughes at Leicester 0533 536795.

KRC 900 colour changer, new boxed, £75 ono. Tel: 081-443 1184. OMNISTITCH with stand including yarns £600. Tel: 0442 242638

ARTICLES WANTED

WANTED. SECOND HAND knitting machines, ribbers and accessories bought and sold. Part exchange available. Repairs and tuition. Heathercraft, Bunglebee, Faygate, West Sussex RH12 4SH. Tel: (0293) 851339.

BUTTONS

BUTTONS

ELSIE'S WOOLS for all your buttons, beads, ribbons, children's motifs, lace, rosebuds, sewing thread, knitting pins, a huge range of haberdashery and much more. New range of lace coming soon. 108 colours of 100m thread now in stock at 26p each. 10% discount off all orders over £10 (non-discounted items only). Orders £5 and over carriage free. £1 for a catalogue to: ELSIE'S WOOLS, MKN, R/O Dinam Park Avenue, Ton Pentre, Rhondda CF41 7AT. Telephone/Fax: (0443) 431500. Trade enquiries welcome.



BUTTON LADY

Suppliers of Norwegian Pewter Clasps and Buttons

Hand-made buttons from natural materials Glass nuggets for flower arranging LACE BOBBINS • FLEECE AND FIBRES • • SPINNING WHEELS •

Catalogue £1 refundable on first order THE BUTTON LADY 16 HOLLYFIELD ROAD SOUTH **SUTTON COLDFIELD WEST MIDLANDS B76 8NX** Tel: 021-329 3234

Personal shoppers by appointment

BUSINESS SERVICES

BUSINESS CARDS WITH A DIFFERENCE. Picture cards overprinted with your details can be used as business cards or personalised price tickets. Ideal for craft fairs etc. SAE for details and samples to: Pats Foil Print, PO Box 24, Barnstaple, North Devon

KNIT-KITS

KITS FOR KIDS

Delightfully different machine knitting kits for children 0-8yrs. For **FREE** colour brochure send stamp to:

RATTLES **6 HAMILTON ROAD, HARROW** MIDDX HA1 1SU or phone 081-427 2188

HOMEWORKER OPPORTUNITIES

HOMEWORKERS WANTED. (mailing envelopes etc). Experience unnecessary. Full instructions. Stamped addressed envelope to Mr Reeves, R K Matrize, 16 Kirklee Circus, Glasgow G12 0TW.

URGENTLY REQUIRED.

EXPERIENCED machine knitters. 100% reliable and neat. North London area. Telephone 081-880

KNITTING MACHINE REPAIRS

"ATTENTION!"

ALL KNITTERS KNITTING AND SEWING MACHINE SERVICING BY **EX-BROTHER ENGINEERS**

ROY CURRON N/WALES + N/WEST 051-339 6920

RICHARD JONES GLOS/WORCS/ AVON/S.WALES NORTHANTS/BUCKS **0386 833339**

RICHARD WHITE IONDON 081-669 8110

KEN REVNOLDS EAST MIDLANDS 0332 674650

TREVOR DRYDEN YORKS/HUMB 0709 877407

RAY BYE HANTS/BERKS HERTS/OXON 0256 763586

Other areas covered. Contact your nearest agent * FAST EFFICIENT SERVICE IN YOUR AREA (Telephone after 6pm) (AUTHORISED BROTHER AGENTS)

An unwanted knitting machine under vour bed? **TURN IT INTO CASH** Advertise on these pages

KNITTING MACHINES

BROTHER KH260 plus ribber and table £450 ono. Tel: 0707 873077

(Herts).
PFAFF ELECTRONIC 6000 Little used, £900. Tel: (0257) 423852 (Standish, Wigan).

KINGSTON and **HOUNSLOW** for

BEST CONED YARNS

Bramwell • Amber • King Cole • Argyll • Forsell • Denys Brunton • Waterwheel etc

BEST MACHINES

Toyota • Singer • Pfaff • Brother • Knitmaster • Hague • Overlock etc

BEST PRICES

Many special offers Tyson Sewing Machines Ltd KINGSTON: 60 Fife Road

Telephone 081-546 8029 — (facing railway station) MAIL ORDER

HOUNSLOW: 40 High Street Telephone: 081-570 6790

(near bus garage, also very near Heathrow Airport) Singer System 9000 here now

KNITTING MACHINES

GARDI NEW AND USED KNITTING MACHINES

Brother, Silver Reed and Passap. We buy the above makes of machines and accessories for cash or we'll sell on commission.

Send for mail order catalogue. Include £1 if shade cards required.

20 ST MARY'S ROAD, MARKET HARBORUGH, **LEICESTERSHIRE** Tel: 0858 434430

PASSAP DUOMATIC 80 with four colour changer, deco, punch and punchcards and books. £425 ono. Telephone 0326 376270 (Cornwall).

BROTHER KH910 knitting machine, 60st pattern, lace carriage, patterns etc. Excellent condition. Tuition available. £295. Telephone 0782 516059 (Midlands).

PFAFF DUOMATIC 80 knitting machine complete with stand, four colour changer, deco. In excellent condition. Hardly used. £350 ono—cost £800 new. Telephone 0273 494421 (Brighton).

PASSAP ELECTRONIC 6000 knitting machine plus Bernette 334/D four thread overlocker. Both unused. £1,400. Telephone 0168 476156 (Bucks).

KNITMASTER 700K and Ribmaster £100 worth yarn, table, books, videos, patterns and other accessories. Bargain £300 ono. Tel: 0283 813407 after 6pm.

KNITMASTER SK580 knitting machine with PE1 design control unit. £350. Tel: 0924 828258 Wakefield, Yorks.

TOYOTA 901, ribber, tilt table, tracer, Intarsia, lace carriages etc. tracer, Intarsia, lace carriages £345. Tel: 0255 424897 (Essex).

BROTHER 965, ribber, PPD, colour changer DB, light, wool, books. £1200. Tel: 0842 815770. (Suffolk).

KNITMASTER 700, SRN60N ribber, SC3 automatic linker, and RT1 rib transfer carriage, folding table included £350. Tel: 0268 550820 (S.E. Essex).

WANTED SINGER ELECTRONIC 624 knitting machine. Reasonable price please 0900 604759.

SINGER 624 ELECTRONIC knitting machine, motor drive. As new. Purchased November 1991. £600. Tel: 0455 841278 (Leics).

NOTTINGHAMSHIRE HEART OF SHERWOOD FOREST

Ollerton Machine

Knitting Centre (rear of Wheels 'n' Things)

7 Rufford Avenue

New Ollerton, Newark, Notts Contact Pauline on (0623) 860366

AGENTS FOR: **Brother: Knitmaster: Pfaff:**

Toyota; Hague; Bramwells; Forsells; Yeoman; Bruntons.

Largest selection in the country of top quality industrial yarns. Telephone for details.

Branded shade cards available £1 plus sae.

Stockists of American magazines. All other leading machines available. SERVICE AND REPAIRS AVAILABLE ON ALL MAKES OF MACHINES

Authorised Brother Electronic Service Engineer on call. Knitting Clubs welcome by appointment. Knitting Clubs visited.

Now open Sundays 10am to 1pm

KNITTING MACHINES

ARCADE SEWING AND KNITTING MACHINE CO LTD

KNITTERS: Stockists of full range of Silver Reed, Jones+ Brother, Passap, Toyota etc. knitting machines plus Hague Linkers both hand and electric. TOP DISCOUNTS LOWEST PRICES GUARANTEED

All Bramwell, Denys Brunton, Forsell, Yeoman and King Cole yarn, i.e. 4 ply Bramwell Acrylic, Magicolor, Duo Magic, Instant Fairisle,

4 ply Cotton, Sabrina -Angora Look, Loopy Lou, All That Jazz, Chunkies, Mohair 4 ply/3 ply, Anti-Tickle, Shamal, Chenille and lots lots

more. All accessories, books etc. 33 The Arcade, Broadmead, Bristol BS1 3JD

> Tel: (0272) 276766 and 264044

DROPINSTICHES

MACHINE KNITTING CENTRE

Knitting machines, sewing machines, tuition, repairs, yarns, magazines, accessories etc. Club visits welcome.

3 BEDWELL PARK, BEDWELL CRESCENT, STEVENAGE, HERTS

Telephone (0438) 725155

DESIGNAKNIT EAST ANGLIA. Now you can purchase the complete outfit from East Anglia's leading DesignaKnit dealer. At PAGE TWO we can supply everything from the knitting machine to the computer (including the software). We will show you how to use the computer before you take it away and are always at the end of the telephone if you have problems. Our new PCs are reasonably priced and come with twelve months on-site warranty. Used computers often available. If you would like further information about the packages available, call or give us a ring. Page Two, Church Mews, Wisbech, Cambs PE13 1HL. Tel: 0945 476579.

PASSAP ELECTRONIC with motor. countdown, four colour changer, extras £1,200 ono. Tel: 0268 771269

Rayleigh).

(Hayleigh).

PFAFF 6000E, as new, fully automatic four colour changer, Electra 3000A motor, Tricofit, U100E, instruction manuals, video, patterns. £1500. Tel: 0526 833937 (Lincs).

BROTHER CONVERTIBLE knitting machine KX-390. Excellent condition. £80. Tel: 0708 447107

(ESSEX).

BROTHER 836 with punchcards, lace carriage. Good condition. £175. Tel: 041-632 5211 (Glasgow).

KNITMASTER 560 ELECTRONIC,

ribber and many extras £500 ono. Phone 0442 242638 (Herts).

KNITWEAR

PURE SHETLAND WOOL **SWEATERS.** All sorts, cherries, samplers. £13. Details designs (0900) 604759.

KNITWEAR **DECORATIONS**

LATEST APPLIQUÉ DESIGNS. Traditional ranges in washable fabrics plus a detachable hand painted leather collection. Your

own designs service available.
Send 4 x 24p stamps for
catalogue to: The Appliqué Tree,
2 Capstan Row, Deal, Kent CT14
6NE. Tel: 0304 372067.

LABELS

EMBROIDERED LABELS

In many attractive designs, hand printed with any wording, some with matching swing tickets., 10 for £1.99, 50 for £6.99 and 100 for £13. Also personalised ribbon for gift wrapping.

SAE please for leaflet and samples

EVE BULL (MKN) Long Dyke, The Drive, Chichester, West Sussex PO19 4QA

SILLYEARN PRINTERS printed fabric labels and all your stationery requirements. SAE for details to: Sillyearn Printers, Dept N, Sillyearn Croft, Grange, Keith AB55 3SU.

SEW-ON PRINTED Fabric Labels

You supply your own wording We specialise in small quantities

PRICES E9.50 PER 100 FROM E9.50 Inc P&P

Send stamp for details to: R. & H. KING (MKN)

Tyler's Acre Avenue, Edinburgh EH12 7JE Tel. 031-334 6708

PRINTED FABRIC LABELS

Top quality, high wash resistance fabric labels. 100 £15.85, 1,000 £32.90 (reprints £5.35 and £22.40).

Also size, fibre content labels, packaging and the unique Printy rubber stamp.

Send stamp for catalogue and samples

DIVERSE MARKETING (MKN)

Westruther, Gordon, Berwickshire TD3 6NE, Scotland. Telephone: (0578) 740242

LOCAL MACHINE KNITTING SHOPS

GLOUCESTER. Talwar Crafts Ltd. ANITA would like to wish her Year. 295/297 Barton Street, Gloucester. Telephone 0452 Gloucester. Telephone 303242

SHEFFIELD - KNITNACKS. Coned yarns, Silver Reed machines, accessories. Stockists of King Cole, Forsell, Magicolor, Spectrum and Busby, 908 Ecclesall Road, Sheffield S11 8TR. Tel: 0742

PLYMOUTH. Machines, spares, books, tuition, yarn. Bramwell, Yeoman, Brunton, Forsell etc. Regency Yarns, Queen Anne's Battery Marina, Coxside, Plymouth. Tel: 0752 220662.

LOCAL MACHINE **KNITTING SHOPS**

FLIMWELL KNITTING CENTRE

Agents for Brother, Sllver Reed and Passap knitting machines. Free tuition with new machines. Accessories for knitting machines. Yarns - over 3,000 cones in stock. Bramwell, Yeoman, Forsell, King Cole, Denys Brunton etc etc. Competitive prices. Closed Mondays and Wednesdays Large car park.

> **HOLLANDS FARM** High Street, Flimwell, East Sussex TN5 7PF Telephone 058087 316

CONECRAFT OF CHICHESTER.

Approved Brother dealer. Good selection of yarns, lots of books and patterns. Accessories. Tuition and advice. Clubs very welcome or visited. 232 Oving Road, Chichester PO19 4EJ. Tel: (0243) 774108.

EASTBOURNE - YVONNE'S. Machines, accessories and tuition school. Agents for Pfaff in East Sussex. Mail order on parts and accessories. Tel: 0323 638141.

RUGBY — THE CONE ZONE, 120 Cambridge Street, Rugby, for yarns, spares, repairs and tuition. Contact us pow on 0788 55212.

yarns, spares, repairs and tuition. Contact us now on 0788 552212.

HODDESDON, HERTS. Junes Machine Knitting Centre, 27 The Drive, Hoddesdon (off Ware Road). Telephone 0992 466402.

DUDLEY — ZOAR MACHINE KNITTING CENTRE. Brother and Toyota agents. Stockists — Bramwell, Brunton, Yeoman, Spectrum. Accessories. 43a Zoar Street, Lower Gornal, Dudley. Tel: 0384 239211 0384 239211

SYLVIA GOODWIN

Machine Knitters Paradise + **Tuition Centre** 27 Beechwood Drive, Thornton, Nr Blackpool FY5 5EJ

- Discount prices
- New and used accessories and machines
- Approved Brother, Silver Reed and Passop
- Vast range of quality yarns, books, potterns and accessories

 CALL or 'PHONE: 0253 853481

Probably the best in the North West

FULLER KNIT







128 SIDWELL STREET **EXETER EX4 6RY** Telephone/Fax: 0392 412465

Brother, Knitmaster, New Home machines. accessories, spares. Wide range of yarns incl industrials. Knitting and Sewing machines Expert tuition/advice, haberdashery - novelty children's buttons.

Quantity discount on yarns

MAIL ORDER ENQUIRIES WELCOME

MISCELLANEOUS

PASSAP KNITTERS: Subscribe to Joella Knitworks Newsletter (Duo 80 and E6000), 3567 West 26 Avenue, Vancouver, BC V6S 1N8, Canada. Four issues — \$30 Canadian/year airmail.

PATTERNS

NEW GREAT IDEAS MACHINE KNITTERS. 24 to 60 st hand, machine or Intarsia. For free lists send 8 x 6 SAE to M. McCarthy, 224 Buckingham Road, Bletchley, Milton Keynes MK3 5JE. Trade enquiries welcome.

EASY 4 PLY MACHINE KNITTED baby dolls' clothes patterns. 3 booklets at £3 each. 1. 8", 10", 12". 2. 12", 14", 16". 3. 16", 18", 20". Ten garments each size. Cheques to Mrs E. Miller, Millbank, Haugh of Urr, Castle Douglas, Kirkcudbrightshire DG7 3YB. Tel: 055 666 245 (evenings)

KATE ARKLAY DESIGNS — jumpers, jackets, skirts using mixed stitches make these easy to wear garments quite unique — standard gauge machines. For brochure please send 10" x 8" SAE to 3 The Vinery, Winscombe, Avon BS25

TERRY MASON

KNITTING PATTERN WRITER

Probably the most widely used programme for knitters. Used in many countries

MSDOS PC DISCS CPC6128 discs ATARI discs COMMODORE 64 discs SPECTRUM PLUS 3 discs AMIGA DISCS

Practically any pattern you need for only

£34.95 (tapes still available for only £9.95)

NEW KNITTER'S DATABASE

Now available for your PC for only £24.95 or your CPC 6128 for only £21.95. Full of features for your knitting records.

TERRY MASON 15 Inishmoyne Green, Antrim N. Ireland BT41 4JZ Tel: 0849 462381

Access, Visa or Mastercard

DESIGNER — FOR KNITTING. **EMBROIDERY**

A program for creating designs of up to approximately 300x300 stitches, with up to 8 colours. Ideal for Intarsia, etc.

PUNCHED CARD DESIGN

A program for the creation of templates for punched cards and design sheets. Caters for Brother, Jones, Silver Reed, etc. Passap, Pfaff and Singer formats.

Both programs include full editing facilities and ability to save and re edit whole designs and motifs from them. Requires dot matrix printer or Epson compatible inkjet or laser printe

PRICES IBM PC £34.95 (requires EGA or better colour monitor)
Amstrad PCW £29.95 Amstrad PCW Amstrad CPC6128 £29.95 requires colour monitor for Punched Card Design)

Prices include p&p and VAT.

Telephone or write for further details

HTB COMPUTERS LTD Broadwater House, Broadwater Road, Romsey, Hampshire SO51 8GT

Telephone and fax: (0794) 516279

PATTERNS

TROLLS, DINOSAURS PONIES, SEA WORLD

Each pack contains 24 st and Electronic designs plus basic sweater pattern Each pack £2.95 + 45p P&P from:

CHRIS TYE DESIGNS 8 Hawthorn Close, Winsford, Cheshire CW7 2UQ

New mall order brochured
New booke and even more dieke
from America and Japanl
28 Magic Cable books and
exciting designs from Impresario
Please send 3 x 1st-class stamps to:

Che knitting neuk
PO Box 5
Cromarty
Ross-shire IVII 8XZ
tel. 0381 600428

Over 500 different designs on easy to follow charts, A3 size. Single designs £1.75 each, ten or more £1.25 each. Designs drawn to order from £7.00, SAE for details. Plastic storage case available, size A3 – £2.50 each incl p&p

Margaret Nottingham 1 Brecon View Bleadon Hill

Weston-super-Mare BS24 9NF

Tel: (0934) 812592 or 631169

Floatless Fairisle

The Technique ires ribber and DB colour change

Japanese Electronics......£4.95 Use any motif or fairisle design Brother/Silver Reed/Knitmaster

Punchcard Technique£4.95

Passap Technique.....£4.95

Please add £1.00 p&p (UK) £3.00 overseas cheques to: FLAIR Publications

Crewenna Vean, Crowan Camborne, Cornwall TR14 9NB

please state machine make and model

SITUATIONS VACANT

ADDRESSERS REQUIRED. Work from home. Send stamped addressed Send stamped addressed envelope for full details. Price-Wise (LL) 76 Manor Road North, Hinchley Wood, Surrey KT10 0AD.

PATTERNS

TOY PATTERNS. Teddy bears, dinosaurs, puppets, Victorian and novelty dolls. Quick to make. Trade enquiries welcome. SAE for details, Pippin Designs, 22 Clifton Road, Dunstable, Beds LU6 1LU. Telephone 0582 605808.

EXCITING TOYS AND NOVELTIES.

Fun and simple to knit from leftover yarn. Wonderful gifts, fund raisers and mascots. 2 x first class stamps for colour brochure: Jane Platt. Knit-Knacks (MKN3), 16 Springfield Road, Binfield, Berks RG12 8TW.

JO NEWTON

KNITTING DESIGNER Barrowby Old Hall, Nr Grantham, Lincs NG32 1BX Tel: 0476 63111



NEW
'JO'S NATURE STUDIES' — A bumper book o JUS MATURE STUDIES — A bumper book of realistic motifs first published in 'MADERM MACHINE KNITTING' featuring 12 animals. Complementary designs for electronic and 24 st machines. Punchcard and electronic graphs. Correct mylar sheet size and easy stitch count format.

easy stitch count format.
Otters, Flying Swans, Foxes, Hedgehogs, Siamese
Kittens, Robins, Pandas, Elephants, Donkeys, Badgers
Penguins and Swallows. £3.99 + 35p p&p

'JO'S FARMYARD' — Superb Animal motifs first published in 'MODERN MACHINE KNITTING'. Each 60 st picture has at least two complementary 24 st designs. Punchcard and Electronic graphs in correct mylar sheet size and easy stitch count format. Colour

mylar sheet size and easy stitch count format. Colour illustrations.

VOL 1 — Shire Horses, Poultry, Pheasants, Cat and Kittens, Labrador/Retriever and Calves.

E2.95 + 25p p&p

VOL 2 — Border Collie, Pigs, Mare and Foal, Ewe and Lambs, Rabbits and Ducks. £2.95 + 25p p&p.

'JO'S COMPANIONS' — Electronic/Intarsia motifs. Kitten in Tree, Alsatian, Boxer, Jack Russell, Horse, Border Collie Pup, Kitten and Ball and Westie. Correct mylar sheet size. Colour illustrations. £2.95 + 25p p&p.

'JO'S SPORTS TWO' — Authentic action motifs in 24st punchcard and electronic format, two to each sport. Foxhunting, Fishing, Hockey, Bowls, Steeplechasing, Windsurfing, Tennis and Motor Cycling. Colour illustrations. £2.95 + 25p p&p.

'JO'S SPORTS' — Format and price as above. Cricket, Soccer, American Football, Show Jumping, Shooting, Racing, Skiing, Golf.

Any two of above £5.95 inc p&p (except Nature Studies).

"JO'S PETS" — 24 st repeating annial designs. No float longer than 6 stitches. 22.50 + 25p p&p.
Elephants, Swans on Water, Mice I, Terriers, Cats, Rabbins, Horse's heads, Mice II and a lovery all over pattern of spirited Arab Horses.

All books now available on disc for Brother and DesignaKnit. £4.95 + 25p p&p.

CARL BOYD

32 DESIGNS FOR THE MACHINE KNITTER in single leaflet form

PRICED 95P EACH OR 8 FOR £6.75 INCL P&P Also Cut & Sew Template. All sizes of Round and 'V' Necks. STILL ONLY £5.70 INCL P&P.

Send SAE for brochure

1 Coulsons Place, Penzance, Cornwall TR18 4DY Tel: (0736) 62538

TUITION, CLUBS AND CLASSES

GERT & DAISY DESIGNS

Design & Machine Knit at the Residential Summer School '94 Alston Hall, Preston

APRIL 17TH-22ND, Janet Cooke, A Jacquard garment from start to finish MAY 15TH-20TH, Ann Brown, Knit a posh frock JUNE 12TH-17TH, Kate Arklay, From a cone to Jacket in a weel JULY 10TH-15TH, Ann Durkan, Designing with Ann Durkan AUG 7TH-12TH, Janet Spink, Computer knit and design SEPT 6TH-13TH, Pat Stapley, Beginners, improvers and use of accessories OCT 2ND-7TH, Linda Banyard, Knit, cut and overlock

Brother and Knitmaster both punchcard and electronic machines available for your use

> For further information contact: Ann Reynolds 0923 265373

NEW IN YORKSHIRE

For all your Duo 80/6000 requirements. Bramwell and Christiana Wools Authorised Pfaff Dealer
 Pat Cook Designs
 Courses
 Club Spares and repairs MARLIN KNITTING Unit 9, Bretton Street Enterprise Centre, Bretton Street, Dewsbury. Tel: (0924) 381703 (24 hrs).

ANN'S YARNS SILVER REED AND BROTHER AGENTS

Tuition, yarns, accessories and clubs.

Open 9.30am — 4.30pm Tuesday — Saturday

Unit 30, Fourth Avenue, Bluebridge Industrial Estate, Halstead, Essex Telephone (0787) 476540

KNITTING MACHINE LESSONS on all makes of machines. Telephone (Slough) 0753 525946.

NORTH WEST SINGER OWNERS don't despair! Tuition now available. Call Karen Diesner 061-

INDIVIDUAL OR GROUP LESSONS, instruction and courses. Ring Luton 591593. PRIVATE TUITION OR GROUPS Passap and Japanese machines.

Let me help you get the best out of your machine, and learn to love it. Will travel to your home. North London/Hertfordshire area. Telephone 0923 852486.

ENJOY A KNITTING BREAK on the English Riviera. Highly recommended accommodation, close to sea/amenities. Excellent tuition in modern workroom. Partners welcome. Telephone 0803 517145 Day and 0803 557749 evenings

ALL OVERLOCKERS

You really will become an expert in one day in our super new fully fitted classroom. DAY COURSES ALSO ON PFAFF COMPUTER SEWING AND KNITTING MACHINES.

BAMBERS

42 OLDHAM STREET MANCHESTER M4 1LE TEL: 061-236 0219 PHONE/WRITE FOR DETAILS

TUITION, CLUBS AND CLASSES

CHRISTINE MOREY INTERNATIONAL SCHOOL OF MACHINE KNITTING TORBAY

Highly recommended, now in its 10th successful year. Tastefully decorated accommodation overlooking Torbay. Excellent tuition, 16 years experience. Few minutes from all amenities; coach/railway station. Machines available anytime in modern, well equipped workroom. £110 PER WEEK 25A Cliff Road, Paignton, South Devon TQ4 6DH Telephone (0803) 555759

GREATER MANCHESTER AREA

— home tuition on most machines including all Singer models. Flexible, friendly lessons. Karen Diesner 061-480 5381.

YARNS

CALLING ALL MACHINE KNITTERS

Do you want to buy at discount prices? Yes! Then send a large SAE for our FREE bulk purchase mail order catalogue and see Heron's fantastic prices for BRAMWELL YARNS and machine accessories. Send to

HERON YARNS, PO BOX 23, CRAVEN ARMS, SHROPSHIRE SY7 0WA for the company with a fast and friendly mail order service

EXCLUSIVE ITALIAN

DESIGNER YARNS ON CONES 100% Pure New Merino Lamb's Wool; Super Kid Mohair; Angora; Alpaca/Wool, Silk/Wool and Cashmere/Wool blends.

For Shade Cards and **Knitting Tips**

send SAE and £3.60 to:

Nina Miklin

104 Biddulph Mansions, Elgin Avenue, London W9 1HU Tel: 071-286 1532 ACCESSIVISA ACCEPTED

PHONE-A-CONE 031-228 4578

Do you want a supplier of good quality wool? Excellent service. Give us a try, you won't regret it.

4 ply Shetland 91 shades 4 ply Lambswool/Silk Knop 14 shades

2 ply Merino 24 shades 2 ply Lambswool 22 shades 2 ply Cotton 50 shades **Donegal Tweed 9 shades**

Trade enquiries welcome

For our FREE Shade Card send a large SAE to:

SIMPLY SHETLAND (M.O. Dept) 9 West Port Edinburgh EH1 2JA

YARNS

COLOURMATCH YARNS

Yarns in Natural Fibres Suppliers to the Designers 100% Pure New Wool in 80 shades. 'Donegal' Tweed Wool in 21 rich colours. 2 ply and 4 ply Superwash Wool in 27 shades. 100% Mercerised Cotton in 36 shades. Wool/Alpaca in 5 natural shades.

TRADE ENOUIRIES WELCOME

Send £2.00 refundable for shade cards and price list to:

COLOURMATCH YARNS LTD 62 Dells Lane, Biggleswade, Beds SG18 8LP Tel/Fax: 0767 600050

REAL SHETLAND KNITTING YARNS

FROM SHETLAND ISLES These are spun from 100% pure wool and renowned for its softness. We carry a large stock and endeavour to despatch orders by return post. Over 300 shades in various thicknesses, including 1 ply Cobweb for fine shawls and evening stoles, with 100 of them coned for machine knitting. Send £2 which can be used with first order over £10 value, for shade card and price list.

JAMIESON & SMITH (Shetland Wool Brokers) Ltd Dept MKN, Lerwick, Shetland ZE1 0PQ Tel: 0595 3579, Fax: 0595 5009

For advice phone Maggie Michaells

on

081-807 118*5*

BASINGSTOKE AND HAMPSHIRE.

BASINGSTOKE AND HAMPSHIRE.
Bonnie's Wools stockist. Daytime,
evenings and weekends.
Telephone (0256) 475586.
PURE SHETLAND WOOL ON
CONES (60 plus part cones). Soft,
good quality, assorted colours.
£300 or will split. Telephone 0785
851953 (Stafford).

MILES OF YARN THE MACHINE KNITTING SPECIALISTS IN CAMBRIDGESHIRE

FOR ALL YOUR MACHINE KNITTING REQUIREMENTS. ALL THE MARKET LEADERS IN MACHINES AND YARNS, BOOKS ETC IN STOCK

MILES OF YARN ALSO STOCK **NEW HOME, BERNINA AND BROTHER SEWING MACHINES**

CALL IN AND SEE US - YOU WILL NOT BE DISAPPOINTED

MILES OF YARN 1 NASEBY GARDENS, ST NEOTS, CAMBS

TELEPHONE: (0480) 473449 Please ring for directions

YARNS

HARTINGTON YARNS

Quality yarns on cone. Prompt delivery — Competitive s — Quantity discounts ACRYLIC YARNS prices

4 ply — solid, random and

crepe.
Fine ply — Double knit
COTTON AND ARAN WOOL Trade enquiries welcome Prices and shade ranges sent on receipt of SAE (22 x 11cm)

to: HARTINGTON YARNS (MKN) Unit 5, Balloon Wood, Coventry Lane, Beeston, Nottingham NG9 3GJ Mail Order only

MOBILE YARN SERVICE

Main stockists of Bonnie's Yarns, industrials, accessories, spares, patterns and books. Fast FREE delivery to all areas of Gwent, South and Mid Glamorgan, Forest of Dean. Club and group visits a speciality.

UNDY YARNS 4 BRIDEWELL GARDENS, UNDY, GWENT Telephone 0633 881028

INDUSTRIAL YARNS at an affordable price. 48 hours delivery. Contact Tony on 0480 473449.

QUALITY YARNS

Various Natural Yarns, over 300 shades, plus undyed 100% pure wool, mohair, silk Shetland/Lambswool Botany 2/20s/Double Knitting/ Chunky Tapestry Brushed Mohair

Mohair Loop Undyed For price list and shade cards (please

specify) send large SAE and £3.50 to:



Dept MKN, 124 High Street, Bangor, Gwynedd LL57 1NT Wales, UK Tel/Fax: 0248 362604

Trade enquiries welcome

Busby Yarns

MACHINE AND HAND KNITTING YARNS DIRECT TO THE KNITTER AT SENSIBLE PRICES

Discounts for quantity and trade Repeatable ranges

4 PLY SOFT SHETLAND 500CRMS 4 PLY LAMBSWOOD

4 PLY LAMBSWOOL/CASHMERE 70/30 4 PLY MACHINE WASHABLE BOTANY 4 PLY ACRYLIC

Aran — 4 qualities — 30 shades Mohair - Ball and Cone BABYWOOLS


LOPI STYLE

DK MACHINE WASHABLE

Access/Visu/Cheque acceptable Send £3 (refundable) for shade cards to:

PO Box 930, DUNDONALD KILMARNOCK, AYRSHIRE SCOTLAND KA2 9BA Tel: 0563 850994 and 0563 851209 (Also fax)

YARNSAMPLES



ABBREVIATIONS

alt = alternate(ly)
BB = back bed
beg = beginning
CAL = carriage at left
CAR = carriage at right
ch = chain
cm = centimetres
Col 1 = colour one
Col 2 = colour two
Col 3 = colour three
cont = continu(e)(ing)
dc = double crochet
dec = decreas(e)(ing)
FB = front bed
FNR = full needle rib

fig = figure
foll = following
g = grams
HP = holding position
inc = increas(e)(ing)
K = knit
MB = main bed
MC = main colour
mm = millimetres
MT = main tension
MT-1, (2), (3) = one,(two),
(three) full sizes tighter
than main tension
MT-4, (5), (6) = four,
(five), (six) full sizes

tighter than main tension MT+1, (2), (3) = one, (two), (three) full sizes looser than main tension MT+4, (5) = four, (five) full sizes looser than main tension MT+9 = nine full sizes looser than main tension MY = main yarn N(s) = needle(s) NWP = non working position 0 = no stitches or rows worked P = purl

patt = pattern
RB = ribber
RC = row counter
rem = remain(ing)
rep = repeat
SS = stitch size
st(s) = stitch(es)
st st = stocking stitch
tog = together
UWP = upper working
position
WP = working position
WY = waste yarn
A, B, C and D = contrast
colours

FOR MACHINES WITHOUT RIBBER MOCK RIB

Push the number of main bed Ns as given in the patt to WP. Return alt Ns to NWP for 1x1 mock rib. Return every 3rd N to NWP for 2x1 mock rib. Using WY, cast on and K a few rows, ending carriage at left. Using T10 and nylon cord, K1 row. Set RC at 000. Using MC and MT-3, K the number of rows given in patt (i.e. depth of rib). Using MT, K1 row (fold row). Using MT-3, K the same number of rows for depth of rib again.

Return intermediate NWP Ns to WP. Pick up loops from first row worked in MC and hang on to empty Ns (plus adjacent N for 2x1 rib), evenly along row.


Complete as given in patt. To remove WY when work is completed, pull nylon cord from one end of work, thus releasing waste knitting.

SYMBOLS

 \triangle EASY TO KNIT $\triangle\triangle$ FOR A KNITTER WITH SOME EXPERIENCE $\triangle\triangle\triangle$ FOR EXPERIENCED KNITTERS $\triangle\triangle\triangle\triangle$ FOR EXPERTS ONLY

COMINGNI













Around














Perfect Pastels


PLACE A REGULAR ORDER W


EXT MONTH





















Purple Haze



IN THE MARCH ISSUE ON SALE 3rd


FEBRUARY

ONLY £1.90






and....



PATTERN BOOKS







STRETCH FABRIC PAINTS AND ACCESSORIES

and



COLOUR MATCH BUTTONS



For details of your local stockist, contact:-

F. W. Bramwell and Co. Ltd., Unit 5, Metcalf Drive, Altham Lane, Altham, Accrington, BB5 5TU. Tel: (0282) 779811 Fax: (0282) 779860

U.S.A. Sole Importer: Bramwell Yarns Inc., PO. Box 8244, Midland, Texas 79708, U.S.A. Tel: 915 699 4037 U.S.A. Sole Importer: Bramwell Yarns Inc., P.O. Box 8244, Midland, Texas 79708, U.S.A. Tel: 915 699 4037

Canadian Sole Importer: Westrade Sales inc., 2711 No.3 Road, Richmond B.C. V6X 2B2, Canada. Tel: 604 270 8737

Australia East and South: Reynolds Bros., 53 Carlton Parade, Carlton 2218 Sydney N.S.W. Tel: 258-75020

Australia Western: Dormani Yarns, Perth. Tel: 09-367-5901

New Zealand: Conecraft, R.D. Dobson, Westland, South Island, New Zealand. Tel: 03 738 0009

Malta: Joseph Callus, 44, Lapsi Street, St. Julians STJ09, Malta. Tel: 356 696985

Italy: Argenziano Modesto, Corso XX Settembre, 14, 21052 Busto Arsizio, Varese, Italy. Tel: 03-315-05051

Nederlands Excl. Importer: M + M Nederland, Molendwarsstraat 66, 7391 ZS Twello, Holland. Tel: 05712-71362

France: M + M BP31, 24170 Belves. Tel: 53 29 36 04

Germany: M + M International, Postfach 1347 D-W-3078 Stolzenau. Tel: 05761-3282

Belgium: Contact M + M Nederland. Tel: 0031 5712 71362

Also represented in: South Africa, Russia, Sweden, Finland, Hong Kong, Iceland, Channel Islands.